

台灣癌症登記中心通知

急件

發件人： 台灣癌症登記中心
電話： 02-2341-6012
傳真： 02-2351-1733
地址： 100 台北郵政 84-310 信箱
日期： 107 年 2 月 1 日
編號： 癌登第 107001 號

收文者： 所有申報醫院

副本收文者： 衛生福利部國民健康署、台灣癌症登記學會、資拓宏宇國際股份有限公司

主題： 因應107年癌症登記實務作業之需求，請貴院依說明段辦理

急件 請檢閱 請加註 請回覆 請回收

- 一、 本案係依衛生福利部國民健康署委託「台灣癌症登記工作計畫」辦理。
- 二、 2018 年 1 月 10 日北美癌症登記協會 (North American Association of Central Cancer Registries, NAACCR) 公布最新 ICD-O-3 組織型態更新版本，經比對後，與去年底癌登 106005 號通知文附件內容差異處，整理歸納如下：
 - (1) 每年 WHO Classifications for Tumors (Blue Books) 新增編碼，請於公告年度之診斷個案開始使用。例如：去年底通知文所公告之最新 WHO Classification of Head and Neck Tumours (2017)、WHO Classification of Tumours of Endocrine Organs (2017) 適用於 2017 診斷年起個案。
 - (2) NUT carcinoma 8023/3 (C34._, C37.9)，新增適用部位 C30.0, C31._。
 - (3) Condylomatous carcinoma 8054/3 (C60._)，同 Warty carcinoma。
 - (4) Squamous cell carcinoma, HPV-positive 8085/3 與 Squamous cell carcinoma, HPV-negative 8086/3，新增適用部位 C02.4, C05.1, C05.2, C31._。
 - (5) Enteric adenocarcinoma 8144/3，新增適用部位 C65.9, C66.9, C67._, C68._。
 - (6) Micropapillary adenocarcinoma 8265/3，新增適用部位 C34._。
 - (7) Low-grade serous carcinoma 8460/3、High-grade serous carcinoma 8461/3，新增適用部位 C56.9。
 - (8) Solitary fibrous tumor, grade 3 8815/3，新增適用部位 C71._。
 - (9) Odontogenic carcinosarcoma 8980/3 (C41.0, C41.1) 刪除，原 ICD-O-3 已有編碼為 9342/3。

三、 因最新公告 WHO Classification of Head and Neck Tumours (2017)新增 Oral epithelial dysplasia, high grade (C00._, C02._, C03._, C04._, C05._, C06._)可編碼為 8077/2；但經與台灣病理學會諮詢後，口腔 dysplasia 系統分為兩類：low/high grade dysplasia (二分法)或 mild/moderate/severe dysplasia (三分法)，因僅有 severe dysplasia 可視為原位癌，但 high grade dysplasia 包含 moderate dysplasia 與 severe dysplasia，不可直接視為原位癌申報。

口腔病理報告描述	是否申報
Severe dysplasia (團隊會議共識或醫師認定是原位癌)	是
Severe dysplasia (團隊會議共識或醫師不認定是原位癌)	否
High grade dysplasia (團隊會議共識或醫師認定是原位癌)	是
High grade dysplasia (團隊會議共識或醫師不認定是原位癌)	否
Mild or moderate dysplasia	否
Low grade dysplasia	否

四、 再次提醒：

最新 AJCC Cancer Staging Manual 8th Edition 已於 2016 年底公布，將適用於 2018 年 1 月 1 日起新診斷之癌症個案，並於 2019 年 (民國 108 年)起開始申報。有關 AJCC 第八版最新內容或勘誤表，請參閱下列網址：

<https://cancerstaging.org/references-tools/deskreferences/Pages/default.aspx>。

注意：若個案於 2017 年 12 月 31 日 (含) 前診斷之癌症個案，仍須以 AJCC 第七版申報。

Status	ICD-O-3	Term
New term	8010/3	Urachal carcinoma (C65.9, C66.9, C67._, C68._)
New term	8020/3	Poorly differentiated urothelial carcinoma (C65.9, C66.9, C67._, C68._)
New term	8020/3	Anaplastic thyroid carcinoma (C73.9)
New code and term	8023/3	NUT carcinoma (C30.0, C31._, C34._, C37.9)
New term	8041/3	High-grade neuroendocrine carcinoma (C54._, C55.9)
New term	8041/3	Neuroendocrine carcinoma, poorly differentiated (C50._)
New term	8041/3	Small cell carcinoma, pulmonary type (C56.9)
New term	8044/3	Small cell carcinoma, hypercalcaemic type (C56.9)
New code and term	8054/3	Warty carcinoma (C60._) [originally 8051/3]
New code and term	8054/3	Condylomatous carcinoma (C60._) [originally 8051/3]
New behavior code and term	8071/2	Differentiated-type vulvar intraepithelial neoplasia (C51._) Differentiated penile intraepithelial neoplasia (C60._)
New term	8077/2	Penile intraepithelial neoplasia (C60._)
New term	8077/2	Oral epithelial dysplasia, high grade (C00._, C02._, C03._, C04._, C05._, C06._)
New code and term	8085/3	Squamous cell carcinoma, HPV-positive (C01.9, C02.4, C05.1, C05.2, C09._, C10._, C31._)
New code and term	8086/3	Squamous cell carcinoma, HPV-negative (C01.9, C02.4, C05.1, C05.2, C09._, C10._, C31._)
New term	8120/3	Squamotransitional cell carcinoma (C53._)
New term	8140/3	Parathyroid carcinoma (C75.0)
New term	8140/3	Endolymphatic sac tumor (C30.1)
New term	8144/3	Enteric adenocarcinoma (C34._, C65.9, C66.9, C67._, C68._)
New term	8144/3	Mucinous carcinoma, intestinal type (C53._)
Behavior code change (0→3)	8151/3	Insulinoma (C25._)
Behavior code change (1→3)	8152/3	Glucagonoma (C25._)
Behavior code change (1→3)	8153/3	Gastrinoma (C25._)
New term	8154/3	Mixed ductal- neuroendocrine carcinomas (C25._)
New term	8154/3	Mixed acinar- neuroendocrine carcinomas (C25._)
Behavior code change (1→3)	8155/3	VIPoma (C25._)

Status	ICD-O-3	Term
Behavior code change (1→3)	8156/3	Somatostatinoma (C25._)
New behavior code and term	8158/3	ACTH-producing tumour with Cushing syndrome (C25._)
Behavior code change (1→3)	8158/3	ACTH-producing tumour (C25._)
New term	8200/3	Thymic carcinoma with adenoid cystic carcinoma-like features (C37.9)
New term	8241/3	Serotonin-producing tumour with and without carcinoid syndrome (C25._)
New behavior code and term	8250/2	Adenocarcinoma in situ, non-mucinous (C34._)
New term	8250/3	Lepidic adenocarcinoma (C34._)
New behavior code and term	8253/2	Adenocarcinoma in situ, mucinous (C34._)
New term	8253/3	Invasive mucinous adenocarcinoma (C34._)
New term	8254/3	Mixed invasive mucinous and non-mucinous adenocarcinoma (C34._)
New code and term	8256/3	Minimally invasive adenocarcinoma, non-mucinous (C34._)
New code and term	8257/3	Minimally invasive adenocarcinoma, mucinous (C34._)
New term	8263/3	Endometrioid adenocarcinoma, villoglandular (C54._, C55.9)
New term	8263/3	Villoglandular carcinoma (C53._)
New term	8265/3	Micropapillary adenocarcinoma (C34._)
New code and term	8273/3	Pituitary blastoma (C75.1)
New code and term	8311/3	Hereditary leiomyomatosis and renal cell carcinoma-associated renal cell carcinoma (C64.9) MiT family translocation renal cell carcinomas (C64.9) Succinate dehydrogenase-deficient renal carcinoma (C64.9)
New term	8316/3	Acquired cystic disease-associated renal cell carcinoma (C64.9) Tubulocystic renal cell carcinoma (C64.9)
Behavior code change (3→1)	8323/1	Clear cell papillary renal cell carcinoma (C64.9) [MP/H 8255/3→8323/1]
New term	8330/3	Follicular thyroid carcinoma (FTC), widely invasive (C73.9)
New term	8337/3	Poorly differentiated thyroid carcinoma (C73.9)
New code and term	8339/3	Follicular thyroid carcinoma (FTC), encapsulated angioinvasive (C73.9)
New term	8342/3	Oncocytic variant of papillary thyroid carcinoma (PTC) (C73.9)
New term	8345/3	Medullary thyroid carcinoma (C73.9)
New code and term	8349/1	Non-invasive follicular thyroid neoplasm with papillary-like nuclear features (C73.9) [nonreportable]

Status	ICD-O-3	Term
New behavior code and term	8380/2	Atypical hyperplasia / Endometrioid intraepithelial neoplasia (C54._)
New term	8430/3	Sclerosing mucoepidermoid carcinoma with eosinophilia (C73.9)
New behavior code and term	8441/2	Serous tubal intraepithelial carcinoma (C57.0)
New behavior code and term	8441/2	Serous endometrial intraepithelial carcinoma (C54._)
New behavior code and term	8460/2	Serous borderline tumour - micropapillary variant (C56.9)
New behavior code and term	8460/2	Non-invasive low-grade serous carcinoma (C56.9)
New term	8460/3	Low-grade serous carcinoma (C48._, C56.9, C57._)
New term	8461/3	High-grade serous carcinoma (C48._, C56.9, C57._)
New code and term	8474/3	Seromucinous carcinoma (C56.9)
New term	8480/3	Mucinous tubular and spindle cell carcinoma (C64.9)
New term	8482/3	Mucinous carcinoma, gastric type (C53._)
New term	8500/3	Adenocarcinoma of mammary gland type (C51._)
New term	8502/3	Secretory carcinoma (C07._, C08._)
New term	8504/2	Encapsulated papillary carcinoma (C50._)
New term	8504/3	Encapsulated papillary carcinoma with invasion (C50._)
New behavior code and term	8507/3	Invasive micropapillary carcinoma (C50._)
New code and term	8509/2	Solid papillary carcinoma in situ (C50._)
New code and term	8509/3	Solid papillary carcinoma invasive (C50._)
New term	8510/3	Renal medullary carcinoma (C64.9)
New code and term	8519/2	Pleomorphic lobular carcinoma in situ (C50._)
New term	8551/3	Acinar adenocarcinoma (C34._)
New term	8570/3	Endometrioid carcinoma with squamous differentiation (C54._)
New term	8570/3	Low grade adenosquamous carcinoma (C50._)
New term	8571/3	Metaplastic carcinoma with chondroid differentiation (C50._)
New term	8571/3	Metaplastic carcinoma with osseous differentiation (C50._)
New term	8572/3	Fibromatosis-like metaplastic carcinoma (C50._)
New term	8572/3	Acinar adenocarcinoma, sarcomatoid (C61.9)
New term	8580/3	Metaplastic thymoma / Sclerosing thymoma (C37.9)

Status	ICD-O-3	Term
New term	8580/3	Ectopic thymoma (C73.9)
Behavior code change (1→3)	8581/3	Type A thymoma, including atypical variant (C37.9)
Behavior code change (1→3)	8582/3	Type AB thymoma (C37.9)
Behavior code change (1→3)	8583/3	Type B1 thymoma (C37.9)
Behavior code change (1→3)	8584/3	Type B2 thymoma (C37.9)
Behavior code change (1→3)	8585/3	Type B3 thymoma (C37.9)
New term	8589/3	Intrathyroid thymic carcinoma (C73.9)
Behavior code change (1→3)	8690/3	Middle ear paraganglioma (C75.5)
Behavior code change (1→3)	8692/3	Carotid body paraganglioma (C75.4)
New term	8693/3	Vagal paraganglioma (C75.5)
New term	8693/3	Laryngeal paraganglioma (C75.5)
New term	8693/3	Sympathetic paragangliomas (C75.5)
New term	8693/3	Composite paraganglioma (C75.5)
New term	8693/3	Paraganglioma (C73.9, C75.1)
Behavior code change (0→3)	8700/3	Pheochromocytoma (C74.1)
New term	8700/3	Composite pheochromocytoma (C74.1)
New code and term	8714/3	Neoplasms with perivascular epithelioid cell differentiation (PEComa) NOS, malignant (C34._, C47._, C49._, C54._) Perivascular epithelioid cell tumour, malignant (C65.9, C66.9, C67._, C68._)
New term	8815/3	Solitary fibrous tumor, grade 3 (C70._, C71._, C72._)
New behavior code and term	8825/3	Low-grade myofibrilblastic sarcoma (C47._, C49._)
New behavior code and term	8825/3	Myofibroblastic sarcoma
New term	8830/3	Undifferentiated high-grade pleomorphic sarcoma
Behavior code change (3→1)	8832/1	Dermatofibrosarcoma protuberans (C47._, C49._)
New term	8832/3	Fibrosarcomatous dermatofibrosarcoma protuberans (C47._, C49._)
Behavior code change (3→1)	8833/1	Pigmented dermatofibrosarcoma protuberans (C47._, C49._)
New term	8840/3	Low-grade fibromyxoid sarcoma (C47._, C49._) Sclerosing epithelioid fibrosarcoma (C47._, C49._)

Status	ICD-O-3	Term
New behavior code and term	8842/3	Pulmonary myxoid sarcoma with EWSR1-CREB1 translocation (C34.) Ossifying fibromyxoid tumour, malignant (C47., C49.)
New term	8912/3	Sclerosing rhabdomyosarcoma
New term	8936/3	Extra-gastrointestinal stromal tumour (C48.)
New term	8963/3	Extra-renal rhabdoid tumour (C47., C49.)
New behavior code and term	8983/3	Adenomyoepithelioma with carcinoma (C50.)
New term	8990/3	Phosphaturic mesenchymal tumor, malignant
New term	9020/3	Periductal stromal tumor, low grade (C50.)
New code and term	9045/3	Biphenotypic sinonasal sarcoma (C30.0, C31.)
Behavior code change (3→1)	9080/1	Immature teratoma (grade 2) (C73.9)
New term	9081/3	Teratocarcinosarcoma (C30.0, C31.)
New term	9084/3	Germ cell tumours with sometic-type solid malignancy (C37.9)
New code and term	9086/3	Germ cell tumours with associated haematological malignancy (C37.9)
New term	9110/3	Adenocarcinoma of rete ovarii (C56.9)
Behavior code change (1→3)	9133/3	Epithelioid hemangioendothelioma (C30.0, C31.)
New code and term	9137/3	Pulmonary artery intimal sarcoma (C34.) Intimal sarcoma (C47., C49.)
New term	9180/3	Extraskeletal osteosarcoma (C47., C49.)
New term	9187/3	Low-grade central / intramedullary osteosarcoma (C40., C41.)
New term	9220/3	Chondrosarcoma, grade 2/3 (C12.9, C13., C14., C32., C33.9, C41.0, C41.1)
New code and term	9222/1	Chondrosarcoma, grade 1 (C12.9, C13., C14., C32., C33.9, C41.0, C41.1)
New term	9231/3	Extraskeletal myxoid chondrosarcoma (C47., C49.)
New term	9270/3	Sclerosing odontogenic carcinoma (C41.0, C41.1)
New behavior code and term	9302/3	Ghost cell odontogenic carcinoma (C41.0, C41.1)
New term	9330/3	Odontogenic sarcomas (C41.0, C41.1)
New behavior code and term	9341/3	Clear cell odontogenic carcinoma (C41.0, C41.1)
New code and term	9385/3	Diffuse midline glioma, H3 K27M-mutant (C71.)
New behavior code and term	9391/1	Sellar ependymoma (C75.1) [nonreportable]

Status	ICD-O-3	Term
New code and term	9396/3	Ependymoma, RELA fusion-positive (C71._)
New term	9400/3	Diffuse astrocytoma, IDH-mutant / IDH-wildtype (C71._)
New term	9401/3	Anaplastic astrocytoma, IDH-mutant / IDH-wildtype (C71._)
New term	9424/3	Anaplastic pleomorphic xanthoastrocytoma (C71._)
New term	9440/3	Epithelioid glioblastoma (C71._)
New term	9440/3	Glioblastoma, IDH-wildtype (C71._)
New code and term	9445/3	Glioblastoma, IDH-mutant (C71._)
New term	9450/3	Oligodendroglioma, IDH-mutant and 1p/19q-codeleted (C71._)
New term	9451/3	Anaplastic oligodendroglioma, IDH-mutant and 1p/19q-codeleted (C71._)
New term	9470/3	Medulloblastoma, classic
New term	9471/3	Medulloblastoma, SHH-activated and TP53-wildtype (C71._)
New term	9473/3	CNS embryonal tumour, NOS (C71._)
New code and term	9475/3	Medulloblastoma, WNT-activated(C71._)
New code and term	9476/3	Medulloblastoma, SHH-activated and TP53-mutant (C71._)
New code and term	9477/3	Medulloblastoma, non-WNT/non-SHH (C71._) Medulloblastoma, group 3 / group 4 (C71._)
New code and term	9478/3	Embryonal tumour with multilayered rosettes, C19MC-altered (C71._) Embryonal tumour with multilayered rosettes, NOS (C71._)
New term	9490/3	Ganglioneuroblastoma, nodular (C74.1)
New term	9490/3	Ganglioneuroblastoma, intermixed (C74.1)
New term	9508/3	CNS embryonal tumour with rhabdoid features (C71._)
New term	9540/3	MPNST with perineurial differentiation (C72._)
New code and term	9542/3	Epithelioid malignant peripheral nerve sheath tumour (C47._, C49._)

說明：綠色網底表示為本次新增編碼與修訂敘述。