

民國 108 年

長表申報 16 種癌症期別與治療方式統計

民國 108 年長表申報 16 種癌症期別與治療方式統計

前 言.....	vii
長表資料處理流程.....	xii
民國 108 年主要癌症期別資料分析：各癌整併期別流程	xx
貳、癌症期別分類統計表	1
□ 口腔癌.....	2
表一之一 □ 口腔癌發生人數之主要特性按性別及醫療機構別分類.....	2
表一之二 □ 口腔癌發生人數按整併期別及治療方式分類	4
表一之三 □ 口腔癌 0-39 歲發生人數按整併期別及治療方式分類	4
表一之四 □ 口腔癌 40-59 歲發生人數按整併期別及治療方式分類	5
表一之五 □ 口腔癌 60 歲以上發生人數按整併期別及治療方式分類	5
□ 咽癌.....	8
表二之一 □ 咽癌(P16+)發生人數之主要特性按性別及醫療機構別分類	8
表二之二 □ 咽癌(P16-)發生人數之主要特性按性別及醫療機構別分類	10
表二之三 □ 咽癌(P16+)發生人數按整併期別及治療方式分類	12
表二之四 □ 咽癌(P16+) 0-39 歲發生人數按整併期別及治療方式分類	13
表二之五 □ 咽癌(P16+) 40-59 歲發生人數按整併期別及治療方式分類	14
表二之六 □ 咽癌(P16+) 60 歲以上發生人數按整併期別及治療方式分類	15
表二之七 □ 咽癌(P16-)發生人數按整併期別及治療方式分類	16
表二之八 □ 咽癌(P16-) 0-39 歲發生人數按整併期別及治療方式分類	17
表二之九 □ 咽癌(P16-) 40-59 歲發生人數按整併期別及治療方式分類	18
表二之十 □ 咽癌(P16-) 60 歲以上發生人數按整併期別及治療方式分類	19
下咽癌.....	22
表三之一 下咽癌發生人數之主要特性按性別及醫療機構別分類.....	22
表三之二 下咽癌發生人數按整併期別及治療方式分類	24
表三之三 下咽癌 0-39 歲發生人數按整併期別及治療方式分類	24
表三之四 下咽癌 40-59 歲發生人數按整併期別及治療方式分類	25
表三之五 下咽癌 60 歲以上發生人數按整併期別及治療方式分類	25
喉癌	28
表四之一 喉癌發生人數之主要特性按性別及醫療機構別分類	28
表四之二 喉癌發生人數按整併期別及治療方式分類	30

表四之三 喉癌 0-39 歲發生人數按整併期別及治療方式分類	30
表四之四 喉癌 40-59 歲發生人數按整併期別及治療方式分類	31
表四之五 喉癌 60 歲以上發生人數按整併期別及治療方式分類	31
主唾液腺癌.....	34
表五之一 主唾液腺癌發生人數之主要特性按性別及醫療機構別分類	34
表五之二 主唾液腺癌發生人數按整併期別及治療方式分類.....	36
表五之三 主唾液腺癌 0-49 歲發生人數按整併期別及治療方式分類	36
表五之四 主唾液腺癌 50-69 歲發生人數按整併期別及治療方式分類	37
表五之五 主唾液腺癌 70 歲以上發生人數按整併期別及治療方式分類	37
鼻咽癌.....	40
表六之一 鼻咽癌發生人數之主要特性按性別及醫療機構別分類.....	40
表六之二 鼻咽癌發生人數按整併期別及治療方式分類.....	42
表六之三 鼻咽癌 0-49 歲發生人數按整併期別及治療方式分類	42
表六之四 鼻咽癌 50-69 歲發生人數按整併期別及治療方式分類	43
表六之五 鼻咽癌 70 歲以上發生人數按整併期別及治療方式分類	43
食道癌.....	46
表七之一 食道癌發生人數之主要特性按性別及醫療機構別分類.....	46
表七之二 食道癌發生人數按整併期別及治療方式分類.....	48
表七之三 食道癌 0-49 歲發生人數按整併期別及治療方式分類	49
表七之四 食道癌 50-69 歲發生人數按整併期別及治療方式分類	50
表七之五 食道癌 70 歲以上發生人數按整併期別及治療方式分類	51
胃癌	54
表八之一 胃癌發生人數之主要特性按性別及醫療機構別分類	54
表八之二 胃癌發生人數按整併期別及治療方式分類	56
表八之三 胃癌 0-49 歲發生人數按整併期別及治療方式分類	57
表八之四 胃癌 50-69 歲發生人數按整併期別及治療方式分類	58
表八之五 胃癌 70 歲以上發生人數按整併期別及治療方式分類	59
結腸癌.....	62
表九之一 結腸癌發生人數之主要特性按性別及醫療機構別分類.....	62
表九之二 結腸癌發生人數按整併期別及治療方式分類.....	64
表九之三 結腸癌 0-49 歲發生人數按整併期別及治療方式分類	65

表九之四 結腸癌 50-69 歲發生人數按整併期別及治療方式分類	66
表九之五 結腸癌 70 歲以上發生人數按整併期別及治療方式分類	67
直腸癌.....	70
表十之一 直腸癌發生人數之主要特性按性別及醫療機構別分類.....	70
表十之二 直腸癌發生人數按整併期別及治療方式分類.....	72
表十之三 直腸癌 0-49 歲發生人數按整併期別及治療方式分類	73
表十之四 直腸癌 50-69 歲發生人數按整併期別及治療方式分類	74
表十之五 直腸癌 70 歲以上發生人數按整併期別及治療方式分類	75
肝癌	78
表十一之一 肝癌(C220)發生人數之主要特性按性別及醫療機構別分類.....	78
表十一之二 肝內膽管癌(C221)發生人數之主要特性按性別及醫療機構別分類	80
表十一之三 肝癌(C220)發生人數按整併期別及治療方式分類	82
表十一之四 肝癌(C220) 0-49 歲發生人數按整併期別及治療方式分類	82
表十一之五 肝癌(C220) 50-69 歲發生人數按整併期別及治療方式分類	84
表十一之六 肝癌(C220) 70 歲以上發生人數按整併期別及治療方式分類	84
表十一之七 肝癌(C220)發生人數按 BCLC 期別及治療方式分類.....	86
表十一之八 肝內膽管癌(C221)發生人數按整併期別及治療方式分類	88
表十一之九 肝內膽管癌(C221) 0-49 歲發生人數按整併期別及治療方式分類.....	88
表十一之十 肝內膽管癌(C221) 50-69 歲發生人數按整併期別及治療方式分類.....	89
表十一之十一 肝內膽管癌(C221) 70 歲以上發生人數按整併期別及治療方式分類	89
肺癌	92
表十二之一 小細胞肺癌以外之肺癌發生人數之主要特性按性別及醫療機構別分類	92
表十二之二 小細胞肺癌發生人數之主要特性按性別及醫療機構別分類.....	94
表十二之三 小細胞肺癌以外之肺癌發生人數按整併期別及治療方式分類	96
表十二之四 小細胞肺癌以外之肺癌 0-49 歲發生人數按整併期別及治療方式分類	96
表十二之五 小細胞肺癌以外之肺癌 50-69 歲發生人數按整併期別及治療方式分類	98
表十二之六 小細胞肺癌以外之肺癌 70 歲以上發生人數按整併期別及治療方式分類	98
表十二之七 小細胞肺癌發生人數按肺小細胞癌的分期系統及治療方式分類.....	100
表十二之八 小細胞肺癌發生人數按整併期別及治療方式分類	100
乳癌	102

表十三之一 乳癌發生人數之主要特性按性別及醫療機構別分類.....	102
表十三之二 乳癌發生人數按整併期別及治療方式分類.....	104
表十三之三 乳癌 0-34 歲發生人數按整併期別及治療方式分類.....	104
表十三之四 乳癌 35-49 歲發生人數按整併期別及治療方式分類.....	107
表十三之五 乳癌 50-69 歲發生人數按整併期別及治療方式分類.....	107
表十三之六 乳癌 70 歲以上發生人數按整併期別及治療方式分類.....	110
子宮頸癌.....	116
表十四之一 子宮頸癌發生人數之主要特性按性別及醫療機構別分類.....	116
表十四之二 子宮頸癌發生人數按 FIGO 期別及治療方式分類.....	118
表十四之三 子宮頸癌 0-29 歲發生人數按 FIGO 期別及治療方式分類.....	119
表十四之四 子宮頸癌 30-49 歲發生人數按 FIGO 期別及治療方式分類.....	120
表十四之五 子宮頸癌 50-69 歲發生人數按 FIGO 期別及治療方式分類.....	121
表十四之六 子宮頸癌 70 歲以上發生人數按 FIGO 期別及治療方式分類.....	122
表十四之七 子宮頸癌發生人數按整併期別及治療方式分類.....	123
表十四之八 子宮頸癌 0-29 歲發生人數按整併期別及治療方式分類.....	123
表十四之九 子宮頸癌 30-49 歲發生人數按整併期別及治療方式分類.....	124
表十四之十 子宮頸癌 50-69 歲發生人數按整併期別及治療方式分類.....	124
表十四之十一 子宮頸癌 70 歲以上發生人數按整併期別及治療方式分類.....	125
子宮體癌.....	128
表十五之一 子宮體癌發生人數之主要特性按性別及醫療機構別分類.....	128
表十五之二 子宮體癌發生人數按整併期別及治療方式分類.....	130
表十五之三 子宮體癌 0-39 歲發生人數按整併期別及治療方式分類.....	130
表十五之四 子宮體癌 40-59 歲發生人數按整併期別及治療方式分類.....	131
表十五之五 子宮體癌 60 歲以上發生人數按整併期別及治療方式分類.....	131
表十五之六 子宮體癌發生人數按 FIGO 期別及治療方式分類.....	132
卵巢癌.....	136
表十六之一 卵巢癌發生人數之主要特性按性別及醫療機構別分類.....	136
表十六之二 卵巢癌發生人數按整併期別及治療方式分類.....	138
表十六之三 卵巢癌 0-39 歲發生人數按整併期別及治療方式分類.....	138
表十六之四 卵巢癌 40-59 歲發生人數按整併期別及治療方式分類.....	139
表十六之五 卵巢癌 60 歲以上發生人數按整併期別及治療方式分類.....	139

表十六之六 卵巢癌發生人數按 FIGO 期別及治療方式分類	140
攝護腺癌	144
表十七之一 攝護腺癌發生人數之主要特性按性別及醫療機構別分類	144
表十七之二 攝護腺癌發生人數按整併期別及治療方式分類	148
表十七之三 攝護腺癌 0-59 歲發生人數按整併期別及治療方式分類	148
表十七之四 攝護腺癌 60-74 歲發生人數按整併期別及治療方式分類	150
表十七之五 攝護腺癌 75 歲以上發生人數按整併期別及治療方式分類	150
膀胱癌	154
表十八之一 膀胱癌發生人數之主要特性按性別及醫療機構別分類	154
表十八之二 膀胱癌發生人數按整併期別之治療方式分類	158
表十八之三 膀胱癌 0-49 歲發生人數按整併期別及治療方式分類	158
表十八之四 膀胱癌 50-69 歲發生人數按整併期別及治療方式分類	160
表十八之五 膀胱癌 70 歲以上發生人數按整併期別及治療方式分類	160
惡性淋巴瘤	164
表十九之一 惡性淋巴瘤發生人數之主要特性按性別及醫療機構別分類	164
表十九之二 惡性淋巴瘤發生人數按 Ann Arbor 期別及治療方式分類	166
表十九之三 惡性淋巴瘤 0-39 歲發生人數按 Ann Arbor 期別及治療方式分類	167
表十九之四 惡性淋巴瘤 40-59 歲發生人數按 Ann Arbor 期別及治療方式分類	168
表十九之五 惡性淋巴瘤 60 歲以上發生人數按 Ann Arbor 期別及治療方式分類 ..	169

前 言

自民國 71 年起，癌症高居 10 大死因之首。癌症的持續監測，是制定癌症防治措施、醫療資源配置，以及評價防治策略的重要依據。癌症登記是族群癌症監測的基礎，許多國家以立法來確立其強制性。我國於民國 68 年開始，即由衛生福利部實施癌症登記計畫，針對 50 床以上醫院辦理癌症登記，申報每年新發生癌症個案之診斷、治療等摘要資料(稱為**台灣癌症登記短表資料庫**)為基植於實證醫學下，以提昇癌症診療品質；民國 85 年 7 月，由衛生福利部委託台灣公共衛生學會統籌辦理癌症登記工作，成立『癌症登記工作小組』(**Cancer Registry System, CRS**)，以接續進行癌症資料收集、與資料品質監測工作，期建立完整之台灣癌症登記系統。參與**短表資料庫**申報的醫院約 200 餘家，收錄全台灣所有癌症部位之侵襲癌與原位癌個案，欄位包含人口學、診斷與治療等相關資料，共 20 個欄位；此一全國癌症資料庫可了解我國各癌症發生率，更可提供癌症相關流行病學研究之進行。

因癌症防治法於民國 92 年 5 月 21 日公布，該法第十一條規定「為建立癌症防治相關資料庫，癌症防治醫療機構應向中央主管機關所委託之學術研究機構，提報新發生之癌症個案與期別等相關診斷及治療資料。」自此確立了癌症登記的法源依據。

為將癌症診療資料整合至癌症登記系統並與國際接軌，民國 90 年國民健康署開始獎勵 15 家醫療機構成立「癌症防治中心」的同時，「台灣癌症中心資料庫」(**Taiwan Cancer Center Data Base, TCDB**)進行籌備，並參考美國外科醫學會(**American College of Surgeons**)癌症諮詢委員會(**Commission on Cancer**)所出版的 **FORDS** (**Facility Oncology Registry Data Standards**)，規劃適合國內使用之新版癌症登記資料庫，於民國 92 年另成立「台灣癌症中心資料庫」開始著手長表癌症資料的收集工作(稱為**台灣癌症登記長表資料庫**)，收錄民國 91 年 1 月 1 日起新診斷之六種癌症的期別、診斷與治療等資料。建構台灣**長表資料庫**，主要目的為收集並追蹤在各醫院**癌症分期與詳細治療或復發**等重要癌症照護相關資料，以建立長期完整而正確的癌症資料庫，提供衛生主管機構及國內外學術機構的施政與研究參考外，亦能提供醫院對癌症病人醫療照護、追蹤及預後情形管理的幫助。

「台灣癌症中心資料庫」初期僅收錄六種癌症部位，民國 91 年參與申報的醫院為 15 家，其中子宮頸癌為必要申報癌症項目，其他 5 種癌症包括：口腔癌(含口咽及下咽)、結直腸癌、肝癌、肺癌、乳癌由醫院自選辦理，於民國 93 年 10 月起，擴大至 27 家參加「癌症防治中心-全面提升癌症診療品質計畫」之醫院，全面收錄民國 93 年 1 月 1 日起新診斷之前項六種癌症診療資料；長表癌症資料所收錄之 91-93 年新診斷癌症個案資料，此階段為長表癌症資料之「試辦期」，94-95 年之新診斷資料可視為「穩定期」，此

兩階段所收錄資料欄位皆為 65 項，於”試辦期”階段，若申報長表之癌症資料，同時仍需申報短表 20 項欄位資料至短表資料庫，為了避免同一個案重複申報兩次，導致資源重複浪費，至”穩定期”(94-95 年新診斷資料)，參與長表申報之醫院，僅需申報至長表即可，無需再將同一個案申報至短表。自此，**長短表資料庫整合為一**，由『**癌症登記中心**』負責全國長短表癌症登記資料之收錄。

為將長、短表之癌症診療資料整合且因應FORDS版本之修訂，國民健康署於95年邀請專家學者成立「癌症登記及診療資料庫修版工作小組」，規畫適合國內使用之新版癌症登記資料庫，收錄欄位內容更依申報詳細和摘要診療資料區分為95與33欄位，各醫院自民國96年1月1日起新診斷的癌症個案全面改採「96年版」癌症登記項目申報，此階段長表申報項目增至95欄位，短表申報項目則增加至33欄位，其中50床以上的醫院依規定申報癌症發生和診療摘要資料至短表資料庫；原參與長表申報醫院，則依新版摘錄手冊申報口腔癌、結直腸癌、肝癌、肺癌、乳癌及子宮頸癌等6種癌症之發生和診療詳細資料至長表資料庫，此階段視為癌症登記資料庫之”推展期”。另自97年新增食道癌、胃癌、攝護腺癌及膀胱癌至長表申報範圍；再於98年起，新增主唾液腺癌、鼻咽癌、子宮體癌、卵巢癌與血液腫瘤等，以及102年起新增喉癌共16大癌症收錄長表資料。

考量各癌別特性與預後或決策有關之特定因子也應收錄至長表癌症登記資料庫內，故國民健康署因應癌症診療實務與品質提升需要，於民國99年委託台灣癌症登記學會組成「癌症登記摘錄手冊修訂小組」來規劃及研擬符合我國收錄之前述15大癌症部位特定因子（Site-Specific Factors，簡稱SSF）摘錄內容，其收錄分類包括：(1)具預後或評估治療效果意義的腫瘤標記（例如：結直腸癌之CEA）、(2)具預後或決定治療方式的腫瘤特性指標（例如：乳癌之HER2）、(3)治療效果評估、(4)決定存活之極重要的治療副作用（例如：血癌之GVHD）、(5)影響預後的手術病理特徵（例如：結直腸癌之Perineural invasion）等。同時，基於公共衛生的考量，國民健康署亦於長短表癌症登記資料庫中納入吸菸、嚼檳榔、飲酒、身體質量指數（BMI）等致癌因子收錄於「100年版」癌症登記摘錄手冊；故自民國100年1月1日起新診斷的癌症個案全面採用100年版癌症登記項目申報，且長表申報項目新增至114欄位，短表申報項目新增為42欄位。

為因應AJCC第八版癌症分期手冊應用於民國107年新診斷癌症個案，手冊修訂小組重新檢視「100年版」手冊內容，進行欄位增刪、檢討、修訂與討論，完成「107年版」台灣癌症登記摘錄手冊。故自民國107年1月1日起新診斷的癌症個案全面採用107年版癌症登記項目申報，且長表申報項目新增至115欄位，短表新增為45欄位。

台灣癌症登記長表資料庫自民國92年開始收錄91年後新發診斷癌症個案資料，迄今已收錄91-106年新發診斷個案共計951,974筆資料（91年15家申報醫院、92年17家申報醫院、93年30家申報醫院、94年33家申報醫院、95年的33家申報醫院、96年的43家申報醫院、97年的44家申報醫院、98年的54家申報醫院、99年的76家申報醫院、100年的78家、101年的79家、102年的81家、103年的88家、104年的93家、105年的96家、106

年的97家、107年的98家以及108年的101家，名單詳見102-108年參與長表申報醫院名單）；其中94-96與98年資料經統計分析後，選取期別相關資料回饋各醫院以供參考。經大家努力後，癌症登記資料的完整性及申報品質日趨提高與穩定，故自97年資料起加入年報，以提供更完整之參考。

本報告針對資料庫中108年16大癌症長表個案資料，進行各癌症的年齡、期別及首次治療相關之統計分析。

102-108年參與長表申報醫院名單

醫院名稱	102 年	103 年	104 年	105 年	106 年	107 年	108 年
國立臺灣大學醫學院附設醫院	*	*	*	*	*	*	*
臺北榮民總醫院	*	*	*	*	*	*	*
三軍總醫院附設民眾診療服務處	*	*	*	*	*	*	*
臺北市立聯合醫院仁愛院區	*	*	*	*	*	*	*
台灣基督長老教會馬偕醫療財團法人馬偕紀念醫院	*	*	*	*	*	*	*
臺北醫學大學附設醫院	*	*	*	*	*	*	*
長庚醫療財團法人林口長庚紀念醫院	*	*	*	*	*	*	*
國泰醫療財團法人國泰綜合醫院	*	*	*	*	*	*	*
醫療財團法人辜公亮基金會和信治癌中心醫院	*	*	*	*	*	*	*
新光醫療財團法人新光吳火獅紀念醫院	*	*	*	*	*	*	*
振興醫療財團法人振興醫院	*	*	*	*	*	*	*
臺北市立萬芳醫院－委託財團法人私立臺北醫學大學辦理	*	*	*	*	*	*	*
長庚醫療財團法人基隆長庚紀念醫院	*	*	*	*	*	*	*
天主教耕莘醫療財團法人耕莘醫院	*	*	*	*	*	*	*
醫療財團法人徐元智先生醫藥基金會亞東紀念醫院	*	*	*	*	*	*	*
佛教慈濟醫療財團法人台北慈濟醫院	*	*	*	*	*	*	*
國泰醫療財團法人汐止國泰綜合醫院	*	*	*	*	*	*	*
衛生福利部雙和醫院(委託臺北醫學大學興建經營)	*	*	*	*	*	*	*
醫療財團法人羅許基金會羅東博愛醫院	*	*	*	*	*	*	*
國立臺灣大學醫學院附設醫院新竹分院	*	*	*	*	*	*	*
台灣基督長老教會馬偕醫療財團法人新竹馬偕紀念醫院	*	*	*	*	*	*	*
衛生福利部桃園醫院	*	*	*	*	*	*	*
衛生福利部臺中醫院	*	*	*	*	*	*	*
中山醫學大學附設醫院	*	*	*	*	*	*	*
臺中榮民總醫院	*	*	*	*	*	*	*
中國醫藥大學附設醫院	*	*	*	*	*	*	*
仁愛醫療財團法人大里仁愛醫院	*	*	*	*	*	*	*
澄清綜合醫院中港分院	*	*	*	*	*	*	*
光田醫療社團法人光田綜合醫院（合併大甲分院）	*	*	*	*	*	*	*

醫院名稱	102 年	103 年	104 年	105 年	106 年	107 年	108 年
童綜合醫療社團法人童綜合醫院	*	*	*	*	*	*	*
衛生福利部豐原醫院	*	*	*	*	*	*	*
佛教慈濟醫療財團法人台中慈濟醫院	*	*	*	*	*	*	*
彰化基督教醫療財團法人彰化基督教醫院	*	*	*	*	*	*	*
秀傳醫療社團法人秀傳紀念醫院	*	*	*	*	*	*	*
天主教中華聖母修女會醫療財團法人天主教聖馬爾定醫院	*	*	*	*	*	*	*
戴德森醫療財團法人嘉義基督教醫院	*	*	*	*	*	*	*
佛教慈濟醫療財團法人大林慈濟醫院	*	*	*	*	*	*	*
長庚醫療財團法人嘉義長庚紀念醫院	*	*	*	*	*	*	*
國立臺灣大學醫學院附設醫院雲林分院	*	*	*	*	*	*	*
奇美醫療財團法人奇美醫院	*	*	*	*	*	*	*
國立成功大學醫學院附設醫院	*	*	*	*	*	*	*
臺南市立醫院	*	*	*	*	*	*	*
臺灣基督長老教會新樓醫療財團法人臺南新樓醫院	*	*	*	*	*	*	*
奇美醫療財團法人柳營奇美醫院	*	*	*	*	*	*	*
財團法人私立高雄醫學大學附設中和紀念醫院	*	*	*	*	*	*	*
阮綜合醫療社團法人阮綜合醫院	*	*	*	*	*	*	*
高雄榮民總醫院	*	*	*	*	*	*	*
高雄市立小港醫院(委託財團法人私立高雄醫學大學經營)	*	*	*	*	*	*	*
長庚醫療財團法人高雄長庚紀念醫院	*	*	*	*	*	*	*
義大醫療財團法人義大醫院	*	*	*	*	*	*	*
屏基醫療財團法人屏東基督教醫院	*	*	*	*	*	*	*
寶建醫療社團法人寶建醫院	*	*	*	*	*	*	*
臺灣基督教門諾會醫療財團法人門諾醫院	*	*	*	*	*	*	*
佛教慈濟醫療財團法人花蓮慈濟醫院	*	*	*	*	*	*	*
大千綜合醫院	*	*	*	*	*	*	*
秀傳醫療財團法人彰濱秀傳紀念醫院	*	*	*	*	*	*	*
臺灣基督長老教會新樓醫療財團法人麻豆新樓醫院	*	*	*	*	*	*	*
安泰醫療社團法人安泰醫院	*	*	*	*	*	*	*
衛生福利部臺南醫院	*	*	*	*	*	*	*
衛生福利部屏東醫院	*	*	*	*	*	*	*
衛生福利部彰化醫院	*	*	*	*	*	*	*
衛生福利部臺北醫院	*	*	*	*	*	*	*
東元綜合醫院	*	*	*	*	*	*	*
林新醫療社團法人林新醫院	*	*	*	*	*	*	*
台灣基督長老教會馬偕醫療財團法人台東馬偕紀念醫院	*	*	*	*	*	*	*
高雄市立大同醫院	*	*	*	*	*	*	*
高雄市立聯合醫院	*	*	*	*	*	*	*

醫院名稱	102 年	103 年	104 年	105 年	106 年	107 年	108 年
國立陽明大學附設醫院	*	*	*	*	*	*	*
國軍高雄總醫院附設民眾診療服務處	*	*	*	*	*	*	*
基督復臨安息日會醫療財團法人臺安醫院	*	*	*	*	*	*	*
敏盛綜合醫院	*	*	*	*	*	*	*
郭綜合醫院	*	*	*	*	*	*	*
新北市立聯合醫院	*	*	*	*	*	*	*
臺北市立聯合醫院中興院區	*	*	*	*	*	*	*
澄清綜合醫院平等院區	*	*	*	*	*	*	*
聯新國際醫院	*	*	*	*	*	*	*
行天宮醫療志業醫療財團法人恩主公醫院	*	*	*	*	*	*	*
財團法人天主教靈醫會羅東聖母醫院	*	*	*	*	*	*	*
國泰醫院財團法人新竹國泰綜合醫院	*	*	*	*	*	*	*
財團法人天主教耕莘醫院永和分院	*	*	*	*	*	*	*
員生醫院	*	*	*	*			
臺北市立聯合醫院和平院區		*	*	*	*	*	*
臺北市立聯合醫院婦幼院區		*	*	*	*	*	*
臺北市立聯合醫院忠孝院區		*	*	*	*	*	*
沙爾德聖保祿修女會醫療財團法人聖保祿醫院		*	*	*	*	*	*
衛生福利部苗栗醫院		*	*	*	*	*	*
衛生福利部南投醫院		*	*	*	*	*	*
輔英科技大學附設醫院		*	*	*	*	*	*
彰化基督教醫療財團法人員林基督教醫院			*	*	*	*	*
彰化基督教醫療財團法人雲林基督教醫院			*	*	*	*	*
臺南市立安南醫院－委託中國醫藥大學興建經營			*	*	*	*	*
國軍高雄總醫院左營分院附設民眾診療服務處			*	*	*	*	*
義大醫療財團法人義大癌治療醫院			*	*	*	*	*
亞洲大學附屬醫院				*	*	*	*
彰化基督教醫療財團法人鹿港基督教醫院				*	*	*	*
埔基醫療財團法人埔里基督教醫院				*	*		
臺中榮民總醫院嘉義分院				*	*	*	*
中國醫藥大學北港附設醫院					*		
天主教輔仁大學附設醫院						*	*
中國醫藥大學新竹附設醫院						*	*
國立臺灣大學醫學院附設醫院癌醫中心分院							*
新竹臺大分院生醫醫院							*
國軍臺中總醫院							*
義大醫療財團法人義大大昌醫院							*

* 表示當年度有參與長表申報

長表資料處理流程

一、申報個案條件

具中華民國國籍，自民國 68 年 1 月 1 日起新發診斷癌症個案，符合國際疾病分類腫瘤學（International Classification of Diseases for Oncology，ICD-O）組織形態分類碼第 5 碼（性態譯碼）為 2（原位癌）或 3（侵襲癌）者，均需申報。

台灣癌症登記自民國 68 年起之新發癌症診斷個案，依據「國際疾病分類，腫瘤學-1976 年版」（ICD-O, 1976）申報，民國 79 年起改用 Field Trial, 1988 年試用版（ICD-O-FT, 1988）。又為與國際同步，自民國 91 年起採用 ICD-O, Third Edition（ICD-O-3, 2000）分類標準申報，該版對於未經顯微鏡檢證實之病例可依其臨床診斷內容對組織形態逕行譯碼。所有申報的癌症個案均需依據申報醫院對於個案之診斷及治療的涵蓋程度，來決定其「個案分類」，其中個案分類為編碼 4、7、8 者不需申報。

個案分類的定義

Case	Includes
Class 0	申報醫院診斷，但於外院接受全部之首次療程或決定不治療。 - 個案於申報醫院診斷，但選擇到他院治療。 - 個案於申報醫院診斷，但被轉介至他院治療。
Class 1	申報醫院診斷，並於申報醫院接受全部或部份的首次療程。 - 個案於申報醫院診斷，其治療計畫是不予治療或是再密切觀察。 - 個案於申報醫院診斷，但個案拒絕治療。 - 個案於申報醫院診斷，但個案因年長、疾病嚴重或其他醫療狀況而無法治療或接受緩和照護。 - 個案於申報醫院診斷，但不知道是否有建議作治療或有接受治療。 - 個案於申報醫院診斷，有建議作治療，但不知道是否有接受治療。 - 個案於主治醫師(Staff physician)的診所診斷，並於申報醫院接受首次療程。所謂「主治醫師」是指在申報醫院有簽住院權的醫事人員。 - 個案於申報醫院診斷，在主治醫師的診所內接受全部或部份的首次療程。
Class 2	外院診斷，於申報醫院接受全部或部份的首次療程。 外院診斷，於申報醫院接受緩和照護為其首次療程（或作為部份的首次療程）。
Class 3	外院診斷並接受全部的首次療程。 個案於申報醫院治療，但並不知道其首次療程的相關資訊。

Case	Includes
	- 個案於申報醫院建立治療計畫或提供「第二意見」的服務，但於外院診斷與治療。 - 個案因之前診斷的癌症復發或惡化而到申報醫院作治療。
Class 4	個案於民國 68 年以前診斷為癌症。（不須申報）
Class 5	屍體解剖時才診斷為癌症。 在屍體解剖之前並未曾診斷或懷疑有癌症。
Class 6	主治醫師(Staff physician)的診所診斷及接受全部的首次療程。所謂的「主治醫師」是指在申報醫院有簽住院權的醫事人員。
Class 7	僅有病理報告。個案未曾於申報醫院診斷或治療。不包括由屍體解剖時才診斷為癌症的個案。（不須申報）
Class 8	僅由死亡證明書得知個案有癌症（death certificate only, DCO）。（不須申報）
Class 9	不詳。病歷上未記載足以決定個案分類的資訊。 - 不清楚之前是否有確診。 - 不清楚之前是否有治療過。 - 之前有確診，但日期不詳。

依據資料分析目的不同，可分為以下兩類：

- (1)可分析個案：針對長表申報個案做治療和存活分析時，應以民國 91 年 1 月 1 日以後到申報醫院接受首次療程的個案為對象，並且只有個案分類為 1、2 時，才列為可分析個案。
- (2)不分析個案：個案分類為 0、3－9 的個案，則不納入例行的治療和存活分析，但分析癌症發生率時仍要列入分析。

二、癌症分期原則

AJCC 的 TNM 分期是在臨床、手術和病理學上評估其癌病嚴重程度之依據，同時可作為決定適當治療方式、判斷預後情形及測量最終結果。下列通則適用於所有部位的 AJCC 分期：

- 在評估所有個案的期別時，應至少評估至首次手術治療為止，如果至首次手術治療時之期間短於 4 個月，則應評估至 4 個月。
- 各申報醫院之癌症登記人員必須記錄臨床和病理的 TNM 及期別組合（stage group）。

臨床醫師必須記錄可分析個案（個案分類編碼 1 或 2 者）之所有具足夠的 AJCC 編碼訊息（coding scheme）及其臨床和病理的 T、N、M 組成。若病歷上有記載 T、N、M 組成而沒有期別組合之紀錄時，癌症登記人員可依據這些組成的訊息登錄期別組合。每個個案的紀錄都應包含以下的 AJCC 分期的訊息：

- 依病歷上臨床醫師的記錄作為臨床和病理的 T、N、M 組成之編碼。
- 編碼其臨床和病理的 AJCC 的期別組合。若臨床醫師未記錄期別組合，則癌症登記人員可依據醫師所記錄之 TNM 組成登錄其期別組合。
- 編碼其臨床和病理期別的字首或字根（prefix/suffix descriptor）。
- 編碼所使用之 AJCC TNM 期別系統之版本數字。

有關各特定部位在分期組成及其期別組合之定義，請參考最新版本的 AJCC 癌症分期手冊作為譯碼的依據。

- 若個案有多個原發，則每個原發各自獨立判定其期別。
- 若期別組合無法由所記錄之 T、N、M 組成而決定，則記錄為不詳（999）。
- 當個案有多原發且有轉移，切片檢查或可分辨其轉移的來源。若醫師無法判定何者原發有轉移，則記錄每個原發都有轉移。在一段時間之後，若醫師可確認何者原發有轉移時，則必須更新其合適的期別。
- 如果所使用兒童分期（pediatric staging）而 AJCC 分期不適用時，臨床和病理的 T、N、M 及期別組合均編碼為 88 或 888（不適用）。若臨床或病理的 AJCC 分期適用於兒童腫瘤時，則分別登錄適當的編碼而不是編碼成 88 或 888。

三、首次療程定義

首次療程（first course of treatment）包括記錄所有治療計畫中以及在個案癌病惡化或復發之前所執行的治療方法。若個案拒絕治療、家屬或照護者拒絕治療、個案在治療開始前就死亡、或是醫師建議沒有治療可以提供的時候，則「沒有治療（No therapy）」亦算是一種治療的選擇。

- 癌症復發（Cancer recurrence）：個案必須先經過一段無病期間（disease-free interval）或緩解（remission），亦即臨床上並無該癌症存在之證據。在此無病期間之後，病歷上有記載此後來出現的腫瘤乃起源於原始腫瘤者。
- 緩和治療（Palliative therapy）：世界衛生組織敘述所謂緩和照護（palliative care）為藉由預防或減輕疼痛，以增進個案之生活品質。如果緩和治療也具有破壞或改變癌症組織增生者，則亦可為首次療程的一部份。

一般首次療程起始於最初診斷日四個月內。

- 若個案在申報醫院診斷，於「最初診斷日期」四個月內未接受治療，而在「最初診斷日期」後四個月至一年內，且臨床期別 T、N、M 皆無惡化(T1a 演變至 T1b 視為無惡化)或復發時，則此一年內所開始執行的治療，均可記錄為首次療程。
- 若個案在外院診斷且不論是否有治療計畫，於「最初診斷日期」四個月內所開始執行的治療，才視為首次療程。換句話說，若個案在他院診斷但未接受治療且超過最初診斷日期四個月後才至申報醫院，則個案於申報醫院所接受的治療，均不可記錄為首次療程。除非申報醫院病歷內容可證實此期間個案臨床期別 T、N、M 皆無惡化或復發，則於一年內所開始執行的治療，均可記錄為首次療程。

治療計畫是指用來改變、控制、移除、破壞正在增生癌細胞的治療方式。這些治療計畫之記載可見於不同的來源：例如醫療或臨床記錄、會診報告以及門診記錄。

- 當確診後在醫師的治療計畫中所列之所有治療，若實際上個案都有接受這些治療，都算是首次療程的一部分。
- 出院計畫（discharge plan）是個案紀錄的一部分，且可能包含在全部或部分的治療計畫之內。
- 若病歷中沒有書面之治療計畫時，那些遵循制定好的治療指引（established protocol）或經過共識的處置指引（accepted management guidelines）可當作是治療計畫的一部份。
- 如果病歷中沒有記載個案的治療計畫，不知癌病是否惡化或復發時，且同時無法諮詢到主責醫師時，則首次療程應結束於「最初診斷日期」後一年；也就是說對於缺乏治療計畫或是該院無標準治療指引的個案，超過一年所給予的治療均不屬於首次療程。

首次療程包括在第一次診斷為癌症期間由醫師計畫的或執行的所有治療。經計畫的治療可包括多種治療方式，而且執行期間可能是一年或更長。在首次療程中斷之後所執行之任何治療，都算是後續的治療（subsequent treatment），不可記錄於首次療程。

若腫瘤未惡化的前提下，因治療毒性或副作用而修改治療，仍屬首次療程；導引/前導性輔助（Induction or Neoadjuvant therapy）後腫瘤未惡化但對治療反應不佳，而修改治療，仍屬首次療程。

四、資料分析之條件

本年度報告以台灣癌症登記長表資料庫 108 年個案資料，進行各癌症的年齡、期別及首次治療相關之統計分析。欲研究個案之篩選條件如下：

(1) 個案分類：於申報醫院或外院診斷，且在申報醫院接受首次療程之個案，即個案分類條件為 **1 或 2 者**（請參考 P.xii 個案分類之定義）

(2) 各癌症部位採用 ICD-O-3 定義之編碼如下：

癌症部位	ICD-O-3 編碼	細部位名稱
□腔 Oral cavity	C00.0-C00.9	Lip
	C02.0-C02.3、C02.8-C02.9	Other and unspecified parts of tongue
	C03.0-C03.1、C03.9	Gum
	C04.0-C04.1、C04.8-C04.9	Floor of mouth
	C05.0	Hard palate
	C05.8-C05.9	Overlapping lesion of palate / Palate
	C06.0-C06.2、C06.8-C06.9	Other and unspecified parts of mouth
□咽 Oropharynx P16 分類方式： - 以 AJCC 8 第 10 章 申報視為 P16+ - 其餘 AJCC 章節申報 視為 P16-	C01.9	Base of tongue
	C02.4	Lingual tonsil
	C05.1	Soft palate
	C05.2	Uvula
	C09.0-C09.1、C09.8-C09.9	Tonsil
	C10.0-C10.4、C10.8-C10.9	Oropharynx
	C14.2 C14.8	Waldeyer ring Overlapping lesion of lip, oral cavity and pharynx
下咽 Hypopharynx	C12.9	Pyriform sinus
	C13.0-C13.2、C13.8-C13.9	Hypopharynx
	C14.0	Pharynx, NOS
唾液腺 Salivary	C07.9	Parotid gland
	C08.0	Submandibular gland
	C08.1	Sublingual gland
	C08.9	Major salivary gland, NOS
鼻咽 Nasopharynx	C11.0-C11.9	Nasopharynx
食道 Esophagus	C15.0-C15.5、C15.8-C15.9	Esophagus
胃 Stomach	C16.0-C16.6、C16.8-C16.9	Stomach

癌症部位	ICD-O-3 編碼	
結腸 Colon	C18.0-C18.9	Colon
直腸 Rectum	C19.9 C20.9	Rectosigmoid junction Rectum
肝 Liver	C22.0 C22.1	Liver Intrahepatic bile duct
喉 Larynx	C32.0-C32.3、C32.8-C32.9	Larynx
肺 Lung	C34.0-C34.3、C34.8-C34.9	Bronchus and Lung
乳房 Breast	C50.0-C50.9	Breast
子宮頸 Cervix	C53.0-C53.1、C53.8-C53.9	Cervix uteri
子宮體 Corpus Uteri	C54.0 C54.1 C54.2 C54.3 C54.9	Isthmus uteri Endometrium Myometrium Fundus uteri Corpus uteri
卵巢 Ovary	C56.9	Ovary
攝護腺 Prostate	C61.9	Prostate gland
膀胱 Bladder	C67.0-C67.9	Bladder
淋巴 Lymphoma	M-code: 9650-9667 M-code: 9596-9597、 9670-9699、9712、9728、 9735-9738、9761-9762、 9766、9826、9833、9940 M-code: 9700-9709、9714- 9726、9729、9827、9831、 9834、9948 M-code: 9751-9759 M-code: 9590-9591、 9750、-9760、9764	Hodgkin lymphoma Non-Hodgkin B-cell lymphoma Non-Hodgkin T/NK-cell lymphoma Histiocytic and dendritic cell neoplasms Other Malignant lymphoma (不包含 Plasma cell neoplasm，且 9725、9971 不再視為惡性)

(3)各癌症部位皆排除血液腫瘤疾病，於 ICD-O-3 之組織形態編碼為 9140、9590-9993。(白血病、淋巴瘤、卡波西氏瘤等)

「可分析個案」為診斷年 108 年長表個案，108 年長表申報筆數與重複申報數分類狀況如下表，108 年共 141,777 筆。長表資料庫內「申報 1 筆個案」直接納入分析，而「重複申報」的個案，則取重複個案當中，以相同身分證字號加上相同癌症部位別，且每一筆申報資料臨床期別相同者，才納入分析。最後實際分析個案為 100,808 人，佔所有可分析申報個案的 95.07%。

108 年長表個案申報量與重複筆數分類狀況

癌症部位 [†]	長短表 申報筆數	長表 申報筆數(%) ^{*†}	長表資料庫可分析筆數 [‡]					實際分 析筆數	醫院 家數
			申報 筆數	申報 1 筆	重複 2 筆	重複 3 筆以上			
□ 腔 癌	8608	8319	96.64	6334	5900	428	6	6096	100
□ 咽 癌	2272	2206	97.10	1732	1608	124	0	1661	92
下 咽 癌	1672	1610	96.29	1230	1150	80	0	1189	89
喉 癌	1142	1117	97.81	851	801	50	0	822	89
主唾液腺癌	421	406	96.44	329	291	38	0	308	70
鼻 咽 癌	2277	2205	96.84	1555	1427	122	6	1487	97
食 道 癌	4267	4031	94.47	2747	2587	160	0	2656	99
胃 癌	5416	5006	92.43	3534	3335	196	3	3423	99
結 腸 癌	17143	16031	93.51	13466	12914	546	6	13169	101
直 腸 癌	8912	8361	93.82	6728	6270	434	24	6471	100
肝 癌	14235	13666	96.00	9822	9373	434	15	9566	100
肺 癌	21066	20272	96.23	16094	14605	1370	119	15285	100
乳 癌	24596	23501	95.55	18918	15452	3282	184	17036	101
子 宮 頸 癌	5426	5103	94.05	4240	4027	204	9	4119	100
子 宮 體 癌	4272	4108	96.16	3250	3018	232	0	3129	99
卵 巢 癌	1934	1898	98.14	1636	1497	136	3	1559	88
攝 護 腺 癌	9258	8585	92.73	6816	6085	716	15	6406	99
膀 胱 癌	4599	4218	91.72	3664	3338	308	18	3455	100
惡性淋巴瘤	4261	4160	97.63	3093	2885	196	12	2971	99
合 計	141777	134803	95.08	106039	96563	9056	420	100808	101
				(100.0%)	(91.06%)	(8.54%)	(0.40%)	(95.07%)	

[†]肺癌不含 C33 (Trachea)、卵巢癌不含 C57.0-C57.4 (Fallopian tube)。

^{*}長表申報筆數佔長短表總申報筆數之百分比(%)。

[†]長表申報筆數：個案分類為 0-3、5-6、9 的個案。

[‡]可分析申報筆數：針對長表申報個案做治療和存活分析時，應以民國 108 年 1 月 1 日以後到申報醫院接受首次療程的個案為對象，並且只有個案分類為 1、2 時，才列為可分析個案。

五、整併期別與治療組合分類說明

各癌別 AJCC 第八版整併期別流程與婦癌 FIGO 期別、惡性淋巴瘤 Ann Arbor 期別處理流程請參考下頁圖 1-4。自 100 年起，治療組合分析新增「**標靶治療**」與「**局部化療**」兩項目；且於 104 年起，乳癌與攝護腺癌接受「**荷爾蒙治療**」均改以「**內分泌治療**」來呈現。另自 107 年起，治療組合分析可區分**免疫治療**為「**局部性**」或「**全身性**」兩類。

所有可分析個案之治療組合：若於首次療程中**未**接受任何治療方式或拒絕治療，視為「未有首次治療申報紀錄」；於首次療程中**僅接受**為緩解或減輕症狀之照護方式（不包括緩和性手術、放療或化療等），才視為「緩和照護」。自 107 年起，若治療組合描述為"OOO 合併 XX 治療，有/無□□治療"，表示包含「OOO 合併 XX 治療」與「OOO 合併 XX 治療與□□治療」之兩種方式合併呈現。

民國 108 年 主要癌症期別資料分析：各癌整併期別流程

圖 1 為 108 年度各癌 AJCC 整併期別流程(不包含惡性淋巴瘤)：




圖 1、108 年度臨床與病理期別(AJCC_8th)之整併流程說明

圖 2 為 108 年度子宮頸癌 FIGO 期別：




圖 2、108 年度子宮頸癌 FIGO 臨床期別之整併流

圖 3 為 108 年度子宮體癌及卵巢癌 FIGO 期別




圖 3、108 年度子宮體癌、卵巢癌 FIGO 期別之整併流程說明

圖 4 為 108 年度惡性淋巴瘤期別




圖 4、108 年度惡性淋巴瘤 Ann Arbor 期別之處理流程說明

貳、癌症期別分類統計表

口腔癌

表一之一 口腔癌發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	6096	100.00	5503	100.00	593	100.00	4203	100.00	1893	100.00
年齡										
00-04 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
05-09 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
10-14 歲	1	0.02	0	0.00	1	0.17	1	0.02	0	0.00
15-19 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
20-24 歲	7	0.11	5	0.09	2	0.34	6	0.14	1	0.05
25-29 歲	19	0.31	12	0.22	7	1.18	15	0.36	4	0.21
30-34 歲	45	0.74	40	0.73	5	0.84	25	0.59	20	1.06
35-39 歲	182	2.99	169	3.07	13	2.19	125	2.97	57	3.01
40-44 歲	427	7.00	399	7.25	28	4.72	275	6.54	152	8.03
45-49 歲	713	11.70	674	12.25	39	6.58	502	11.94	211	11.15
50-54 歲	908	14.90	855	15.54	53	8.94	638	15.18	270	14.26
55-59 歲	1038	17.03	981	17.83	57	9.61	747	17.77	291	15.37
60-64 歲	1001	16.42	925	16.81	76	12.82	689	16.39	312	16.48
65-69 歲	823	13.50	721	13.10	102	17.20	557	13.25	266	14.05
70-74 歲	405	6.64	330	6.00	75	12.65	278	6.61	127	6.71
75-79 歲	295	4.84	230	4.18	65	10.96	201	4.78	94	4.97
80-84 歲	130	2.13	99	1.80	31	5.23	85	2.02	45	2.38
85 歲以上	102	1.67	63	1.14	39	6.58	59	1.40	43	2.27
臨床期別										
0 期	33	0.54	26	0.47	7	1.18	18	0.43	15	0.79
I 期	1459	23.93	1279	23.24	180	30.35	968	23.03	491	25.94
II 期	1037	17.01	919	16.70	118	19.90	712	16.94	325	17.17
III 期	669	10.97	618	11.23	51	8.60	455	10.83	214	11.30
IV M0	2192	35.96	2026	36.82	166	27.99	1578	37.54	614	32.44
IV M1	52	0.85	44	0.80	8	1.35	34	0.81	18	0.95
不詳	654	10.73	591	10.74	63	10.62	438	10.42	216	11.41
病理期別										
0 期	66	1.08	53	0.96	13	2.19	32	0.76	34	1.80
I 期	1811	29.71	1605	29.17	206	34.74	1238	29.46	573	30.27
II 期	1019	16.72	922	16.75	97	16.36	720	17.13	299	15.80
III 期	626	10.27	564	10.25	62	10.46	430	10.23	196	10.35
IV M0	1728	28.35	1602	29.11	126	21.25	1281	30.48	447	23.61
IV M1	10	0.16	10	0.18	0	0.00	8	0.19	2	0.11
不詳	836	13.71	747	13.57	89	15.01	494	11.75	342	18.07

表一之一 口腔癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	6096	100.00	5503	100.00	593	100.00	4203	100.00	1893	100.00
整併期別 ¹										
0 期	66	1.08	53	0.96	13	2.19	33	0.79	33	1.74
I 期	1882	30.87	1667	30.29	215	36.26	1282	30.50	600	31.70
II 期	1057	17.34	952	17.30	105	17.71	744	17.70	313	16.53
III 期	670	10.99	611	11.10	59	9.95	452	10.75	218	11.52
IV M0	2210	36.25	2034	36.96	176	29.68	1565	37.24	645	34.07
IV M1	49	0.80	41	0.75	8	1.35	31	0.74	18	0.95
不詳	162	2.66	145	2.63	17	2.87	96	2.28	66	3.49
臨床與病理期別一致性										
Kappa ²	0.5402									
治療方式 ^{3,4}										
手術	3106	50.95	2759	50.14	347	58.52	2130	50.68	976	51.56
手術合併化療與放療	1352	22.18	1246	22.64	106	17.88	956	22.75	396	20.92
手術合併放療	635	10.42	587	10.67	48	8.09	442	10.52	193	10.20
手術合併化療	334	5.48	309	5.62	25	4.22	260	6.19	74	3.91
同步化療與放療或/與標 靶治療	262	4.30	240	4.36	22	3.71	150	3.57	112	5.92
非同步化療與放療或/與 標靶治療	43	0.71	39	0.71	4	0.67	28	0.67	15	0.79
放療	56	0.92	48	0.87	8	1.35	20	0.48	36	1.90
化療或/與標靶治療	123	2.02	110	2.00	13	2.19	87	2.07	36	1.90
緩和治療	38	0.62	34	0.62	4	0.67	17	0.40	21	1.11
未有首次治療申報紀錄	13	0.21	10	0.18	3	0.51	7	0.17	6	0.32
其他治療	134	2.20	121	2.20	13	2.19	106	2.52	28	1.48
組織型態										
鱗狀細胞癌	5970	97.93	5417	98.44	553	93.25	4120	98.03	1850	97.73
唾液腺癌	46	0.75	21	0.38	25	4.22	36	0.86	10	0.53
其他特定上皮癌	11	0.19	5	0.09	6	1.01	9	0.21	2	0.11
非特定上皮癌	12	0.20	10	0.18	2	0.34	5	0.12	7	0.37
黏膜惡性黑色素瘤	5	0.08	5	0.09	0	0.00	5	0.12	0	0.00
軟組織肉瘤	14	0.23	12	0.22	2	0.34	9	0.21	5	0.26
其他惡性腫瘤	38	0.62	33	0.60	5	0.84	19	0.45	19	1.00

註 1：整併期別*請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 2：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 3：參考後續治療方式相關表格之附註(p.504-505)。

註 4：治療性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

口腔癌

表一之二 口腔癌發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療或與標靶治療		非同步化療與放療或與標靶治療		放療		化療或與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	6096	3106	50.95	1352	22.18	635	10.42	334	5.48	262	4.30	43	0.71	56	0.92	123	2.02	38	0.62	13	0.21	134	2.20
0 期	66	63	95.45	0	0.00	1	1.52	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	1.52	1	1.52
I 期	1882	1702	90.44	27	1.43	51	2.71	77	4.09	5	0.27	0	0.00	1	0.05	7	0.37	1	0.05	2	0.11	9	0.48
II 期	1057	799	75.59	67	6.34	78	7.38	73	6.91	14	1.32	1	0.09	9	0.85	4	0.38	0	0.00	1	0.09	11	1.04
III 期	670	202	30.15	198	29.55	178	26.57	49	7.31	14	2.09	3	0.45	6	0.90	5	0.75	6	0.90	0	0.00	9	1.34
IV M0	2210	230	10.41	1052	47.60	320	14.48	120	5.43	226	10.23	29	1.31	34	1.54	83	3.76	21	0.95	6	0.27	89	4.03
IV M1	49	0	0.00	2	4.08	0	0.00	2	4.08	1	2.04	10	20.41	5	10.20	19	38.78	5	10.20	0	0.00	5	10.20
不詳	162	110	67.90	6	3.70	7	4.32	13	8.02	2	1.23	0	0.00	1	0.62	5	3.09	5	3.09	3	1.85	10	6.17

表一之三 口腔癌 0-39 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療或與標靶治療		非同步化療與放療或與標靶治療		放療		化療或與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	254	128	50.39	64	25.20	31	12.20	9	3.54	10	3.94	0	0.00	2	0.79	6	2.36	0	0.00	0	0.00	4	1.57
0 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	91	84	92.31	0	0.00	5	5.49	2	2.20	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	35	29	82.86	2	5.71	2	5.71	1	2.86	1	2.86	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
III 期	29	7	24.14	14	48.28	6	20.69	2	6.90	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IV M0	90	3	3.33	48	53.33	18	20.00	3	3.33	9	10.00	0	0.00	2	2.22	4	4.44	0	0.00	0	0.00	3	3.33
IV M1	2	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	2	100	0	0.00	0	0.00	0	0.00
不詳	7	5	71.43	0	0.00	0	0.00	1	14.29	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	14.29

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

口腔癌

表一之四 口腔癌 40-59 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療或與標靶治療		非同步化療與放療或與標靶治療		放療		化療或與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	3086	1511	48.96	789	25.57	312	10.11	175	5.67	131	4.24	19	0.62	13	0.42	53	1.72	14	0.45	3	0.10	66	2.14
0 期	35	34	97.14	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	2.86
I 期	909	826	90.87	18	1.98	14	1.54	36	3.96	3	0.33	0	0.00	1	0.11	5	0.55	0	0.00	1	0.11	5	0.55
II 期	542	399	73.62	37	6.83	43	7.93	47	8.67	6	1.11	0	0.00	2	0.37	1	0.18	0	0.00	0	0.00	7	1.29
III 期	343	94	27.41	110	32.07	99	28.86	25	7.29	7	2.04	1	0.29	1	0.29	2	0.58	1	0.29	0	0.00	3	0.87
IV M0	1158	99	8.55	619	53.45	153	13.21	61	5.27	113	9.76	13	1.12	7	0.60	36	3.11	10	0.86	1	0.09	46	3.97
IV M1	21	0	0.00	2	9.52	0	0.00	1	4.76	0	0.00	5	23.81	2	9.52	9	42.86	1	4.76	0	0.00	1	4.76
不詳	78	59	75.64	3	3.85	3	3.85	5	6.41	2	2.56	0	0.00	0	0.00	0	0.00	2	2.56	1	1.28	3	3.85

表一之五 口腔癌 60 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療或與標靶治療		非同步化療與放療或與標靶治療		放療		化療或與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	2756	1467	53.23	499	18.11	292	10.60	150	5.44	121	4.39	24	0.87	41	1.49	64	2.32	24	0.87	10	0.36	64	2.32
0 期	31	29	93.55	0	0.00	1	3.23	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	3.23	0	0.00
I 期	882	792	89.80	9	1.02	32	3.63	39	4.42	2	0.23	0	0.00	0	0.00	2	0.23	1	0.11	1	0.11	4	0.45
II 期	480	371	77.29	28	5.83	33	6.88	25	5.21	7	1.46	1	0.21	7	1.46	3	0.63	0	0.00	1	0.21	4	0.83
III 期	298	101	33.89	74	24.83	73	24.50	22	7.38	7	2.35	2	0.67	5	1.68	3	1.01	5	1.68	0	0.00	6	2.01
IV M0	962	128	13.31	385	40.02	149	15.49	56	5.82	104	10.81	16	1.66	25	2.60	43	4.47	11	1.14	5	0.52	40	4.16
IV M1	26	0	0.00	0	0.00	0	0.00	1	3.85	1	3.85	5	19.23	3	11.54	8	30.77	4	15.38	0	0.00	4	15.38
不詳	77	46	59.74	3	3.90	4	5.19	7	9.09	0	0.00	0	0.00	1	1.30	5	6.49	3	3.90	2	2.60	6	7.79

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

Oral Cavity

**Lip C000–C009, Base of Tongue C019, Other Parts of Tongue C020–C029,
Gum C030–C039, Floor of Mouth C040–C049, Palate C050–C059, Other
Parts of Mouth C060–C069**

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS

11 Photodynamic therapy (PDT)

12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

13 Cryosurgery

14 Laser

No specimen sent to pathology from surgical events 10–14

20 Local tumor excision, NOS

26 Polypectomy

27 Excisional biopsy

Any combination of 20 or 26–27 WITH

21 Photodynamic therapy (PDT)

22 Electrocautery

23 Cryosurgery

24 Laser ablation

25 Laser excision

[SEER Note: Codes 20-27 include shave and wedge resection]

30 Wide excision, NOS

Code 30 includes:

Hemiglossectomy

Partial glossectomy

40 Radical excision of tumor, NOS

41 Radical excision of tumor ONLY

42 Combination of 41 WITH resection in continuity with mandible (marginal, segmental, hemi- or total resection)

43 Combination of 41 WITH resection in continuity with maxilla (partial, subtotal, or total resection)

44 Combination of 41 WITH resection in continuity with mandible and maxilla (marginal, segmental, hemi-, or total resection)

[SEER Note: “In continuity with” or “en bloc” means that all of the tissues were removed during the same

procedure, but not necessarily in a single specimen]

Codes 40–44 include: Total

glossectomy Radical

glossectomy

Specimen sent to pathology from surgical events 20-43

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

口咽癌

表二之一 口咽癌(P16+)發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	323	100.00	279	100.00	44	100.00	223	100.00	100	100.00
年齡										
00-04 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
05-09 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
10-14 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
15-19 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
20-24 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
25-29 歲	1	0.31	0	0.00	1	2.27	1	0.45	0	0.00
30-34 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
35-39 歲	7	2.17	7	2.51	0	0.00	4	1.79	3	3.00
40-44 歲	20	6.19	17	6.09	3	6.82	12	5.38	8	8.00
45-49 歲	27	8.36	24	8.60	3	6.82	17	7.62	10	10.00
50-54 歲	44	13.62	36	12.90	8	18.18	27	12.11	17	17.00
55-59 歲	56	17.34	49	17.56	7	15.91	41	18.39	15	15.00
60-64 歲	65	20.12	53	19.00	12	27.27	44	19.73	21	21.00
65-69 歲	60	18.58	53	19.00	7	15.91	44	19.73	16	16.00
70-74 歲	28	8.67	25	8.96	3	6.82	23	10.31	5	5.00
75-79 歲	9	2.79	9	3.23	0	0.00	5	2.24	4	4.00
80-84 歲	4	1.24	4	1.43	0	0.00	3	1.35	1	1.00
85 歲以上	2	0.62	2	0.72	0	0.00	2	0.90	0	0.00
臨床期別										
0 期	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	145	44.89	113	40.50	32	72.73	100	44.84	45	45.00
II 期	84	26.01	77	27.60	7	15.91	61	27.35	23	23.00
III 期	76	23.53	73	26.16	3	6.82	52	23.32	24	24.00
IV M0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IV M1	6	1.86	6	2.15	0	0.00	3	1.35	3	3.00
不詳	12	3.72	10	3.58	2	4.55	7	3.14	5	5.00
病理期別										
0 期	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	91	28.17	74	26.52	17	38.64	64	28.70	27	27.00
II 期	12	3.72	12	4.30	0	0.00	8	3.59	4	4.00
III 期	1	0.31	1	0.36	0	0.00	1	0.45	0	0.00
IV M0	1	0.31	1	0.36	0	0.00	1	0.45	0	0.00
IV M1	1	0.31	1	0.36	0	0.00	0	0.00	1	1.00
不詳	217	67.18	190	68.10	27	61.36	149	66.82	68	68.00

表二之一 □咽癌(P16+)發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	323	100.00	279	100.00	44	100.00	223	100.00	100	100.00
整併期別 ¹										
0 期	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	158	48.92	124	44.44	34	77.27	105	47.09	53	53.00
II 期	78	24.15	72	25.81	6	13.64	60	26.91	18	18.00
III 期	73	22.60	70	25.09	3	6.82	50	22.42	23	23.00
IV M0	1	0.31	1	0.36	0	0.00	1	0.45	0	0.00
IV M1	6	1.86	6	2.15	0	0.00	3	1.35	3	3.00
不詳	7	2.17	6	2.15	1	2.27	4	1.79	3	3.00
臨床與病理期別一致性										
Kappa ²	0.2661									
治療方式 ^{3,4}										
手術	25	7.74	22	7.89	3	6.82	15	6.73	10	10.00
手術合併化療與放療	71	21.98	55	19.71	16	36.36	48	21.52	23	23.00
手術合併放療	17	5.26	15	5.38	2	4.55	10	4.48	7	7.00
手術合併化療	15	4.64	14	5.02	1	2.27	13	5.83	2	2.00
同步化療與放療或/與標 靶治療	143	44.27	128	45.88	15	34.09	103	46.19	40	40.00
非同步化療與放療或/與 標靶治療	15	4.64	12	4.30	3	6.82	11	4.93	4	4.00
放療	7	2.17	6	2.15	1	2.27	5	2.24	2	2.00
放療合併標靶治療	9	2.79	7	2.51	2	4.55	6	2.69	3	3.00
化療或/與標靶治療	13	4.02	13	4.66	0	0.00	6	2.69	7	7.00
緩和治療	2	0.62	2	0.72	0	0.00	2	0.90	0	0.00
未有首次治療申報紀錄	1	0.31	1	0.36	0	0.00	0	0.00	1	1.00
其他治療	5	1.55	4	1.43	1	2.27	4	1.79	1	1.00
組織型態										
鱗狀細胞癌	323	100.00	279	100.00	44	100.00	223	100.00	100	100.00

註 1：整併期別*請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 2：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 3：參考後續治療方式相關表格之附註(p.512-515)。

註 4：治癒性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

口咽癌

表二之二 口咽癌(P16-)發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	1338	100.00	1256	100.00	82	100.00	885	100.00	453	100.00
年齡										
00-04 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
05-09 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
10-14 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
15-19 歲	1	0.07	0	0.00	1	1.22	0	0.00	1	0.22
20-24 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
25-29 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
30-34 歲	7	0.52	5	0.40	2	2.44	5	0.56	2	0.44
35-39 歲	22	1.64	20	1.59	2	2.44	17	1.92	5	1.10
40-44 歲	82	6.13	80	6.37	2	2.44	51	5.76	31	6.84
45-49 歲	164	12.26	156	12.42	8	9.76	111	12.54	53	11.70
50-54 歲	234	17.49	224	17.83	10	12.20	155	17.51	79	17.44
55-59 歲	267	19.96	255	20.30	12	14.63	179	20.23	88	19.43
60-64 歲	240	17.94	222	17.68	18	21.95	163	18.42	77	17.00
65-69 歲	158	11.81	148	11.78	10	12.20	103	11.64	55	12.14
70-74 歲	75	5.61	66	5.25	9	10.98	51	5.76	24	5.30
75-79 歲	53	3.96	50	3.98	3	3.66	31	3.50	22	4.86
80-84 歲	20	1.49	20	1.59	0	0.00	12	1.36	8	1.77
85 歲以上	15	1.12	10	0.80	5	6.10	7	0.79	8	1.77
臨床期別										
0 期	10	0.75	10	0.80	0	0.00	8	0.90	2	0.44
I 期	219	16.37	208	16.56	11	13.41	146	16.50	73	16.11
II 期	175	13.08	167	13.30	8	9.76	129	14.58	46	10.15
III 期	152	11.36	144	11.46	8	9.76	94	10.62	58	12.80
IV M0	606	45.29	575	45.78	31	37.80	395	44.63	211	46.58
IV M1	45	3.36	42	3.34	3	3.66	26	2.94	19	4.19
不詳	131	9.79	110	8.76	21	25.61	87	9.83	44	9.71
病理期別										
0 期	22	1.64	21	1.67	1	1.22	11	1.24	11	2.43
I 期	222	16.59	211	16.80	11	13.41	160	18.08	62	13.69
II 期	101	7.55	92	7.32	9	10.98	73	8.25	28	6.18
III 期	65	4.86	63	5.02	2	2.44	47	5.31	18	3.97
IV M0	129	9.64	123	9.79	6	7.32	97	10.96	32	7.06
IV M1	6	0.45	6	0.48	0	0.00	3	0.34	3	0.66
不詳	793	59.27	740	58.92	53	64.63	494	55.82	299	66.00

表二之二 □咽癌(P16-)發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	1338	100.00	1256	100.00	82	100.00	885	100.00	453	100.00
整併期別 ¹										
0 期	23	1.72	22	1.75	1	1.22	12	1.36	11	2.43
I 期	259	19.36	247	19.67	12	14.63	180	20.34	79	17.44
II 期	183	13.68	171	13.61	12	14.63	131	14.80	52	11.48
III 期	159	11.88	151	12.02	8	9.76	101	11.41	58	12.80
IV M0	608	45.44	577	45.94	31	37.80	397	44.86	211	46.58
IV M1	45	3.36	42	3.34	3	3.66	26	2.94	19	4.19
不詳	61	4.56	46	3.66	15	18.29	38	4.29	23	5.08
臨床與病理期別一致性										
Kappa ²	0.6113									
治療方式 ^{3,4}										
手術	295	22.05	276	21.97	19	23.17	207	23.39	88	19.43
手術合併化療與放療	184	13.75	172	13.69	12	14.63	122	13.79	62	13.69
手術合併放療	51	3.81	45	3.58	6	7.32	30	3.39	21	4.64
手術合併化療	54	4.04	52	4.14	2	2.44	50	5.65	4	0.88
同步化療與放療或/與標 靶治療	477	35.65	448	35.67	29	35.37	313	35.37	164	36.20
非同步化療與放療或/與 標靶治療	60	4.48	57	4.54	3	3.66	35	3.95	25	5.52
放療	51	3.81	49	3.90	2	2.44	26	2.94	25	5.52
放療合併標靶治療	24	1.79	22	1.75	2	2.44	11	1.24	13	2.87
放療合併化療與免疫治療	5	0.37	5	0.40	0	0.00	4	0.45	1	0.22
化療或/與標靶治療	81	6.05	81	6.45	0	0.00	51	5.76	30	6.62
緩和治療	23	1.72	19	1.51	4	4.88	11	1.24	12	2.65
未有首次治療申報紀錄	4	0.30	4	0.32	0	0.00	1	0.11	3	0.66
其他治療	29	2.17	26	2.07	3	3.66	24	2.71	5	1.10
組織型態										
鱗狀細胞癌	1284	95.96	1223	97.37	61	74.39	849	95.93	435	96.03
唾液腺癌	23	1.72	8	0.64	15	18.29	17	1.92	6	1.32
神經內分泌癌	1	0.07	1	0.08	0	0.00	1	0.11	0	0.00
其他特定上皮癌	2	0.15	1	0.08	1	1.22	2	0.23	0	0.00
非特定上皮癌	12	0.90	11	0.88	1	1.22	6	0.68	6	1.32
黏膜惡性黑色素瘤	1	0.07	0	0.00	1	1.22	1	0.11	0	0.00
軟組織肉瘤	4	0.30	4	0.32	0	0.00	2	0.23	2	0.44
其他惡性腫瘤	11	0.82	8	0.64	3	3.66	7	0.79	4	0.88

註 1：整併期別*請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 2：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 3：參考後續治療方式相關表格之附註(p.516-519)。

註 4：治癒性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

口咽癌

表二之三 口咽癌(P16+)發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療或與標靶治療		非同步化療與放療或與標靶治療		放療		放療合併標靶治療		化療或/與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	323	25	7.74	71	21.98	17	5.26	15	4.64	143	44.27	15	4.64	7	2.17	9	2.79	13	4.02	2	0.62	1	0.31	5	1.55
I 期	158	21	13.29	53	33.54	13	8.23	9	5.70	45	28.48	2	1.27	7	4.43	4	2.53	0	0.00	0	0.00	0	0.00	4	2.53
II 期	78	0	0.00	12	15.38	3	3.85	6	7.69	50	64.10	3	3.85	0	0.00	2	2.56	2	2.56	0	0.00	0	0.00	0	0.00
III 期	73	1	1.37	1	1.37	0	0.00	0	0.00	47	64.38	7	9.59	0	0.00	3	4.11	10	13.70	2	2.74	1	1.37	1	1.37
IV M0	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IV M1	6	0	0.00	0	0.00	1	16.67	0	0.00	1	16.67	3	50.00	0	0.00	0	0.00	1	16.67	0	0.00	0	0.00	0	0.00
不詳	7	3	42.86	4	57.14	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

口咽癌

表二之四 口咽癌(P16+) 0-39 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療或/與標靶治療		非同步化療與放療或/與標靶治療		放療		放療合併標靶治療		化療或/與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	8	0	0.00	1	12.50	0	0.00	0	0.00	6	75.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	12.50
I 期	1	0	0.00	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	4	0	0.00	0	0.00	0	0.00	0	0.00	4	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
III 期	3	0	0.00	1	33.33	0	0.00	0	0.00	1	33.33	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	33.33
IV M0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IV M1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
不詳	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

口咽癌

表二之五 口咽癌(P16+) 40-59 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療或/與標靶治療		非同步化療與放療或/與標靶治療		放療		放療合併標靶治療		化療或/與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	147	11	7.48	43	29.25	7	4.76	7	4.76	60	40.82	7	4.76	2	1.36	2	1.36	4	2.72	2	1.36	0	0.00	2	1.36
I 期	82	10	12.20	35	42.68	6	7.32	3	3.66	22	26.83	2	2.44	2	2.44	0	0.00	0	0.00	0	0.00	0	0.00	2	2.44
II 期	33	0	0.00	7	21.21	0	0.00	4	12.12	19	57.58	1	3.03	0	0.00	1	3.03	1	3.03	0	0.00	0	0.00	0	0.00
III 期	28	0	0.00	0	0.00	0	0.00	0	0.00	18	64.29	4	14.29	0	0.00	1	3.57	3	10.71	2	7.14	0	0.00	0	0.00
IV M0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IV M1	2	0	0.00	0	0.00	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
不詳	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

口咽癌

表二之六 口咽癌(P16+) 60 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療或與標靶治療		非同步化療與放療或與標靶治療		放療		放療合併標靶治療		化療或/與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	168	14	8.33	27	16.07	10	5.95	8	4.76	77	45.83	8	4.76	5	2.98	7	4.17	9	5.36	0	0.00	1	0.60	2	1.19
I 期	75	11	14.67	18	24.00	7	9.33	6	8.00	22	29.33	0	0.00	5	6.67	4	5.33	0	0.00	0	0.00	0	0.00	2	2.67
II 期	41	0	0.00	5	12.20	3	7.32	2	4.88	27	65.85	2	4.88	0	0.00	1	2.44	1	2.44	0	0.00	0	0.00	0	0.00
III 期	42	1	2.38	0	0.00	0	0.00	0	0.00	28	66.67	3	7.14	0	0.00	2	4.76	7	16.67	0	0.00	1	2.38	0	0.00
IV M0	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IV M1	4	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	3	75.00	0	0.00	0	0.00	1	25.00	0	0.00	0	0.00	0	0.00
不詳	5	2	40.00	3	60.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

口咽癌

表二之七 口咽癌(P16-)發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療或/與標靶治療		非同步化療與放療或/與標靶治療		放療		放療合併標靶治療		放療合併化療與免疫治療		化療或/與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	1338	295	22.05	184	13.75	51	3.81	54	4.04	477	35.65	60	4.48	51	3.81	24	1.79	5	0.37	81	6.05	23	1.72	4	0.30	29	2.17
0 期	23	23	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	259	186	71.81	11	4.25	12	4.63	14	5.41	13	5.02	4	1.54	13	5.02	1	0.39	0	0.00	3	1.16	0	0.00	0	0.00	2	0.77
II 期	183	49	26.78	24	13.11	17	9.29	14	7.65	48	26.23	4	2.19	16	8.74	4	2.19	0	0.00	3	1.64	2	1.09	0	0.00	2	1.09
III 期	159	9	5.66	27	16.98	17	10.69	11	6.92	67	42.14	8	5.03	6	3.77	1	0.63	1	0.63	7	4.40	1	0.63	0	0.00	4	2.52
IV M0	608	5	0.82	115	18.91	4	0.66	11	1.81	338	55.59	25	4.11	14	2.30	17	2.80	3	0.49	46	7.57	12	1.97	3	0.49	15	2.47
IV M1	45	0	0.00	1	2.22	0	0.00	0	0.00	3	6.67	15	33.33	0	0.00	0	0.00	1	2.22	18	40.00	6	13.33	0	0.00	1	2.22
不詳	61	23	37.70	6	9.84	1	1.64	4	6.56	8	13.11	4	6.56	2	3.28	1	1.64	0	0.00	4	6.56	2	3.28	1	1.64	5	8.20

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

口咽癌

表二之八 口咽癌(P16-) 0-39 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²	手術合併 化療與 放療	手術合併 放療	手術合併 化療	同步 化療與 放療或/與 標靶治療	非同步 化療與 放療或/與 標靶治療	放療	放療合併 標靶治療	放療合併 化療與 免疫治療	化療或/與 標靶治療	緩和 治療 ³	未有 首次治療 申報紀錄 ⁴	其他 治療 ⁵
		申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %
合計	30	6 20.00	5 16.67	3 10.00	1 3.33	13 43.33	0 0.00	0 0.00	0 0.00	0 0.00	1 3.33	0 0.00	0 0.00	1 3.33
0 期	0	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00
I 期	5	4 80.00	0 0.00	1 20.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00
II 期	1	0 0.00	0 0.00	1 100	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00
III 期	2	0 0.00	0 0.00	1 50.00	0 0.00	1 50.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00
IV M0	19	0 0.00	4 21.05	0 0.00	1 5.26	12 63.16	0 0.00	0 0.00	0 0.00	0 0.00	1 5.26	0 0.00	0 0.00	1 5.26
IV M1	0	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00
不詳	3	2 66.67	1 33.33	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

口咽癌

表二之九 口咽癌(P16-) 40-59 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療或/與標靶治療		非同步化療與放療或/與標靶治療		放療		放療合併標靶治療		放療合併化療與免疫治療		化療或/與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	747	153	20.48	119	15.93	24	3.21	32	4.28	292	39.09	38	5.09	19	2.54	7	0.94	2	0.27	37	4.95	8	1.07	1	0.13	15	2.01
0 期	15	15	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	140	98	70.00	8	5.71	5	3.57	9	6.43	10	7.14	3	2.14	7	5.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	96	26	27.08	17	17.71	8	8.33	6	6.25	25	26.04	3	3.13	6	6.25	2	2.08	0	0.00	1	1.04	0	0.00	0	0.00	2	2.08
III 期	89	4	4.49	18	20.22	10	11.24	8	8.99	37	41.57	6	6.74	0	0.00	0	0.00	0	0.00	3	3.37	0	0.00	0	0.00	3	3.37
IV M0	355	1	0.28	72	20.28	0	0.00	7	1.97	216	60.85	15	4.23	5	1.41	5	1.41	1	0.28	21	5.92	3	0.85	1	0.28	8	2.25
IV M1	28	0	0.00	1	3.57	0	0.00	0	0.00	1	3.57	8	28.57	0	0.00	0	0.00	1	3.57	11	39.29	5	17.86	0	0.00	1	3.57
不詳	24	9	37.50	3	12.50	1	4.17	2	8.33	3	12.50	3	12.50	1	4.17	0	0.00	0	0.00	1	4.17	0	0.00	0	0.00	1	4.17

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

口咽癌

表二之十 口咽癌(P16-) 60 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療或/與標靶治療		非同步化療與放療或/與標靶治療		放療		放療合併標靶治療		放療合併化療與免疫治療		化療或/與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	561	136	24.24	60	10.70	24	4.28	21	3.74	172	30.66	22	3.92	32	5.70	17	3.03	3	0.53	43	7.66	15	2.67	3	0.53	13	2.32
0 期	8	8	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	114	84	73.68	3	2.63	6	5.26	5	4.39	3	2.63	1	0.88	6	5.26	1	0.88	0	0.00	3	2.63	0	0.00	0	0.00	2	1.75
II 期	86	23	26.74	7	8.14	8	9.30	8	9.30	23	26.74	1	1.16	10	11.63	2	2.33	0	0.00	2	2.33	2	2.33	0	0.00	0	0.00
III 期	68	5	7.35	9	13.24	6	8.82	3	4.41	29	42.65	2	2.94	6	8.82	1	1.47	1	1.47	4	5.88	1	1.47	0	0.00	1	1.47
IV M0	234	4	1.71	39	16.67	4	1.71	3	1.28	110	47.01	10	4.27	9	3.85	12	5.13	2	0.85	24	10.26	9	3.85	2	0.85	6	2.56
IV M1	17	0	0.00	0	0.00	0	0.00	0	0.00	2	11.76	7	41.18	0	0.00	0	0.00	0	0.00	7	41.18	1	5.88	0	0.00	0	0.00
不詳	34	12	35.29	2	5.88	0	0.00	2	5.88	5	14.71	1	2.94	1	2.94	1	2.94	0	0.00	3	8.82	2	5.88	1	2.94	4	11.76

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

Pharynx

Tonsil C090–C099, Oropharynx C100–C109, Nasopharynx C110–C119

Pyiform Sinus C129, Hypopharynx C130–C139, Pharynx C140

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS

11 Photodynamic therapy (PDT)

12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

13 Cryosurgery

14 Laser

15 Stripping

No specimen sent to pathology from surgical events 10–15

20 Local tumor excision, NOS

26 Polypectomy

27 Excisional biopsy

Any combination of 20 or 26–27 WITH

21 Photodynamic therapy (PDT)

22 Electrocautery

23 Cryosurgery

24 Laser ablation

25 Laser excision

28 Stripping

30 Pharyngectomy, NOS

31 Limited/partial pharyngectomy; tonsillectomy, bilateral tonsillectomy

32 Total pharyngectomy

40 Pharyngectomy WITH laryngectomy OR removal of contiguous bone tissue, NOS
(does NOT include total mandibular resection)

[SEER Note: Code 40 includes mandibulectomy (marginal, segmental, hemi-, and/or laryngectomy) NOS. Contiguous bone tissue refers to the mandible.]

41 WITH laryngectomy (laryngopharyngectomy)

42 WITH bone [mandibulectomy]

43 WITH both 41 and 42

[SEER Note: Use **code 40** when the patient had a pharyngectomy and maybe some sort of mandibulectomy and/or maybe a laryngectomy, but the exact procedures are not clear. Use **code 41** when the patient had pharyngectomy and laryngectomy but no mandibulectomy. Use **code 42** when the patient had pharyngectomy and mandibulectomy but no laryngectomy. Use **code 43** when it is known that the patient had both a mandibulectomy and laryngectomy in addition to the pharyngectomy.]

50 Radical pharyngectomy (includes total mandibular resection), NOS

51 WITHOUT laryngectomy

52 WITH laryngectomy

Specimen sent to pathology from surgical events 20-52.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

下咽癌

表三之一 下咽癌發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	1189	100.00	1154	100.00	35	100.00	746	100.00	443	100.00
年齡										
00-04 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
05-09 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
10-14 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
15-19 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
20-24 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
25-29 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
30-34 歲	2	0.17	1	0.09	1	2.86	1	0.13	1	0.23
35-39 歲	12	1.01	10	0.87	2	5.71	9	1.21	3	0.68
40-44 歲	65	5.47	64	5.55	1	2.86	36	4.83	29	6.55
45-49 歲	127	10.68	125	10.83	2	5.71	70	9.38	57	12.87
50-54 歲	211	17.75	206	17.85	5	14.29	137	18.36	74	16.70
55-59 歲	273	22.96	268	23.22	5	14.29	178	23.86	95	21.44
60-64 歲	202	16.99	194	16.81	8	22.86	127	17.02	75	16.93
65-69 歲	151	12.70	149	12.91	2	5.71	97	13.00	54	12.19
70-74 歲	54	4.54	50	4.33	4	11.43	39	5.23	15	3.39
75-79 歲	50	4.21	49	4.25	1	2.86	32	4.29	18	4.06
80-84 歲	28	2.35	25	2.17	3	8.57	14	1.88	14	3.16
85 歲以上	14	1.18	13	1.13	1	2.86	6	0.80	8	1.81
臨床期別										
0 期	12	1.01	12	1.04	0	0.00	8	1.07	4	0.90
I 期	92	7.74	89	7.71	3	8.57	70	9.38	22	4.97
II 期	109	9.17	107	9.27	2	5.71	75	10.05	34	7.67
III 期	127	10.68	122	10.57	5	14.29	82	10.99	45	10.16
IV M0	739	62.15	719	62.31	20	57.14	443	59.38	296	66.82
IV M1	60	5.05	58	5.03	2	5.71	37	4.96	23	5.19
不詳	50	4.21	47	4.07	3	8.57	31	4.16	19	4.29
病理期別										
0 期	14	1.18	14	1.21	0	0.00	12	1.61	2	0.45
I 期	71	5.97	71	6.15	0	0.00	55	7.37	16	3.61
II 期	20	1.68	20	1.73	0	0.00	13	1.74	7	1.58
III 期	23	1.93	21	1.82	2	5.71	18	2.41	5	1.13
IV M0	188	15.81	188	16.29	0	0.00	121	16.22	67	15.12
IV M1	6	0.50	6	0.52	0	0.00	6	0.80	0	0.00
不詳	867	72.92	834	72.27	33	94.29	521	69.84	346	78.10

表三之一 下咽癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	1189	100.00	1154	100.00	35	100.00	746	100.00	443	100.00
整併期別 ¹										
0 期	18	1.51	18	1.56	0	0.00	14	1.88	4	0.90
I 期	103	8.66	100	8.67	3	8.57	77	10.32	26	5.87
II 期	108	9.08	106	9.19	2	5.71	76	10.19	32	7.22
III 期	115	9.67	109	9.45	6	17.14	71	9.52	44	9.93
IV M0	748	62.91	729	63.17	19	54.29	448	60.05	300	67.72
IV M1	59	4.96	57	4.94	2	5.71	36	4.83	23	5.19
不詳	38	3.20	35	3.03	3	8.57	24	3.22	14	3.16
臨床與病理期別一致性										
Kappa ²	0.6212									
治療方式 ^{3,4}										
手術	99	8.33	98	8.49	1	2.86	76	10.19	23	5.19
手術合併化療與放療	144	12.11	144	12.48	0	0.00	95	12.73	49	11.06
手術合併放療	46	3.87	44	3.81	2	5.71	28	3.75	18	4.06
手術合併化療	27	2.27	27	2.34	0	0.00	22	2.95	5	1.13
同步化療與放療或/與標 靶治療	577	48.53	556	48.18	21	60.00	369	49.46	208	46.95
非同步化療與放療或/與 標靶治療	70	5.89	69	5.98	1	2.86	38	5.09	32	7.22
放療	45	3.78	43	3.73	2	5.71	22	2.95	23	5.19
放療合併標靶治療	26	2.19	24	2.08	2	5.71	11	1.47	15	3.39
放療合併化療與免疫治療	6	0.50	5	0.43	1	2.86	6	0.80	0	0.00
化療或/與標靶治療	97	8.16	93	8.06	4	11.43	54	7.24	43	9.71
緩和治療	28	2.35	27	2.34	1	2.86	11	1.47	17	3.84
未有首次治療申報紀錄	3	0.25	3	0.26	0	0.00	0	0.00	3	0.68
其他治療	21	1.77	21	1.82	0	0.00	14	1.88	7	1.58
組織型態										
鱗狀細胞癌	1167	98.15	1137	98.53	30	85.71	730	97.86	437	98.65
唾液腺癌	2	0.17	1	0.09	1	2.86	2	0.27	0	0.00
神經內分泌癌	1	0.08	1	0.09	0	0.00	1	0.13	0	0.00
其他特定上皮癌	2	0.17	2	0.17	0	0.00	2	0.27	0	0.00
非特定上皮癌	8	0.67	8	0.69	0	0.00	5	0.67	3	0.68
黏膜惡性黑色素瘤	1	0.08	0	0.00	1	2.86	1	0.13	0	0.00
其他惡性腫瘤	8	0.67	5	0.43	3	8.57	5	0.67	3	0.68

註 1：整併期別*請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 2：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 3：參考後續治療方式相關表格之附註(p.524-525)。

註 4：治癒性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

下咽癌

表三之二 下咽癌發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療或與標靶治療		非同步化療與放療或與標靶治療		放療		放療合併標靶治療		放療合併化療與免疫治療		化療或與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	1189	99	8.33	144	12.11	46	3.87	27	2.27	577	48.53	70	5.89	45	3.78	26	2.19	6	0.50	97	8.16	28	2.35	3	0.25	21	1.77
0 期	18	14	77.78	0	0.00	0	0.00	0	0.00	1	5.56	0	0.00	2	11.11	0	0.00	0	0.00	0	0.00	0	0.00	1	5.56	0	0.00
I 期	103	46	44.66	3	2.91	11	10.68	7	6.80	14	13.59	1	0.97	20	19.42	0	0.00	0	0.00	0	0.00	1	0.97	0	0.00	0	0.00
II 期	108	7	6.48	7	6.48	8	7.41	4	3.70	61	56.48	4	3.70	9	8.33	3	2.78	0	0.00	2	1.85	1	0.93	0	0.00	2	1.85
III 期	115	4	3.48	6	5.22	10	8.70	3	2.61	73	63.48	4	3.48	5	4.35	5	4.35	1	0.87	4	3.48	0	0.00	0	0.00	0	0.00
IV M0	748	20	2.67	127	16.98	17	2.27	10	1.34	410	54.81	38	5.08	8	1.07	17	2.27	4	0.53	58	7.75	19	2.54	2	0.27	18	2.41
IV M1	59	0	0.00	0	0.00	0	0.00	0	0.00	1	1.69	23	38.98	0	0.00	0	0.00	0	0.00	29	49.15	5	8.47	0	0.00	1	1.69
不詳	38	8	21.05	1	2.63	0	0.00	3	7.89	17	44.74	0	0.00	1	2.63	1	2.63	1	2.63	4	10.53	2	5.26	0	0.00	0	0.00

表三之三 下咽癌 0-39 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療或與標靶治療		非同步化療與放療或與標靶治療		放療		放療合併標靶治療		放療合併化療與免疫治療		化療或與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	14	0	0.00	0	0.00	0	0.00	0	0.00	10	71.43	2	14.29	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	7.14	1	7.14
0 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
III 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IV M0	14	0	0.00	0	0.00	0	0.00	0	0.00	10	71.43	2	14.29	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	7.14	1	7.14
IV M1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
不詳	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

下咽癌

表三之四 下咽癌 40-59 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療或與標靶治療		非同步化療與放療或與標靶治療		放療		放療合併標靶治療		放療合併化療與免疫治療		化療或與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	676	59	8.73	94	13.91	24	3.55	12	1.78	341	50.44	47	6.95	24	3.55	3	0.44	3	0.44	47	6.95	8	1.18	2	0.30	12	1.78
0 期	15	12	80.00	0	0.00	0	0.00	0	0.00	1	6.67	0	0.00	1	6.67	0	0.00	0	0.00	0	0.00	0	0.00	1	6.67	0	0.00
I 期	58	27	46.55	2	3.45	6	10.34	3	5.17	7	12.07	1	1.72	12	20.69	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	56	4	7.14	2	3.57	5	8.93	2	3.57	32	57.14	3	5.36	5	8.93	1	1.79	0	0.00	1	1.79	0	0.00	0	0.00	1	1.79
III 期	59	3	5.08	4	6.78	4	6.78	3	5.08	37	62.71	2	3.39	3	5.08	1	1.69	0	0.00	2	3.39	0	0.00	0	0.00	0	0.00
IV M0	436	9	2.06	85	19.50	9	2.06	4	0.92	254	58.26	21	4.82	2	0.46	1	0.23	2	0.46	31	7.11	7	1.61	1	0.23	10	2.29
IV M1	32	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	20	62.50	0	0.00	0	0.00	0	0.00	11	34.38	0	0.00	0	0.00	1	3.13
不詳	20	4	20.00	1	5.00	0	0.00	0	0.00	10	50.00	0	0.00	1	5.00	0	0.00	1	5.00	2	10.00	1	5.00	0	0.00	0	0.00

表三之五 下咽癌 60 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療或與標靶治療		非同步化療與放療或與標靶治療		放療		放療合併標靶治療		放療合併化療與免疫治療		化療或與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	499	40	8.02	50	10.02	22	4.41	15	3.01	226	45.29	21	4.21	21	4.21	23	4.61	3	0.60	50	10.02	20	4.01	0	0.00	8	1.60
0 期	3	2	66.67	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	33.33	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	45	19	42.22	1	2.22	5	11.11	4	8.89	7	15.56	0	0.00	8	17.78	0	0.00	0	0.00	0	0.00	1	2.22	0	0.00	0	0.00
II 期	52	3	5.77	5	9.62	3	5.77	2	3.85	29	55.77	1	1.92	4	7.69	2	3.85	0	0.00	1	1.92	1	1.92	0	0.00	1	1.92
III 期	56	1	1.79	2	3.57	6	10.71	0	0.00	36	64.29	2	3.57	2	3.57	4	7.14	1	1.79	2	3.57	0	0.00	0	0.00	0	0.00
IV M0	298	11	3.69	42	14.09	8	2.68	6	2.01	146	48.99	15	5.03	6	2.01	16	5.37	2	0.67	27	9.06	12	4.03	0	0.00	7	2.35
IV M1	27	0	0.00	0	0.00	0	0.00	0	0.00	1	3.70	3	11.11	0	0.00	0	0.00	0	0.00	18	66.67	5	18.52	0	0.00	0	0.00
不詳	18	4	22.22	0	0.00	0	0.00	3	16.67	7	38.89	0	0.00	0	0.00	1	5.56	0	0.00	2	11.11	1	5.56	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

Pharynx

Tonsil C090–C099, Oropharynx C100–C109, Nasopharynx C110–C119

Pyiform Sinus C129, Hypopharynx C130–C139, Pharynx C140

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

Codes

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser
 - 15 Stripping

No specimen sent to pathology from surgical events 10–15

- 20 Local tumor excision, NOS
 - 26 Polypectomy
 - 27 Excisional biopsy
- Any combination of 20 or 26–27 WITH**
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
- 25 Laser excision
- 28 Stripping
- 30 Pharyngectomy, NOS
 - 31 Limited/partial pharyngectomy; tonsillectomy, bilateral tonsillectomy
 - 32 Total pharyngectomy
- 40 Pharyngectomy WITH laryngectomy OR removal of contiguous bone tissue, NOS (does NOT include total mandibular resection)
[SEER Note: Code 40 includes mandibulectomy (marginal, segmental, hemi-, and/or laryngectomy) NOS. Contiguous bone tissue refers to the mandible.]
 - 41 WITH laryngectomy (laryngopharyngectomy)
 - 42 WITH bone [mandibulectomy]
 - 43 WITH both 41 and 42

[SEER Note: Use **code 40** when the patient had a pharyngectomy and maybe some sort of mandibulectomy and/or maybe a laryngectomy, but the exact procedures are not clear. Use **code 41** when the patient had pharyngectomy and laryngectomy but no mandibulectomy. Use **code 42** when the patient had pharyngectomy and mandibulectomy but no laryngectomy. Use **code 43** when it is known that the patient had both a mandibulectomy and laryngectomy in addition to the pharyngectomy.]

- 50 Radical pharyngectomy (includes total mandibular resection), NOS
 - 51 WITHOUT laryngectomy
 - 52 WITH laryngectomy

Specimen sent to pathology from surgical events 20-52.

- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

喉癌

表四之一 喉癌發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	822	100.00	773	100.00	49	100.00	580	100.00	242	100.00
年齡										
00-04 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
05-09 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
10-14 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
15-19 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
20-24 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
25-29 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
30-34 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
35-39 歲	1	0.12	1	0.13	0	0.00	1	0.17	0	0.00
40-44 歲	22	2.68	19	2.46	3	6.12	16	2.76	6	2.48
45-49 歲	39	4.74	37	4.79	2	4.08	26	4.48	13	5.37
50-54 歲	101	12.29	100	12.94	1	2.04	65	11.21	36	14.88
55-59 歲	140	17.03	134	17.34	6	12.24	99	17.07	41	16.94
60-64 歲	152	18.49	143	18.50	9	18.37	108	18.62	44	18.18
65-69 歲	141	17.15	127	16.43	14	28.57	102	17.59	39	16.12
70-74 歲	79	9.61	75	9.70	4	8.16	60	10.34	19	7.85
75-79 歲	85	10.34	80	10.35	5	10.20	59	10.17	26	10.74
80-84 歲	37	4.50	36	4.66	1	2.04	28	4.83	9	3.72
85 歲以上	25	3.04	21	2.72	4	8.16	16	2.76	9	3.72
臨床期別										
0 期	18	2.19	17	2.20	1	2.04	12	2.07	6	2.48
I 期	365	44.40	346	44.76	19	38.78	271	46.72	94	38.84
II 期	119	14.48	112	14.49	7	14.29	82	14.14	37	15.29
III 期	79	9.61	75	9.70	4	8.16	55	9.48	24	9.92
IV M0	170	20.68	160	20.70	10	20.41	114	19.66	56	23.14
IV M1	5	0.61	5	0.65	0	0.00	2	0.34	3	1.24
不詳	66	8.03	58	7.50	8	16.33	44	7.59	22	9.09
病理期別										
0 期	36	4.38	31	4.01	5	10.20	28	4.83	8	3.31
I 期	170	20.68	160	20.70	10	20.41	134	23.10	36	14.88
II 期	34	4.14	33	4.27	1	2.04	26	4.48	8	3.31
III 期	17	2.07	13	1.68	4	8.16	13	2.24	4	1.65
IV M0	46	5.60	42	5.43	4	8.16	36	6.21	10	4.13
IV M1	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
不詳	519	63.14	494	63.91	25	51.02	343	59.14	176	72.73

表四之一 喉癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	822	100.00	773	100.00	49	100.00	580	100.00	242	100.00
整併期別 ¹										
0 期	39	4.74	34	4.40	5	10.20	29	5.00	10	4.13
I 期	377	45.86	357	46.18	20	40.82	276	47.59	101	41.74
II 期	122	14.84	115	14.88	7	14.29	89	15.34	33	13.64
III 期	75	9.12	70	9.06	5	10.20	50	8.62	25	10.33
IV M0	175	21.29	166	21.47	9	18.37	117	20.17	58	23.97
IV M1	4	0.49	4	0.52	0	0.00	2	0.34	2	0.83
不詳	30	3.65	27	3.49	3	6.12	17	2.93	13	5.37
臨床與病理期別一致性										
Kappa ²	0.7237									
治療方式 ^{3,4}										
手術	262	31.87	243	31.44	19	38.78	197	33.97	65	26.86
手術合併化療與放療	44	5.35	41	5.30	3	6.12	36	6.21	8	3.31
手術合併放療	44	5.35	43	5.56	1	2.04	30	5.17	14	5.79
手術合併放療與標靶治療	5	0.61	5	0.65	0	0.00	4	0.69	1	0.41
手術合併化療	14	1.70	14	1.81	0	0.00	14	2.41	0	0.00
同步化療與放療或/與標 靶治療	185	22.51	177	22.90	8	16.33	127	21.90	58	23.97
非同步化療與放療	11	1.34	11	1.42	0	0.00	4	0.69	7	2.89
放療	207	25.18	196	25.36	11	22.45	133	22.93	74	30.58
放療合併標靶治療	17	2.07	15	1.94	2	4.08	6	1.03	11	4.55
化療	15	1.82	13	1.68	2	4.08	12	2.07	3	1.24
緩和治療	3	0.36	3	0.39	0	0.00	3	0.52	0	0.00
未有首次治療申報紀錄	5	0.61	3	0.39	2	4.08	5	0.86	0	0.00
其他治療	10	1.22	9	1.16	1	2.04	9	1.55	1	0.41
組織型態										
鱗狀細胞癌	802	97.57	757	97.93	45	91.84	568	97.93	234	96.69
神經內分泌癌	4	0.49	3	0.39	1	2.04	2	0.34	2	0.83
其他特定上皮癌	3	0.36	3	0.39	0	0.00	2	0.34	1	0.41
非特定上皮癌	6	0.73	4	0.52	2	4.08	4	0.69	2	0.83
軟組織肉瘤	1	0.12	1	0.13	0	0.00	1	0.17	0	0.00
其他惡性腫瘤	6	0.73	5	0.65	1	2.04	3	0.52	3	1.24

註 1：整併期別*請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 2：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 3：參考後續治療方式相關表格之附註(p.530-531)。

註 4：治癒性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

喉癌

表四之二 喉癌發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併放療與標靶治療		手術合併化療		同步化療與放療或與標靶治療		非同步化療與放療		放療		放療合併標靶治療		化療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	822	262	31.87	44	5.35	44	5.35	5	0.61	14	1.70	185	22.51	11	1.34	207	25.18	17	2.07	15	1.82	3	0.36	5	0.61	10	1.22
0 期	39	34	87.18	0	0.00	1	2.56	0	0.00	0	0.00	0	0.00	0	0.00	4	10.26	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	377	159	42.18	5	1.33	28	7.43	0	0.00	5	1.33	14	3.71	2	0.53	160	42.44	0	0.00	2	0.53	0	0.00	0	0.00	2	0.53
II 期	122	33	27.05	7	5.74	4	3.28	1	0.82	2	1.64	34	27.87	1	0.82	31	25.41	3	2.46	3	2.46	1	0.82	1	0.82	1	0.82
III 期	75	10	13.33	4	5.33	3	4.00	2	2.67	2	2.67	40	53.33	1	1.33	4	5.33	6	8.00	2	2.67	0	0.00	1	1.33	0	0.00
IV M0	175	5	2.86	27	15.43	8	4.57	1	0.57	5	2.86	95	54.29	6	3.43	6	3.43	6	3.43	8	4.57	2	1.14	1	0.57	5	2.86
IV M1	4	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	25.00	0	0.00	1	25.00	0	0.00	0	0.00	0	0.00	2	50.00
不詳	30	21	70.00	1	3.33	0	0.00	1	3.33	0	0.00	2	6.67	0	0.00	2	6.67	1	3.33	0	0.00	0	0.00	2	6.67	0	0.00

表四之三 喉癌 0-49 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併放療與標靶治療		手術合併化療		同步化療與放療或與標靶治療		非同步化療與放療		放療		放療合併標靶治療		化療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	62	14	22.58	6	9.68	2	3.23	0	0.00	1	1.61	21	33.87	2	3.23	12	19.35	1	1.61	2	3.23	0	0.00	0	0.00	1	1.61
0 期	5	4	80.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	20.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	26	8	30.77	2	7.69	2	7.69	0	0.00	0	0.00	4	15.38	0	0.00	9	34.62	0	0.00	1	3.85	0	0.00	0	0.00	0	0.00
II 期	5	0	0.00	1	20.00	0	0.00	0	0.00	0	0.00	2	40.00	0	0.00	2	40.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
III 期	2	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	2	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IV M0	22	1	4.55	3	13.64	0	0.00	0	0.00	1	4.55	13	59.09	2	9.09	0	0.00	1	4.55	1	4.55	0	0.00	0	0.00	0	0.00
IV M1	1	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	100
不詳	1	1	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

喉癌

表四之四 喉癌 50-69 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併放療與標靶治療		手術合併化療		同步化療與放療或/與標靶治療		非同步化療與放療		放療		放療合併標靶治療		化療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	534	169	31.65	34	6.37	30	5.62	0	0.00	7	1.31	133	24.91	8	1.50	130	24.34	5	0.94	10	1.87	2	0.37	1	0.19	5	0.94
0 期	21	19	90.48	0	0.00	1	4.76	0	0.00	0	0.00	0	0.00	0	0.00	1	4.76	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	246	105	42.68	3	1.22	18	7.32	0	0.00	2	0.81	7	2.85	2	0.81	106	43.09	0	0.00	1	0.41	0	0.00	0	0.00	2	0.81
II 期	80	23	28.75	6	7.50	2	2.50	0	0.00	2	2.50	27	33.75	1	1.25	16	20.00	0	0.00	2	2.50	0	0.00	1	1.25	0	0.00
III 期	48	6	12.50	3	6.25	3	6.25	0	0.00	1	2.08	30	62.50	0	0.00	1	2.08	2	4.17	2	4.17	0	0.00	0	0.00	0	0.00
IV M0	122	3	2.46	21	17.21	6	4.92	0	0.00	2	1.64	69	56.56	4	3.28	4	3.28	3	2.46	5	4.10	2	1.64	0	0.00	3	2.46
IV M1	1	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
不詳	16	13	81.25	1	6.25	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	2	12.50	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

表四之五 喉癌 70 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併放療與標靶治療		手術合併化療		同步化療與放療或/與標靶治療		非同步化療與放療		放療		放療合併標靶治療		化療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	226	79	34.96	4	1.77	12	5.31	5	2.21	6	2.65	31	13.72	1	0.44	65	28.76	11	4.87	3	1.33	1	0.44	4	1.77	4	1.77
0 期	13	11	84.62	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	2	15.38	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	105	46	43.81	0	0.00	8	7.62	0	0.00	3	2.86	3	2.86	0	0.00	45	42.86	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	37	10	27.03	0	0.00	2	5.41	1	2.70	0	0.00	5	13.51	0	0.00	13	35.14	3	8.11	1	2.70	1	2.70	0	0.00	1	2.70
III 期	25	4	16.00	1	4.00	0	0.00	2	8.00	1	4.00	8	32.00	1	4.00	3	12.00	4	16.00	0	0.00	0	0.00	1	4.00	0	0.00
IV M0	31	1	3.23	3	9.68	2	6.45	1	3.23	2	6.45	13	41.94	0	0.00	2	6.45	2	6.45	2	6.45	0	0.00	1	3.23	2	6.45
IV M1	2	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	50.00	0	0.00	0	0.00	0	0.00	1	50.00
不詳	13	7	53.85	0	0.00	0	0.00	1	7.69	0	0.00	2	15.38	0	0.00	0	0.00	1	7.69	0	0.00	0	0.00	2	15.38	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

Larynx

C32

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

Codes

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from surgical events 10–14

- 20 Local tumor excision, NOS
 - 26 Polypectomy
 - 27 Excisional biopsy
- Any combination of 20 or 26–27 WITH**
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision

[SEER Note: Codes 30-80 include major salivary gland, NOS]

- 30 Less than total parotidectomy, NOS; less than total removal of major salivary gland, NOS
 - 31 Facial nerve spared
 - 32 Facial nerve sacrificed
 - 33 Superficial lobe ONLY
 - 34 Facial nerve spared
 - 35 Facial nerve sacrificed
 - 36 Deep lobe (Total)
- [SEER Note: Codes 30-36 are with or without superficial lobe]
- 37 Facial nerve spared
 - 38 Facial nerve sacrificed

[SEER Note: Codes 40-80 may include submandibulectomy and submaxillectomy]

- 40 Total parotidectomy, NOS; total removal of major salivary gland, NOS
 - 41 Facial nerve spared
 - 42 Facial nerve sacrificed
- 50 Radical parotidectomy, NOS; radical removal of major salivary gland, NOS
 - 51 WITHOUT removal of temporal bone
 - 52 WITH removal of temporal bone
 - 53 WITH removal of overlying skin (requires graft or flap coverage)
- 80 Parotidectomy, NOS

Specimen sent to pathology from surgical events 20-80

- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

主唾液腺癌

表五之一 主唾液腺癌發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	308	100.00	176	100.00	132	100.00	212	100.00	96	100.00
年齡										
00-04 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
05-09 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
10-14 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
15-19 歲	8	2.60	3	1.70	5	3.79	8	3.77	0	0.00
20-24 歲	5	1.62	2	1.14	3	2.27	3	1.42	2	2.08
25-29 歲	10	3.25	4	2.27	6	4.55	9	4.25	1	1.04
30-34 歲	7	2.27	3	1.70	4	3.03	6	2.83	1	1.04
35-39 歲	21	6.82	14	7.95	7	5.30	14	6.60	7	7.29
40-44 歲	13	4.22	9	5.11	4	3.03	10	4.72	3	3.13
45-49 歲	22	7.14	11	6.25	11	8.33	17	8.02	5	5.21
50-54 歲	35	11.36	15	8.52	20	15.15	24	11.32	11	11.46
55-59 歲	48	15.58	27	15.34	21	15.91	30	14.15	18	18.75
60-64 歲	43	13.96	25	14.20	18	13.64	27	12.74	16	16.67
65-69 歲	38	12.34	26	14.77	12	9.09	26	12.26	12	12.50
70-74 歲	17	5.52	14	7.95	3	2.27	11	5.19	6	6.25
75-79 歲	16	5.19	10	5.68	6	4.55	11	5.19	5	5.21
80-84 歲	10	3.25	6	3.41	4	3.03	5	2.36	5	5.21
85 歲以上	15	4.87	7	3.98	8	6.06	11	5.19	4	4.17
臨床期別										
0 期	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	41	13.31	20	11.36	21	15.91	30	14.15	11	11.46
II 期	64	20.78	37	21.02	27	20.45	43	20.28	21	21.88
III 期	27	8.77	15	8.52	12	9.09	15	7.08	12	12.50
IV 期	77	25.00	49	27.84	28	21.21	54	25.47	23	23.96
不詳	99	32.14	55	31.25	44	33.33	70	33.02	29	30.21
病理期別										
0 期	1	0.32	1	0.57	0	0.00	1	0.47	0	0.00
I 期	62	20.13	30	17.05	32	24.24	46	21.70	16	16.67
II 期	80	25.97	46	26.14	34	25.76	54	25.47	26	27.08
III 期	49	15.91	24	13.64	25	18.94	35	16.51	14	14.58
IV 期	56	18.18	37	21.02	19	14.39	44	20.75	12	12.50
不詳	60	19.48	38	21.59	22	16.67	32	15.09	28	29.17

表五之一 主唾液腺癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	308	100.00	176	100.00	132	100.00	212	100.00	96	100.00
整併期別 ¹										
0 期	1	0.32	1	0.57	0	0.00	1	0.47	0	0.00
I 期	66	21.43	32	18.18	34	25.76	48	22.64	18	18.75
II 期	83	26.95	48	27.27	35	26.52	56	26.42	27	28.13
III 期	53	17.21	27	15.34	26	19.70	36	16.98	17	17.71
IV 期	82	26.62	54	30.68	28	21.21	61	28.77	21	21.88
不詳	23	7.47	14	7.95	9	6.82	10	4.72	13	13.54
臨床與病理期別一致性										
Kappa ²	0.7371									
治療方式 ^{3,4}										
手術	88	28.57	50	28.41	38	28.79	60	28.30	28	29.17
手術合併化療與放療	61	19.81	37	21.02	24	18.18	39	18.40	22	22.92
手術合併放療	119	38.64	63	35.80	56	42.42	84	39.62	35	36.46
手術合併化療	4	1.30	3	1.70	1	0.76	4	1.89	0	0.00
同步化療與放療	7	2.27	4	2.27	3	2.27	5	2.36	2	2.08
非同步化療與放療	6	1.95	5	2.84	1	0.76	5	2.36	1	1.04
放療	3	0.97	3	1.70	0	0.00	2	0.94	1	1.04
化療	6	1.95	2	1.14	4	3.03	4	1.89	2	2.08
緩和治療	2	0.65	1	0.57	1	0.76	1	0.47	1	1.04
未有首次治療申報紀錄	1	0.32	0	0.00	1	0.76	0	0.00	1	1.04
其他治療	11	3.57	8	4.55	3	2.27	8	3.77	3	3.13
組織型態										
黏液表皮樣癌	64	20.78	33	18.75	31	23.48	42	19.81	22	22.92
鱗狀細胞癌	23	7.47	16	9.09	7	5.30	12	5.66	11	11.46
腺癌	6	1.95	5	2.84	1	0.76	4	1.89	2	2.08
腺樣囊狀癌	55	17.86	27	15.34	28	21.21	32	15.09	23	23.96
腺泡細胞癌	28	9.09	14	7.95	14	10.61	25	11.79	3	3.13
惡性混合性腫瘤	38	12.34	23	13.07	15	11.36	29	13.68	9	9.38
淋巴上皮癌	17	5.52	7	3.98	10	7.58	12	5.66	5	5.21
其他特定上皮癌	61	19.81	42	23.86	19	14.39	45	21.23	16	16.67
非特定上皮癌	13	4.22	8	4.55	5	3.79	9	4.25	4	4.17
軟組織肉瘤	2	0.65	1	0.57	1	0.76	2	0.94	0	0.00
其他惡性腫瘤	1	0.32	0	0.00	1	0.76	0	0.00	1	1.04

註 1：整併期別*請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 2：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 3：參考後續治療方式相關表格之附註(p.536-537)。

註 4：治癒性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

主唾液腺癌

表五之二 主唾液腺癌發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療		非同步化療與放療		放療		化療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	308	88	28.57	61	19.81	119	38.64	4	1.30	7	2.27	6	1.95	3	0.97	6	1.95	2	0.65	1	0.32	11	3.57
0 期	1	1	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	66	33	50.00	2	3.03	31	46.97	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	83	28	33.73	14	16.87	41	49.40	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
III 期	53	7	13.21	17	32.08	27	50.94	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	1.89	0	0.00	1	1.89
IV 期	82	9	10.98	21	25.61	14	17.07	4	4.88	7	8.54	6	7.32	3	3.66	6	7.32	1	1.22	1	1.22	10	12.20
不詳	23	10	43.48	7	30.43	6	26.09	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

表五之三 主唾液腺癌 0-49 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療		非同步化療與放療		放療		化療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	86	31	36.05	14	16.28	35	40.70	0	0.00	2	2.33	0	0.00	0	0.00	1	1.16	1	1.16	0	0.00	2	2.33
0 期	1	1	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	30	22	73.33	0	0.00	8	26.67	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	27	7	25.93	4	14.81	16	59.26	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
III 期	12	0	0.00	3	25.00	9	75.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IV 期	11	0	0.00	4	36.36	1	9.09	0	0.00	2	18.18	0	0.00	0	0.00	1	9.09	1	9.09	0	0.00	2	18.18
不詳	5	1	20.00	3	60.00	1	20.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

主唾液腺癌

表五之四 主唾液腺癌 50-69 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療		非同步化療與放療		放療		化療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	164	32	19.51	40	24.39	67	40.85	2	1.22	4	2.44	5	3.05	2	1.22	4	2.44	0	0.00	0	0.00	8	4.88
0 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	31	8	25.81	2	6.45	21	67.74	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	43	14	32.56	10	23.26	19	44.19	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
III 期	30	4	13.33	11	36.67	14	46.67	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	3.33
IV 期	46	1	2.17	13	28.26	8	17.39	2	4.35	4	8.70	5	10.87	2	4.35	4	8.70	0	0.00	0	0.00	7	15.22
不詳	14	5	35.71	4	28.57	5	35.71	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

表五之五 主唾液腺癌 70 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療		非同步化療與放療		放療		化療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	58	25	43.10	7	12.07	17	29.31	2	3.45	1	1.72	1	1.72	1	1.72	1	1.72	1	1.72	1	1.72	1	1.72
0 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	5	3	60.00	0	0.00	2	40.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	13	7	53.85	0	0.00	6	46.15	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
III 期	11	3	27.27	3	27.27	4	36.36	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	9.09	0	0.00	0	0.00
IV 期	25	8	32.00	4	16.00	5	20.00	2	8.00	1	4.00	1	4.00	1	4.00	1	4.00	0	0.00	1	4.00	1	4.00
不詳	4	4	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

Parotid and Other Unspecified Glands

Parotid Gland C079, Major Salivary Glands C080–C089

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

Codes

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from surgical events 10–14

- 20 Local tumor excision, NOS
 - 26 Polypectomy
 - 27 Excisional biopsy

Any combination of 20 or 26–27 WITH

- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation
- 25 Laser excision

[SEER Note: Codes 30-80 include major salivary gland, NOS]

- 30 Less than total parotidectomy, NOS; less than total removal of major salivary gland, NOS
 - 31 Facial nerve spared
 - 32 Facial nerve sacrificed
- 33 Superficial lobe ONLY
 - 34 Facial nerve spared
 - 35 Facial nerve sacrificed
- 36 Deep lobe (Total)

[SEER Note: Codes 30-36 are with or without superficial lobe]

- 37 Facial nerve spared
- 38 Facial nerve sacrificed

[SEER Note: Codes 40-80 may include submandibulectomy and submaxillectomy]

- 40 Total parotidectomy, NOS; total removal of major salivary gland, NOS
 - 41 Facial nerve spared
 - 42 Facial nerve sacrificed
- 50 Radical parotidectomy, NOS; radical removal of major salivary gland, NOS
 - 51 WITHOUT removal of temporal bone
 - 52 WITH removal of temporal bone
 - 53 WITH removal of overlying skin (requires graft or flap coverage)
- 80 Parotidectomy, NOS

Specimen sent to pathology from surgical events 20-80

- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

鼻咽癌

表六之一 鼻咽癌發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	1487	100.00	1160	100.00	327	100.00	931	100.00	556	100.00
年齡										
00-04 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
05-09 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
10-14 歲	1	0.07	1	0.09	0	0.00	1	0.11	0	0.00
15-19 歲	1	0.07	1	0.09	0	0.00	1	0.11	0	0.00
20-24 歲	9	0.61	8	0.69	1	0.31	5	0.54	4	0.72
25-29 歲	19	1.28	13	1.12	6	1.83	15	1.61	4	0.72
30-34 歲	67	4.51	49	4.22	18	5.50	46	4.94	21	3.78
35-39 歲	143	9.62	109	9.40	34	10.40	93	9.99	50	8.99
40-44 歲	210	14.12	164	14.14	46	14.07	141	15.15	69	12.41
45-49 歲	199	13.38	158	13.62	41	12.54	121	13.00	78	14.03
50-54 歲	210	14.12	166	14.31	44	13.46	133	14.29	77	13.85
55-59 歲	201	13.52	174	15.00	27	8.26	131	14.07	70	12.59
60-64 歲	140	9.41	107	9.22	33	10.09	82	8.81	58	10.43
65-69 歲	140	9.41	102	8.79	38	11.62	81	8.70	59	10.61
70-74 歲	62	4.17	53	4.57	9	2.75	35	3.76	27	4.86
75-79 歲	50	3.36	31	2.67	19	5.81	30	3.22	20	3.60
80-84 歲	21	1.41	15	1.29	6	1.83	9	0.97	12	2.16
85 歲以上	14	0.94	9	0.78	5	1.53	7	0.75	7	1.26
臨床期別										
0 期	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	121	8.14	96	8.28	25	7.65	74	7.95	47	8.45
II 期	322	21.65	245	21.12	77	23.55	187	20.09	135	24.28
III 期	477	32.08	369	31.81	108	33.03	296	31.79	181	32.55
IV M0	443	29.79	354	30.52	89	27.22	307	32.98	136	24.46
IV M1	114	7.67	87	7.50	27	8.26	64	6.87	50	8.99
不詳	10	0.67	9	0.78	1	0.31	3	0.32	7	1.26
病理期別										
0 期	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	1	0.07	1	0.09	0	0.00	0	0.00	1	0.18
II 期	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
III 期	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IV M0	11	0.74	8	0.69	3	0.92	11	1.18	0	0.00
IV M1	14	0.94	11	0.95	3	0.92	8	0.86	6	1.08
不詳	1461	98.25	1140	98.28	321	98.17	912	97.96	549	98.74

表六之一 鼻咽癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	1487	100.00	1160	100.00	327	100.00	931	100.00	556	100.00
整併期別 ¹										
0 期	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	121	8.14	96	8.28	25	7.65	74	7.95	47	8.45
II 期	322	21.65	245	21.12	77	23.55	187	20.09	135	24.28
III 期	477	32.08	369	31.81	108	33.03	296	31.79	181	32.55
IV M0	444	29.86	354	30.52	90	27.52	308	33.08	136	24.46
IV M1	113	7.60	87	7.50	26	7.95	63	6.77	50	8.99
不詳	10	0.67	9	0.78	1	0.31	3	0.32	7	1.26
臨床與病理期別一致性										
Kappa ²	-									
治療方式 ^{3,4}										
同步化療與放療	1122	75.45	877	75.60	245	74.92	700	75.19	422	75.90
非同步化療與放療	145	9.75	115	9.91	30	9.17	96	10.31	49	8.81
放療	121	8.14	94	8.10	27	8.26	72	7.73	49	8.81
放療合併化療與免疫治療	22	1.48	18	1.55	4	1.22	20	2.15	2	0.36
化療	54	3.63	37	3.19	17	5.20	34	3.65	20	3.60
緩和治療	9	0.61	8	0.69	1	0.31	2	0.21	7	1.26
未有首次治療申報紀錄	5	0.34	3	0.26	2	0.61	0	0.00	5	0.90
其他治療	9	0.61	8	0.69	1	0.31	7	0.75	2	0.36
組織型態										
非角化鱗狀細胞癌	1415	95.16	1103	95.09	312	95.41	886	95.17	529	95.14
角化鱗狀細胞癌	29	1.95	24	2.07	5	1.53	20	2.15	9	1.62
唾液腺癌	3	0.20	2	0.17	1	0.31	2	0.21	1	0.18
其他特定上皮癌	4	0.27	4	0.34	0	0.00	3	0.32	1	0.18
非特定上皮癌	34	2.29	25	2.16	9	2.75	19	2.04	15	2.70
其他惡性腫瘤	2	0.13	2	0.17	0	0.00	1	0.11	1	0.18

註 1：整併期別*-請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 2：鼻咽癌個案因接受手術治療甚少，病理期別不詳者居多，故未進行臨床病理期別一致性分析。

註 3：參考後續治療方式相關表格之附註(p.542-543)。

註 4：治癒性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

鼻咽癌

表六之二 鼻咽癌發生人數按整併期別¹及治療方式分類

期別	分析數	同步化療與放療		非同步化療與放療		放療		放療合併化療與免疫治療		化療		緩和治療 ²		未有首次治療申報紀錄 ³		其他治療 ⁴	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	1487	1122	75.45	145	9.75	121	8.14	22	1.48	54	3.63	9	0.61	5	0.34	9	0.61
I 期	121	21	17.36	3	2.48	93	76.86	0	0.00	0	0.00	0	0.00	2	1.65	2	1.65
II 期	322	289	89.75	16	4.97	11	3.42	0	0.00	4	1.24	0	0.00	0	0.00	2	0.62
III 期	477	429	89.94	28	5.87	6	1.26	3	0.63	9	1.89	1	0.21	0	0.00	1	0.21
IV M0	444	371	83.56	35	7.88	7	1.58	12	2.70	15	3.38	0	0.00	3	0.68	1	0.23
IV M1	113	8	7.08	62	54.87	2	1.77	7	6.19	26	23.01	6	5.31	0	0.00	2	1.77
不詳	10	4	40.00	1	10.00	2	20.00	0	0.00	0	0.00	2	20.00	0	0.00	1	10.00

表六之三 鼻咽癌 0-49 歲發生人數按整併期別¹及治療方式分類

期別	分析數	同步化療與放療		非同步化療與放療		放療		放療合併化療與免疫治療		化療		緩和治療 ²		未有首次治療申報紀錄 ³		其他治療 ⁴	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	649	509	78.43	59	9.09	44	6.78	15	2.31	20	3.08	0	0.00	0	0.00	2	0.31
I 期	53	11	20.75	2	3.77	40	75.47	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	119	110	92.44	6	5.04	2	1.68	0	0.00	0	0.00	0	0.00	0	0.00	1	0.84
III 期	228	208	91.23	14	6.14	0	0.00	1	0.44	5	2.19	0	0.00	0	0.00	0	0.00
IV M0	206	174	84.47	15	7.28	2	0.97	9	4.37	6	2.91	0	0.00	0	0.00	0	0.00
IV M1	39	3	7.69	21	53.85	0	0.00	5	12.82	9	23.08	0	0.00	0	0.00	1	2.56
不詳	4	3	75.00	1	25.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

1 鼻咽癌個案僅依照臨床期別進行治療方式分類與年齡相關分析。

2 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

3 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

4 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

鼻咽癌

表六之四 鼻咽癌 50-69 歲發生人數按整併期別¹及治療方式分類

期別	分析數	同步化療與放療		非同步化療與放療		放療		放療合併化療與免疫治療		化療		緩和治療 ²		未有首次治療申報紀錄 ³		其他治療 ⁴	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	691	527	76.27	72	10.42	53	7.67	6	0.87	26	3.76	0	0.00	2	0.29	5	0.72
I 期	58	9	15.52	1	1.72	46	79.31	0	0.00	0	0.00	0	0.00	0	0.00	2	3.45
II 期	177	161	90.96	9	5.08	3	1.69	0	0.00	3	1.69	0	0.00	0	0.00	1	0.56
III 期	207	187	90.34	12	5.80	3	1.45	1	0.48	3	1.45	0	0.00	0	0.00	1	0.48
IV M0	194	167	86.08	16	8.25	1	0.52	3	1.55	5	2.58	0	0.00	2	1.03	0	0.00
IV M1	54	3	5.56	34	62.96	0	0.00	2	3.70	15	27.78	0	0.00	0	0.00	0	0.00
不詳	1	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	100

表六之五 鼻咽癌 70 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	同步化療與放療		非同步化療與放療		放療		放療合併化療與免疫治療		化療		緩和治療 ²		未有首次治療申報紀錄 ³		其他治療 ⁴	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	147	86	58.50	14	9.52	24	16.33	1	0.68	8	5.44	9	6.12	3	2.04	2	1.36
I 期	10	1	10.00	0	0.00	7	70.00	0	0.00	0	0.00	0	0.00	2	20.00	0	0.00
II 期	26	18	69.23	1	3.85	6	23.08	0	0.00	1	3.85	0	0.00	0	0.00	0	0.00
III 期	42	34	80.95	2	4.76	3	7.14	1	2.38	1	2.38	1	2.38	0	0.00	0	0.00
IV M0	44	30	68.18	4	9.09	4	9.09	0	0.00	4	9.09	0	0.00	1	2.27	1	2.27
IV M1	20	2	10.00	7	35.00	2	10.00	0	0.00	2	10.00	6	30.00	0	0.00	1	5.00
不詳	5	1	20.00	0	0.00	2	40.00	0	0.00	0	0.00	2	40.00	0	0.00	0	0.00

1 鼻咽癌個案僅依照臨床期別進行治療方式分類與年齡相關分析。

2 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

3 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

4 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

Pharynx

Tonsil C090–C099, Oropharynx C100–C109, Nasopharynx C110–C119

Pyiform Sinus C129, Hypopharynx C130–C139, Pharynx C140

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS

11 Photodynamic therapy (PDT)

12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

13 Cryosurgery

14 Laser

15 Stripping

No specimen sent to pathology from surgical events 10–15

20 Local tumor excision, NOS

26 Polypectomy

27 Excisional biopsy

Any combination of 20 or 26–27 WITH

21 Photodynamic therapy (PDT)

22 Electrocautery

23 Cryosurgery

24 Laser ablation

25 Laser excision

28 Stripping

30 Pharyngectomy, NOS

31 Limited/partial pharyngectomy; tonsillectomy, bilateral tonsillectomy

32 Total pharyngectomy

40 Pharyngectomy WITH laryngectomy OR removal of contiguous bone tissue, NOS (does NOT include total mandibular resection)

[SEER Note: Code 40 includes mandibulectomy (marginal, segmental, hemi-, and/or laryngectomy)

NOS. Contiguous bone tissue refers to the mandible.]

41 WITH laryngectomy (laryngopharyngectomy)

42 WITH bone [mandibulectomy]

43 WITH both 41 and 42

[SEER Note: Use **code 40** when the patient had a pharyngectomy and maybe some sort of mandibulectomy and/or maybe a laryngectomy, but the exact procedures are not clear. Use **code 41** when the patient had pharyngectomy and laryngectomy but no mandibulectomy. Use **code 42** when the patient had pharyngectomy and mandibulectomy but no laryngectomy. Use **code 43** when it is known that the patient had both a mandibulectomy and laryngectomy in addition to the pharyngectomy.]

50 Radical pharyngectomy (includes total mandibular resection), NOS

51 WITHOUT laryngectomy

52 WITH laryngectomy

Specimen sent to pathology from surgical events 20-52.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

食道癌

表七之一 食道癌發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	2656	100.00	2491	100.00	165	100.00	1600	100.00	1056	100.00
年齡										
00-04 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
05-09 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
10-14 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
15-19 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
20-24 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
25-29 歲	1	0.04	1	0.04	0	0.00	1	0.06	0	0.00
30-34 歲	3	0.11	2	0.08	1	0.61	2	0.13	1	0.09
35-39 歲	22	0.83	17	0.68	5	3.03	11	0.69	11	1.04
40-44 歲	114	4.29	110	4.42	4	2.42	63	3.94	51	4.83
45-49 歲	260	9.79	244	9.80	16	9.70	142	8.88	118	11.17
50-54 歲	404	15.21	386	15.50	18	10.91	261	16.31	143	13.54
55-59 歲	552	20.78	529	21.24	23	13.94	334	20.88	218	20.64
60-64 歲	506	19.05	485	19.47	21	12.73	324	20.25	182	17.23
65-69 歲	366	13.78	341	13.69	25	15.15	215	13.44	151	14.30
70-74 歲	165	6.21	153	6.14	12	7.27	99	6.19	66	6.25
75-79 歲	124	4.67	108	4.34	16	9.70	68	4.25	56	5.30
80-84 歲	80	3.01	63	2.53	17	10.30	50	3.13	30	2.84
85 歲以上	59	2.22	52	2.09	7	4.24	30	1.88	29	2.75
臨床期別										
0 期	121	4.56	118	4.74	3	1.82	78	4.88	43	4.07
I 期	277	10.43	265	10.64	12	7.27	206	12.88	71	6.72
II 期	399	15.02	368	14.77	31	18.79	222	13.88	177	16.76
III 期	698	26.28	657	26.37	41	24.85	410	25.63	288	27.27
IV 期	1060	39.91	992	39.82	68	41.21	621	38.81	439	41.57
不詳	101	3.80	91	3.65	10	6.06	63	3.94	38	3.60
病理期別										
0 期	116	4.37	108	4.34	8	4.85	88	5.50	28	2.65
I 期	417	15.70	400	16.06	17	10.30	309	19.31	108	10.23
II 期	124	4.67	117	4.70	7	4.24	75	4.69	49	4.64
III 期	177	6.66	167	6.70	10	6.06	108	6.75	69	6.53
IV 期	128	4.82	123	4.94	5	3.03	81	5.06	47	4.45
不詳	1694	63.78	1576	63.27	118	71.52	939	58.69	755	71.50
整併期別 ¹										
0 期	143	5.38	134	5.38	9	5.45	103	6.44	40	3.79
I 期	313	11.78	303	12.16	10	6.06	224	14.00	89	8.43
II 期	342	12.88	317	12.73	25	15.15	179	11.19	163	15.44
III 期	714	26.88	671	26.94	43	26.06	419	26.19	295	27.94
IV 期	1065	40.10	996	39.98	69	41.82	626	39.13	439	41.57
不詳	79	2.97	70	2.81	9	5.45	49	3.06	30	2.84

表七之一 食道癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	2656	100.00	2491	100.00	165	100.00	1600	100.00	1056	100.00
臨床與病理期別一致性										
Kappa ²	0.4103									
治療方式 ^{3,4}										
手術	393	14.80	371	14.89	22	13.33	287	17.94	106	10.04
手術合併化療與放療	517	19.47	488	19.59	29	17.58	344	21.50	173	16.38
手術合併放療	14	0.53	11	0.44	3	1.82	8	0.50	6	0.57
手術合併化療	29	1.09	26	1.04	3	1.82	15	0.94	14	1.33
同步化療與放療	862	32.45	809	32.48	53	32.12	471	29.44	391	37.03
非同步化療與放療	304	11.45	288	11.56	16	9.70	176	11.00	128	12.12
放療	119	4.48	109	4.38	10	6.06	58	3.63	61	5.78
放療合併化療與免疫治療	27	1.02	25	1.00	2	1.21	20	1.25	7	0.66
化療	138	5.20	129	5.18	9	5.45	75	4.69	63	5.97
化療合併免疫治療	25	0.94	24	0.96	1	0.61	19	1.19	6	0.57
緩和治療	118	4.44	107	4.30	11	6.67	62	3.88	56	5.30
未有首次治療申報紀錄	43	1.62	39	1.57	4	2.42	23	1.44	20	1.89
其他治療	67	2.52	65	2.61	2	1.21	42	2.63	25	2.37
組織型態										
鱗狀細胞癌	2470	93.00	2331	93.58	139	84.24	1489	93.06	981	92.90
腺癌	88	3.31	75	3.01	13	7.88	53	3.31	35	3.31
腺性鱗狀癌	10	0.38	9	0.36	1	0.61	8	0.50	2	0.19
神經內分泌癌	30	1.13	26	1.04	4	2.42	17	1.06	13	1.23
其他特定上皮癌	15	0.56	13	0.52	2	1.21	9	0.56	6	0.57
非特定上皮癌	19	0.72	18	0.72	1	0.61	9	0.56	10	0.95
胃腸基質瘤	7	0.26	6	0.24	1	0.61	6	0.38	1	0.09
其他惡性肉瘤	6	0.23	4	0.16	2	1.21	5	0.31	1	0.09
其他惡性腫瘤	11	0.41	9	0.36	2	1.21	4	0.25	7	0.66

註 1：整併期別*-請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 2：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 3：參考後續治療方式相關表格之附註(p.548-551)。

註 4：治癒性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

食道癌

表七之二 食道癌發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療		非同步化療與放療		放療		放療合併化療與免疫治療		化療		化療合併免疫治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	2656	393	14.80	517	19.47	14	0.53	29	1.09	862	32.45	304	11.45	119	4.48	27	1.02	138	5.20	25	0.94	118	4.44	43	1.62	67	2.52
0 期	143	114	79.72	0	0.00	0	0.00	1	0.70	2	1.40	1	0.70	1	0.70	0	0.00	3	2.10	0	0.00	0	0.00	10	6.99	11	7.69
I 期	313	224	71.57	20	6.39	8	2.56	2	0.64	30	9.58	2	0.64	12	3.83	0	0.00	7	2.24	0	0.00	0	0.00	5	1.60	3	0.96
II 期	342	35	10.23	98	28.65	4	1.17	13	3.80	139	40.64	6	1.75	27	7.89	0	0.00	10	2.92	0	0.00	7	2.05	1	0.29	2	0.58
III 期	714	11	1.54	295	41.32	1	0.14	9	1.26	316	44.26	11	1.54	17	2.38	8	1.12	19	2.66	0	0.00	9	1.26	5	0.70	13	1.82
IV 期	1065	2	0.19	100	9.39	0	0.00	2	0.19	359	33.71	274	25.73	59	5.54	19	1.78	82	7.70	22	2.07	93	8.73	16	1.50	37	3.47
不詳	79	7	8.86	4	5.06	1	1.27	2	2.53	16	20.25	10	12.66	3	3.80	0	0.00	17	21.52	3	3.80	9	11.39	6	7.59	1	1.27

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

食道癌

表七之三 食道癌 0-49 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療		非同步化療與放療		放療		放療合併化療與免疫治療		化療		化療合併免疫治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	400	57	14.25	89	22.25	3	0.75	4	1.00	131	32.75	54	13.50	12	3.00	8	2.00	21	5.25	5	1.25	5	1.25	8	2.00	3	0.75
0 期	19	12	63.16	0	0.00	0	0.00	0	0.00	1	5.26	1	5.26	0	0.00	0	0.00	1	5.26	0	0.00	0	0.00	3	15.79	1	5.26
I 期	55	39	70.91	4	7.27	3	5.45	0	0.00	4	7.27	0	0.00	2	3.64	0	0.00	2	3.64	0	0.00	0	0.00	1	1.82	0	0.00
II 期	45	5	11.11	20	44.44	0	0.00	1	2.22	16	35.56	0	0.00	2	4.44	0	0.00	1	2.22	0	0.00	0	0.00	0	0.00	0	0.00
III 期	102	0	0.00	49	48.04	0	0.00	2	1.96	45	44.12	2	1.96	0	0.00	1	0.98	2	1.96	0	0.00	0	0.00	0	0.00	1	0.98
IV 期	173	0	0.00	16	9.25	0	0.00	0	0.00	64	36.99	50	28.90	8	4.62	7	4.05	14	8.09	5	2.89	4	2.31	4	2.31	1	0.58
不詳	6	1	16.67	0	0.00	0	0.00	1	16.67	1	16.67	1	16.67	0	0.00	0	0.00	1	16.67	0	0.00	1	16.67	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

食道癌

表七之四 食道癌 50-69 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療		非同步化療與放療		放療		放療合併化療與免疫治療		化療		化療合併免疫治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	1828	277	15.15	390	21.33	11	0.60	21	1.15	599	32.77	213	11.65	59	3.23	15	0.82	96	5.25	15	0.82	58	3.17	22	1.20	52	2.84
0 期	104	85	81.73	0	0.00	0	0.00	1	0.96	1	0.96	0	0.00	1	0.96	0	0.00	2	1.92	0	0.00	0	0.00	5	4.81	9	8.65
I 期	221	156	70.59	15	6.79	5	2.26	2	0.90	22	9.95	2	0.90	9	4.07	0	0.00	4	1.81	0	0.00	0	0.00	4	1.81	2	0.90
II 期	238	26	10.92	68	28.57	4	1.68	8	3.36	100	42.02	3	1.26	14	5.88	0	0.00	9	3.78	0	0.00	3	1.26	1	0.42	2	0.84
III 期	502	6	1.20	226	45.02	1	0.20	7	1.39	218	43.43	5	1.00	7	1.39	6	1.20	11	2.19	0	0.00	4	0.80	0	0.00	11	2.19
IV 期	716	1	0.14	78	10.89	0	0.00	2	0.28	247	34.50	196	27.37	27	3.77	9	1.26	58	8.10	15	2.09	48	6.70	8	1.12	27	3.77
不詳	47	3	6.38	3	6.38	1	2.13	1	2.13	11	23.40	7	14.89	1	2.13	0	0.00	12	25.53	0	0.00	3	6.38	4	8.51	1	2.13

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

食道癌

表七之五 食道癌 70 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療		非同步化療與放療		放療		放療合併化療與免疫治療		化療		化療合併免疫治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	428	59	13.79	38	8.88	0	0.00	4	0.93	132	30.84	37	8.64	48	11.21	4	0.93	21	4.91	5	1.17	55	12.85	13	3.04	12	2.80
0 期	20	17	85.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	2	10.00	1	5.00
I 期	37	29	78.38	1	2.70	0	0.00	0	0.00	4	10.81	0	0.00	1	2.70	0	0.00	1	2.70	0	0.00	0	0.00	0	0.00	1	2.70
II 期	59	4	6.78	10	16.95	0	0.00	4	6.78	23	38.98	3	5.08	11	18.64	0	0.00	0	0.00	0	0.00	4	6.78	0	0.00	0	0.00
III 期	110	5	4.55	20	18.18	0	0.00	0	0.00	53	48.18	4	3.64	10	9.09	1	0.91	6	5.45	0	0.00	5	4.55	5	4.55	1	0.91
IV 期	176	1	0.57	6	3.41	0	0.00	0	0.00	48	27.27	28	15.91	24	13.64	3	1.70	10	5.68	2	1.14	41	23.30	4	2.27	9	5.11
不詳	26	3	11.54	1	3.85	0	0.00	0	0.00	4	15.38	2	7.69	2	7.69	0	0.00	4	15.38	3	11.54	5	19.23	2	7.69	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

Esophagus

C150–C159

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

Codes

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from surgical events 10–14

- 20 Local tumor excision, NOS
 - 26 Polypectomy
 - 27 Excisional biopsy
 - 2M Endoscopic mucosal resection / mucosectomy(EMR)
 - 2E Endoscopic submucosa dissection (ESD)

Any combination of 20 or 26–27 WITH

- 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
- 25 Laser excision
- 30 Partial esophagectomy
- 40 Total esophagectomy, NOS
- 50 Esophagectomy, NOS WITH laryngectomy and/or gastrectomy, NOS

[SEER Note: Codes 50-55 include partial esophagectomy, total esophagectomy, or esophagectomy, NOS.]

- 51 WITH laryngectomy
 - 52 WITH gastrectomy, NOS
 - 53 Partial gastrectomy
 - 54 Total gastrectomy
 - 55 Combination of 51 WITH any of 52–54
- 80 Esophagectomy, NOS

Specimen sent to pathology from surgical events 20-80

- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

胃癌

表八之一 胃癌發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	3423	100.00	2085	100.00	1338	100.00	2096	100.00	1327	100.00
年齡										
00-04 歲	1	0.03	1	0.05	0	0.00	1	0.05	0	0.00
05-09 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
10-14 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
15-19 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
20-24 歲	7	0.20	7	0.34	0	0.00	5	0.24	2	0.15
25-29 歲	5	0.15	4	0.19	1	0.07	4	0.19	1	0.08
30-34 歲	24	0.70	9	0.43	15	1.12	17	0.81	7	0.53
35-39 歲	44	1.29	20	0.96	24	1.79	26	1.24	18	1.36
40-44 歲	99	2.89	50	2.40	49	3.66	70	3.34	29	2.19
45-49 歲	136	3.97	64	3.07	72	5.38	78	3.72	58	4.37
50-54 歲	232	6.78	134	6.43	98	7.32	165	7.87	67	5.05
55-59 歲	371	10.84	232	11.13	139	10.39	244	11.64	127	9.57
60-64 歲	492	14.37	311	14.92	181	13.53	312	14.89	180	13.56
65-69 歲	533	15.57	358	17.17	175	13.08	338	16.13	195	14.69
70-74 歲	374	10.93	246	11.80	128	9.57	242	11.55	132	9.95
75-79 歲	420	12.27	235	11.27	185	13.83	241	11.50	179	13.49
80-84 歲	325	9.49	191	9.16	134	10.01	174	8.30	151	11.38
85 歲以上	360	10.52	223	10.70	137	10.24	179	8.54	181	13.64
臨床期別										
0 期	72	2.10	51	2.45	21	1.57	54	2.58	18	1.36
I 期	813	23.75	470	22.54	343	25.64	532	25.38	281	21.18
II 期	541	15.80	338	16.21	203	15.17	324	15.46	217	16.35
III 期	710	20.74	473	22.69	237	17.71	453	21.61	257	19.37
IV 期	984	28.75	581	27.87	403	30.12	595	28.39	389	29.31
不詳	303	8.85	172	8.25	131	9.79	138	6.58	165	12.43
病理期別										
0 期	60	1.75	37	1.77	23	1.72	42	2.00	18	1.36
I 期	709	20.71	424	20.34	285	21.30	460	21.95	249	18.76
II 期	488	14.26	285	13.67	203	15.17	310	14.79	178	13.41
III 期	738	21.56	466	22.35	272	20.33	452	21.56	286	21.55
IV 期	531	15.51	299	14.34	232	17.34	347	16.56	184	13.87
不詳	897	26.21	574	27.53	323	24.14	485	23.14	412	31.05
整併期別 ¹										
0 期	72	2.10	46	2.21	26	1.94	52	2.48	20	1.51
I 期	785	22.93	473	22.69	312	23.32	507	24.19	278	20.95
II 期	530	15.48	308	14.77	222	16.59	324	15.46	206	15.52
III 期	866	25.30	563	27.00	303	22.65	519	24.76	347	26.15
IV 期	1081	31.58	646	30.98	435	32.51	652	31.11	429	32.33
不詳	89	2.60	49	2.35	40	2.99	42	2.00	47	3.54

表八之一 胃癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	3423	100.00	2085	100.00	1338	100.00	2096	100.00	1327	100.00
臨床與病理期別一致性										
Kappa ²	0.4832									
治療方式 ^{3,4}										
手術	1071	31.29	659	31.61	412	30.79	680	32.44	391	29.46
手術合併化療	928	27.11	559	26.81	369	27.58	582	27.77	346	26.07
手術合併全身與局部化療	75	2.19	38	1.82	37	2.77	61	2.91	14	1.06
手術合併化療與放療	123	3.59	80	3.84	43	3.21	61	2.91	62	4.67
手術合併標靶治療	124	3.62	69	3.31	55	4.11	77	3.67	47	3.54
手術合併化療與免疫治療	20	0.58	13	0.62	7	0.52	19	0.91	1	0.08
化療	521	15.22	318	15.25	203	15.17	318	15.17	203	15.30
化療合併免疫治療	28	0.82	17	0.82	11	0.82	23	1.10	5	0.38
放療	30	0.88	17	0.82	13	0.97	9	0.43	21	1.58
同步化療與放療	52	1.52	47	2.25	5	0.37	39	1.86	13	0.98
非同步化療與放療	55	1.61	27	1.29	28	2.09	27	1.29	28	2.11
標靶治療	26	0.76	17	0.82	9	0.67	17	0.81	9	0.68
緩和治療	245	7.16	144	6.91	101	7.55	107	5.10	138	10.40
未有首次治療申報紀錄	49	1.43	29	1.39	20	1.49	23	1.10	26	1.96
其他治療	76	2.22	51	2.45	25	1.87	53	2.53	23	1.73
組織型態										
腺癌	2972	86.82	1819	87.24	1153	86.17	1827	87.17	1145	86.28
腺性鱗狀癌	12	0.35	9	0.43	3	0.22	8	0.38	4	0.30
鱗狀細胞癌	24	0.70	20	0.96	4	0.30	17	0.81	7	0.53
神經內分泌癌	110	3.21	64	3.07	46	3.44	66	3.15	44	3.32
其他特定上皮癌	11	0.32	9	0.43	2	0.15	6	0.29	5	0.38
非特定上皮癌	53	1.55	33	1.58	20	1.49	26	1.24	27	2.03
胃腸基質瘤	216	6.31	117	5.61	99	7.40	131	6.25	85	6.41
其他惡性肉瘤	6	0.18	2	0.10	4	0.30	4	0.19	2	0.15
其他惡性腫瘤	19	0.56	12	0.58	7	0.52	11	0.52	8	0.60

註 1：整併期別*請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 2：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 3：參考後續治療方式相關表格之附註(p.556-559)。

註 4：治癒性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

胃癌

表八之二 胃癌發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療		手術合併全身與局部化療		手術合併化療與放療		手術合併標靶治療		手術合併化療與免疫治療		化療		化療合併免疫治療		放療		同步化療與放療		非同步化療與放療		標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	3423	1071	31.29	928	27.11	75	2.19	123	3.59	124	3.62	20	0.58	521	15.22	28	0.82	30	0.88	52	1.52	55	1.61	26	0.76	245	7.16	49	1.43	76	2.22
0 期	72	60	83.33	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	12	16.67	0	0.00
I 期	785	676	86.11	39	4.97	1	0.13	6	0.76	3	0.38	0	0.00	18	2.29	0	0.00	3	0.38	4	0.51	1	0.13	1	0.13	19	2.42	7	0.89	7	0.89
II 期	530	131	24.72	272	51.32	8	1.51	19	3.58	38	7.17	0	0.00	16	3.02	0	0.00	3	0.57	7	1.32	1	0.19	4	0.75	18	3.40	8	1.51	5	0.94
III 期	866	118	13.63	448	51.73	28	3.23	75	8.66	60	6.93	13	1.50	38	4.39	2	0.23	7	0.81	17	1.96	5	0.58	3	0.35	36	4.16	4	0.46	12	1.39
IV 期	1081	51	4.72	165	15.26	38	3.52	22	2.04	19	1.76	7	0.65	441	40.80	26	2.41	17	1.57	23	2.13	47	4.35	17	1.57	147	13.60	10	0.93	51	4.72
不詳	89	35	39.33	4	4.49	0	0.00	1	1.12	4	4.49	0	0.00	8	8.99	0	0.00	0	0.00	1	1.12	1	1.12	1	1.12	25	28.09	8	8.99	1	1.12

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

胃癌

表八之三 胃癌 0-49 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療		手術合併全身與局部化療		手術合併化療與放療		手術合併標靶治療		手術合併化療與免疫治療		化療		化療合併免疫治療		放療		同步化療與放療		非同步化療與放療		標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	316	71	22.47	98	31.01	19	6.01	18	5.70	12	3.80	3	0.95	55	17.41	7	2.22	1	0.32	4	1.27	5	1.58	1	0.32	5	1.58	3	0.95	14	4.43
0 期	1	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	100	0	0.00
I 期	59	51	86.44	5	8.47	0	0.00	1	1.69	0	0.00	0	0.00	2	3.39	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	45	7	15.56	31	68.89	1	2.22	3	6.67	2	4.44	0	0.00	1	2.22	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
III 期	66	5	7.58	39	59.09	3	4.55	10	15.15	6	9.09	0	0.00	1	1.52	1	1.52	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	1.52
IV 期	135	1	0.74	23	17.04	15	11.11	3	2.22	3	2.22	3	2.22	51	37.78	6	4.44	1	0.74	4	2.96	5	3.70	1	0.74	5	3.70	1	0.74	13	9.63
不詳	10	7	70.00	0	0.00	0	0.00	1	10.00	1	10.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	10.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

胃癌

表八之四 胃癌 50-69 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療		手術合併全身與局部化療		手術合併化療與放療		手術合併標靶治療		手術合併化療與免疫治療		化療		化療合併免疫治療		放療		同步化療與放療		非同步化療與放療		標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	1628	519	31.88	492	30.22	47	2.89	76	4.67	77	4.73	12	0.74	251	15.42	14	0.86	1	0.06	16	0.98	24	1.47	14	0.86	42	2.58	7	0.43	36	2.21
0 期	37	32	86.49	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	5	13.51	0	0.00
I 期	426	377	88.50	25	5.87	1	0.23	3	0.70	2	0.47	0	0.00	3	0.70	0	0.00	0	0.00	2	0.47	0	0.00	0	0.00	4	0.94	2	0.47	7	1.64
II 期	233	46	19.74	138	59.23	6	2.58	11	4.72	21	9.01	0	0.00	2	0.86	0	0.00	0	0.00	2	0.86	1	0.43	3	1.29	0	0.00	0	0.00	3	1.29
III 期	415	36	8.67	231	55.66	22	5.30	47	11.33	39	9.40	8	1.93	14	3.37	1	0.24	0	0.00	3	0.72	1	0.24	3	0.72	3	0.72	0	0.00	7	1.69
IV 期	489	13	2.66	94	19.22	18	3.68	15	3.07	12	2.45	4	0.82	229	46.83	13	2.66	1	0.20	9	1.84	22	4.50	7	1.43	33	6.75	0	0.00	19	3.89
不詳	28	15	53.57	4	14.29	0	0.00	0	0.00	3	10.71	0	0.00	3	10.71	0	0.00	0	0.00	0	0.00	0	0.00	1	3.57	2	7.14	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

胃癌

表八之五 胃癌 70 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療		手術合併全身與局部化療		手術合併化療與放療		手術合併標靶治療		手術合併化療與免疫治療		化療		化療合併免疫治療		放療		同步化療與放療		非同步化療與放療		標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	1479	481	32.52	338	22.85	9	0.61	29	1.96	35	2.37	5	0.34	215	14.54	7	0.47	28	1.89	32	2.16	26	1.76	11	0.74	198	13.39	39	2.64	26	1.76
0 期	34	28	82.35	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	6	17.65	0	0.00
I 期	300	248	82.67	9	3.00	0	0.00	2	0.67	1	0.33	0	0.00	13	4.33	0	0.00	3	1.00	2	0.67	1	0.33	1	0.33	15	5.00	5	1.67	0	0.00
II 期	252	78	30.95	103	40.87	1	0.40	5	1.98	15	5.95	0	0.00	13	5.16	0	0.00	3	1.19	5	1.98	0	0.00	1	0.40	18	7.14	8	3.17	2	0.79
III 期	385	77	20.00	178	46.23	3	0.78	18	4.68	15	3.90	5	1.30	23	5.97	0	0.00	7	1.82	14	3.64	4	1.04	0	0.00	33	8.57	4	1.04	4	1.04
IV 期	457	37	8.10	48	10.50	5	1.09	4	0.88	4	0.88	0	0.00	161	35.23	7	1.53	15	3.28	10	2.19	20	4.38	9	1.97	109	23.85	9	1.97	19	4.16
不詳	51	13	25.49	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	5	9.80	0	0.00	0	0.00	1	1.96	1	1.96	0	0.00	23	45.10	7	13.73	1	1.96

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

Stomach

C160–C169

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

Codes

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from surgical events 10–14

- 20 Local tumor excision, NOS
 - 26 Polypectomy
 - 27 Excisional biopsy
 - 2M Endoscopic mucosal resection / mucosectomy(EMR)
 - 2E Endoscopic submucosa dissection (ESD)
- Any combination of 20 or 26–27 WITH**
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
- 25 Laser excision
- 30 Gastrectomy, NOS (partial, subtotal, hemi-)
 - 31 Antrectomy, lower (distal-less than 40% of stomach)***
 - 32 Lower (distal) gastrectomy (partial, subtotal, hemi-)
 - 33 Upper (proximal) gastrectomy (partial, subtotal, hemi-)

Code 30 includes:

Partial gastrectomy, including a sleeve resection of the stomach
Billroth I: anastomosis to duodenum (duodenostomy)
Billroth II: anastomosis to jejunum (jejunostomy)

- 40 Near-total or total gastrectomy, NOS
 - 41 Near-total gastrectomy
 - 42 Total gastrectomy

A total gastrectomy may follow a previous partial resection of the stomach

- 50 Gastrectomy, NOS WITH removal of a portion of esophagus
 - 51 Partial or subtotal gastrectomy
 - 52 Near total or total gastrectomy

Codes 50–52 are used for gastrectomy resection when only portions of esophagus are included in procedure

- 60 Gastrectomy with a resection in continuity with the resection of other organs, NOS***
 - 61 Partial or subtotal gastrectomy, in continuity with the resection of other organs***
 - 62 Near total or total gastrectomy, in continuity with the resection of other organs***
 - 63 Radical gastrectomy, in continuity with the resection of other organs***

Codes 60–63 are used for gastrectomy resections with organs other than esophagus. Portions of esophagus may or may not be included in the resection.

[SEER Note: Codes 60-63 may include omentectomy among the organs/tissues removed. “In continuity with” or “en bloc” means that all of the tissues were removed during the same procedure, but not necessarily in a single specimen

- 80 Gastrectomy, NOS

Specimen sent to pathology from surgical events 20-80.

- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

*** Incidental splenectomy NOT included

結腸癌

表九之一 結腸癌發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	13169	100.00	7512	100.00	5657	100.00	6447	100.00	6722	100.00
年齡										
00-04 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
05-09 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
10-14 歲	2	0.02	1	0.01	1	0.02	1	0.02	1	0.01
15-19 歲	6	0.05	3	0.04	3	0.05	3	0.05	3	0.04
20-24 歲	12	0.09	5	0.07	7	0.12	4	0.06	8	0.12
25-29 歲	34	0.26	20	0.27	14	0.25	18	0.28	16	0.24
30-34 歲	66	0.50	34	0.45	32	0.57	34	0.53	32	0.48
35-39 歲	215	1.63	118	1.57	97	1.71	114	1.77	101	1.50
40-44 歲	463	3.52	261	3.47	202	3.57	236	3.66	227	3.38
45-49 歲	693	5.26	371	4.94	322	5.69	351	5.44	342	5.09
50-54 歲	1232	9.36	693	9.23	539	9.53	604	9.37	628	9.34
55-59 歲	1541	11.70	947	12.61	594	10.50	752	11.66	789	11.74
60-64 歲	1941	14.74	1199	15.96	742	13.12	923	14.32	1018	15.14
65-69 歲	2149	16.32	1303	17.35	846	14.95	1081	16.77	1068	15.89
70-74 歲	1431	10.87	845	11.25	586	10.36	712	11.04	719	10.70
75-79 歲	1274	9.67	680	9.05	594	10.50	629	9.76	645	9.60
80-84 歲	1114	8.46	543	7.23	571	10.09	538	8.34	576	8.57
85 歲以上	996	7.56	489	6.51	507	8.96	447	6.93	549	8.17
臨床期別 ¹										
0 期	3129	23.76	1983	26.40	1146	20.26	1160	17.99	1969	29.29
I 期	1554	11.80	875	11.65	679	12.00	849	13.17	705	10.49
II 期	1353	10.27	773	10.29	580	10.25	679	10.53	674	10.03
III 期	3103	23.56	1670	22.23	1433	25.33	1654	25.66	1449	21.56
IV 期	2193	16.65	1151	15.32	1042	18.42	1168	18.12	1025	15.25
不詳	1837	13.95	1060	14.11	777	13.74	937	14.53	900	13.39
病理期別 ¹										
0 期	3971	30.15	2478	32.99	1493	26.39	1650	25.59	2321	34.53
I 期	1702	12.92	989	13.17	713	12.60	947	14.69	755	11.23
II 期	2180	16.55	1224	16.29	956	16.90	1153	17.88	1027	15.28
III 期	2531	19.22	1353	18.01	1178	20.82	1287	19.96	1244	18.51
IV 期	1691	12.84	891	11.86	800	14.14	919	14.25	772	11.48
不詳	1094	8.31	577	7.68	517	9.14	491	7.62	603	8.97
整併期別 ^{1,2}										
0 期	3977	30.20	2483	33.05	1494	26.41	1652	25.62	2325	34.59
I 期	1742	13.23	1018	13.55	724	12.80	970	15.05	772	11.48
II 期	2221	16.87	1244	16.56	977	17.27	1174	18.21	1047	15.58
III 期	2697	20.48	1439	19.16	1258	22.24	1367	21.20	1330	19.79
IV 期	2315	17.58	1212	16.13	1103	19.50	1227	19.03	1088	16.19
不詳	217	1.65	116	1.54	101	1.79	57	0.88	160	2.38

表九之一 結腸癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	13169	100.00	7512	100.00	5657	100.00	6447	100.00	6722	100.00
臨床與病理期別一致性										
Kappa ³	0.6554									
治療方式 ^{4,5}										
手術	7328	55.65	4322	57.53	3006	53.14	3477	53.93	3851	57.29
手術合併化療	3583	27.21	1998	26.60	1585	28.02	1772	27.49	1811	26.94
手術合併化療與放療	129	0.98	71	0.95	58	1.03	49	0.76	80	1.19
手術合併化療、放療與標靶治療	49	0.37	28	0.37	21	0.37	24	0.37	25	0.37
手術合併化療與標靶治療	867	6.58	456	6.07	411	7.27	494	7.66	373	5.55
非同步化療與放療	37	0.28	25	0.33	12	0.21	24	0.37	13	0.19
化療或/與標靶治療	665	5.05	361	4.81	304	5.37	366	5.68	299	4.45
緩和治療	312	2.37	147	1.96	165	2.92	132	2.05	180	2.68
未有首次治療申報紀錄	85	0.65	41	0.55	44	0.78	38	0.59	47	0.70
其他治療	114	0.87	63	0.84	51	0.90	71	1.10	43	0.64
組織型態										
原位癌										
腺癌	3597	99.50	2253	99.51	1344	99.48	1412	99.58	2185	99.45
非特定上皮癌	18	0.50	11	0.49	7	0.52	6	0.42	12	0.55
侵襲癌										
腺癌	9292	97.26	5145	98.04	4147	96.31	4918	97.79	4374	96.66
神經內分泌癌	114	1.19	50	0.95	64	1.49	49	0.97	65	1.44
其他特定上皮癌	23	0.24	8	0.15	15	0.35	8	0.16	15	0.33
非特定上皮癌	43	0.45	17	0.32	26	0.60	19	0.38	24	0.53
胃腸基質瘤	6	0.06	2	0.04	4	0.09	4	0.08	2	0.04
其他惡性肉瘤	2	0.02	1	0.02	1	0.02	1	0.02	1	0.02
其他惡性腫瘤	74	0.77	25	0.48	49	1.14	30	0.60	44	0.97

註 1：有癌前病變之 888 期別歸類在 0 期。

註 2：整併期別*-請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 3：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 4：參考後續治療方式相關表格之附註(p.564-567)。

註 5：治癒性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

結腸癌

表九之二 結腸癌發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療		手術合併化療與放療		手術合併化療、放療與標靶治療		手術合併化療與標靶治療		非同步化療與放療		化療或與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	13169	7328	55.65	3583	27.21	129	0.98	49	0.37	867	6.58	37	0.28	665	5.05	312	2.37	85	0.65	114	0.87
0 期	3977	3950	99.32	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	2	0.05	25	0.63	0	0.00
I 期	1742	1656	95.06	48	2.76	2	0.11	0	0.00	1	0.06	0	0.00	10	0.57	13	0.75	11	0.63	1	0.06
II 期	8	8	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IIA 期	1834	850	46.35	905	49.35	23	1.25	1	0.05	3	0.16	0	0.00	13	0.71	23	1.25	10	0.55	6	0.33
IIB 期	238	61	25.63	158	66.39	11	4.62	0	0.00	1	0.42	0	0.00	0	0.00	3	1.26	1	0.42	3	1.26
IIC 期	141	34	24.11	88	62.41	5	3.55	1	0.71	1	0.71	0	0.00	2	1.42	7	4.96	0	0.00	3	2.13
III 期	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IIIA 期	260	28	10.77	217	83.46	6	2.31	0	0.00	1	0.38	1	0.38	2	0.77	4	1.54	0	0.00	1	0.38
IIIB 期	1760	251	14.26	1396	79.32	18	1.02	2	0.11	20	1.14	0	0.00	20	1.14	41	2.33	6	0.34	6	0.34
IIIC 期	676	88	13.02	470	69.53	44	6.51	1	0.15	18	2.66	2	0.30	14	2.07	21	3.11	4	0.59	14	2.07
IV 期	2315	228	9.85	291	12.57	19	0.82	44	1.90	820	35.42	34	1.47	596	25.75	179	7.73	27	1.17	77	3.33
不詳	217	173	79.72	10	4.61	1	0.46	0	0.00	2	0.92	0	0.00	8	3.69	19	8.76	1	0.46	3	1.38

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

結腸癌

表九之三 結腸癌 0-49 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療		手術合併化療與放療		手術合併化療、放療與標靶治療		手術合併化療與標靶治療		非同步化療與放療		化療或與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	1491	696	46.68	480	32.19	17	1.14	9	0.60	170	11.40	6	0.40	88	5.90	3	0.20	2	0.13	20	1.34
0 期	431	431	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	157	152	96.82	5	3.18	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	5	5	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IIA 期	161	52	32.30	104	64.60	1	0.62	1	0.62	2	1.24	0	0.00	0	0.00	1	0.62	0	0.00	0	0.00
IIB 期	26	2	7.69	24	92.31	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IIC 期	21	2	9.52	18	85.71	1	4.76	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
III 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IIIA 期	33	1	3.03	32	96.97	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IIIB 期	189	7	3.70	173	91.53	3	1.59	1	0.53	4	2.12	0	0.00	1	0.53	0	0.00	0	0.00	0	0.00
IIIC 期	115	3	2.61	93	80.87	10	8.70	0	0.00	6	5.22	0	0.00	1	0.87	0	0.00	0	0.00	2	1.74
IV 期	322	14	4.35	29	9.01	2	0.62	7	2.17	157	48.76	6	1.86	86	26.71	2	0.62	2	0.62	17	5.28
不詳	31	27	87.10	2	6.45	0	0.00	0	0.00	1	3.23	0	0.00	0	0.00	0	0.00	0	0.00	1	3.23

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

結腸癌

表九之四 結腸癌 50-69 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療		手術合併化療與放療		手術合併化療、放療與標靶治療		手術合併化療與標靶治療		非同步化療與放療		化療或與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	6863	3994	58.20	1832	26.69	72	1.05	27	0.39	519	7.56	20	0.29	298	4.34	41	0.60	17	0.25	43	0.63
0 期	2493	2483	99.60	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	10	0.40	0	0.00
I 期	974	942	96.71	27	2.77	1	0.10	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	4	0.41	0	0.00
II 期	3	3	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IIA 期	804	300	37.31	484	60.20	15	1.87	0	0.00	0	0.00	0	0.00	2	0.25	1	0.12	0	0.00	2	0.25
IIB 期	101	16	15.84	76	75.25	7	6.93	0	0.00	1	0.99	0	0.00	0	0.00	0	0.00	0	0.00	1	0.99
IIC 期	59	11	18.64	41	69.49	3	5.08	1	1.69	0	0.00	0	0.00	1	1.69	1	1.69	0	0.00	1	1.69
III 期	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IIIA 期	150	9	6.00	135	90.00	3	2.00	0	0.00	1	0.67	0	0.00	0	0.00	1	0.67	0	0.00	1	0.67
IIIB 期	825	59	7.15	738	89.45	11	1.33	1	0.12	13	1.58	0	0.00	0	0.00	1	0.12	0	0.00	2	0.24
IIIC 期	259	13	5.02	205	79.15	20	7.72	1	0.39	9	3.47	0	0.00	4	1.54	2	0.77	0	0.00	5	1.93
IV 期	1089	65	5.97	120	11.02	12	1.10	24	2.20	495	45.45	20	1.84	286	26.26	34	3.12	2	0.18	31	2.85
不詳	105	92	87.62	6	5.71	0	0.00	0	0.00	0	0.00	0	0.00	5	4.76	1	0.95	1	0.95	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

結腸癌

表九之五 結腸癌 70 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療		手術合併化療與放療		手術合併化療、放療與標靶治療		手術合併化療與標靶治療		非同步化療與放療		化療或與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	4815	2638	54.79	1271	26.40	40	0.83	13	0.27	178	3.70	11	0.23	279	5.79	268	5.57	66	1.37	51	1.06
0 期	1053	1036	98.39	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	2	0.19	15	1.42	0	0.00
I 期	611	562	91.98	16	2.62	1	0.16	0	0.00	1	0.16	0	0.00	10	1.64	13	2.13	7	1.15	1	0.16
II 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IIA 期	869	498	57.31	317	36.48	7	0.81	0	0.00	1	0.12	0	0.00	11	1.27	21	2.42	10	1.15	4	0.46
IIB 期	111	43	38.74	58	52.25	4	3.60	0	0.00	0	0.00	0	0.00	0	0.00	3	2.70	1	0.90	2	1.80
IIC 期	61	21	34.43	29	47.54	1	1.64	0	0.00	1	1.64	0	0.00	1	1.64	6	9.84	0	0.00	2	3.28
III 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IIIA 期	77	18	23.38	50	64.94	3	3.90	0	0.00	0	0.00	1	1.30	2	2.60	3	3.90	0	0.00	0	0.00
IIIB 期	746	185	24.80	485	65.01	4	0.54	0	0.00	3	0.40	0	0.00	19	2.55	40	5.36	6	0.80	4	0.54
IIIC 期	302	72	23.84	172	56.95	14	4.64	0	0.00	3	0.99	2	0.66	9	2.98	19	6.29	4	1.32	7	2.32
IV 期	904	149	16.48	142	15.71	5	0.55	13	1.44	168	18.58	8	0.88	224	24.78	143	15.82	23	2.54	29	3.21
不詳	81	54	66.67	2	2.47	1	1.23	0	0.00	1	1.23	0	0.00	3	3.70	18	22.22	0	0.00	2	2.47

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

Colon

C180–C189

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

Codes

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from surgical events 10–14

- 20 Local tumor excision, NOS
 - 27 Excisional biopsy
 - 26 Polypectomy, NOS
 - 28 Polypectomy-endoscopic
 - 29 Polypectomy-surgical excision
 - 2M Endoscopic mucosal resection / mucosectomy(EMR)
 - 2E Endoscopic submucosa dissection (ESD)

Any combination of 20 or 26–29 WITH

- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation

[SEER Note: Codes 21 to 24 above combine 20 Local tumor excision, 27 Excisional biopsy,

26 Polypectomy, NOS, 28 Polypectomy-endoscopic or 29 Polypectomy-surgical excision WITH 21 PDT, 22 Electrocautery, 23 Cryosurgery, or 24 Laser ablation]

- 25 Laser excision

- 30 Partial colectomy [but less than hemicolectomy] segmental resection
 - 32 Plus resection of contiguous organ; example: small bowel, bladder

[SEER Note: Code 30 includes but is not limited to the following procedures: Appendectomy (for an appendix primary only), enterocolectomy, ileocolectomy, partial colectomy, NOS, partial resection of transverse colon and flexures, and segmental resection (such as cecectomy or sigmoidectomy). Note that the removal of a short portion of the distal ileum is **not** “removal of a contiguous organ”.]

- 40 Subtotal colectomy/hemicolectomy (total right or left colon and a portion of transverse colon)
 - 41 Plus resection of contiguous organ; example: small bowel, bladder

[SEER Note: Code 40 includes extended (but less than total) right or left colectomy. Note that the removal of a short portion of the distal ileum is **not** “removal of a contiguous organ”.]

- 50 Total colectomy (removal of colon from cecum to the rectosigmoid junction; may include a portion of the rectum)

- 51 Plus resection of contiguous organ; example: small bowel, bladder

[SEER Note: Removal of a short portion of the distal ileum is **not** “removal of a contiguous organ”]

- 60 Total proctocolectomy (removal of colon from cecum to the rectosigmoid junction, including the entire rectum)

[SEER Note: Commonly used for familial polyposis or polyposis coli]

- 61 Plus resection of contiguous organ; example: small bowel, bladder

[SEER Note: Removal of a short portion of the distal ileum is **not** “removal of a contiguous organ”]

- 70 Colectomy or coloproctectomy with resection of contiguous organ(s), NOS (where there is not enough information to code 32, 41, 51, or 61)
Code 70 includes: Any colectomy (partial, hemicolectomy, or total) WITH a resection of any other organs in continuity with the primary site. Other organs may be partially or totally removed. Other organs may include, but are not limited to, oophorectomy, partial proctectomy, rectal mucosectomy, or pelvic exenteration.
[SEER Note: "In continuity with" or "en bloc" means that all of the tissues were removed during the same procedure, but not necessarily in a single specimen]
- 80 Colectomy, NOS
Specimen sent to pathology from surgical events 20-80.
- 90 Surgery, NOS
99 Unknown if surgery performed; death certificate ONLY

直腸癌

表十之一 直腸癌發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	6471	100.00	4011	100.00	2460	100.00	3326	100.00	3145	100.00
年齡										
00-04 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
05-09 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
10-14 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
15-19 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
20-24 歲	11	0.17	10	0.25	1	0.04	5	0.15	6	0.19
25-29 歲	25	0.39	15	0.37	10	0.41	13	0.39	12	0.38
30-34 歲	44	0.68	24	0.60	20	0.81	23	0.69	21	0.67
35-39 歲	150	2.32	95	2.37	55	2.24	70	2.10	80	2.54
40-44 歲	274	4.23	164	4.09	110	4.47	159	4.78	115	3.66
45-49 歲	434	6.71	252	6.28	182	7.40	249	7.49	185	5.88
50-54 歲	695	10.74	431	10.75	264	10.73	360	10.82	335	10.65
55-59 歲	796	12.30	511	12.74	285	11.59	424	12.75	372	11.83
60-64 歲	1010	15.61	687	17.13	323	13.13	526	15.81	484	15.39
65-69 歲	995	15.38	653	16.28	342	13.90	531	15.97	464	14.75
70-74 歲	665	10.28	403	10.05	262	10.65	335	10.07	330	10.49
75-79 歲	526	8.13	319	7.95	207	8.41	252	7.58	274	8.71
80-84 歲	461	7.12	255	6.36	206	8.37	212	6.37	249	7.92
85 歲以上	385	5.95	192	4.79	193	7.85	167	5.02	218	6.93
臨床期別 ¹										
0 期	720	11.13	457	11.39	263	10.69	300	9.02	420	13.35
I 期	1063	16.43	655	16.33	408	16.59	554	16.66	509	16.18
II 期	768	11.87	477	11.89	291	11.83	384	11.55	384	12.21
III 期	1741	26.90	1099	27.40	642	26.10	958	28.80	783	24.90
IV 期	1076	16.63	665	16.58	411	16.71	569	17.11	507	16.12
不詳	1103	17.05	658	16.40	445	18.09	561	16.87	542	17.23
病理期別 ¹										
0 期	1100	17.00	677	16.88	423	17.20	504	15.15	596	18.95
I 期	1347	20.82	844	21.04	503	20.45	742	22.31	605	19.24
II 期	790	12.21	530	13.21	260	10.57	436	13.11	354	11.26
III 期	1235	19.09	732	18.25	503	20.45	633	19.03	602	19.14
IV 期	682	10.54	431	10.75	251	10.20	378	11.37	304	9.67
不詳	1317	20.35	797	19.87	520	21.14	633	19.03	684	21.75
整併期別 ^{1,2}										
0 期	1094	16.91	672	16.75	422	17.15	500	15.03	594	18.89
I 期	1302	20.12	800	19.95	502	20.41	712	21.41	590	18.76
II 期	836	12.92	541	13.49	295	11.99	428	12.87	408	12.97
III 期	1819	28.11	1128	28.12	691	28.09	970	29.16	849	27.00
IV 期	1115	17.23	692	17.25	423	17.20	591	17.77	524	16.66
不詳	305	4.71	178	4.44	127	5.16	125	3.76	180	5.72

表十之一 直腸癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	6471	100.00	4011	100.00	2460	100.00	3326	100.00	3145	100.00
臨床與病理期別一致性										
Kappa ³	0.572									
治療方式 ^{4,5}										
手術	2853	44.09	1738	43.33	1115	45.33	1453	43.69	1400	44.52
手術合併化療	1350	20.86	804	20.04	546	22.20	724	21.77	626	19.90
手術合併化療與放療	1204	18.61	824	20.54	380	15.45	615	18.49	589	18.73
手術合併放療	61	0.94	39	0.97	22	0.89	27	0.81	34	1.08
同步化療與放療	273	4.22	179	4.46	94	3.82	138	4.15	135	4.29
非同步化療與放療	145	2.24	93	2.32	52	2.11	67	2.01	78	2.48
放療	49	0.76	24	0.60	25	1.02	26	0.78	23	0.73
化療或/與標靶治療	316	4.88	199	4.96	117	4.76	169	5.08	147	4.67
緩和治療	128	1.98	62	1.55	66	2.68	56	1.68	72	2.29
未有首次治療申報紀錄	42	0.65	24	0.60	18	0.73	23	0.69	19	0.60
其他治療	50	0.77	25	0.62	25	1.02	28	0.84	22	0.70
組織型態										
原位癌										
腺癌	940	99.37	588	99.16	352	99.72	404	99.51	536	99.26
非特定上皮癌	6	0.63	5	0.84	1	0.28	2	0.49	4	0.74
侵襲癌										
腺癌	4891	88.52	3050	89.23	1841	87.38	2606	89.25	2285	87.72
神經內分泌癌	534	9.67	318	9.30	216	10.25	266	9.11	268	10.29
其他特定上皮癌	33	0.60	11	0.32	22	1.04	24	0.82	9	0.35
非特定上皮癌	20	0.36	11	0.32	9	0.43	6	0.21	14	0.54
胃腸基質瘤	24	0.43	13	0.38	11	0.52	13	0.45	11	0.42
其他惡性肉瘤	1	0.02	1	0.03	0	0.00	1	0.03	0	0.00
其他惡性腫瘤	22	0.40	14	0.41	8	0.38	4	0.14	18	0.69

註 1：有癌前病變之 888 期別歸類在 0 期

註 2：整併期別*—請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 3：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 4：參考後續治療方式相關表格之附註(p.572-575)。

註 5：治癒性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

直腸癌

表十之二 直腸癌發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療		手術合併化療與放療		手術合併放療		同步化療與放療		非同步化療與放療		放療		化療或/與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	6471	2853	44.09	1350	20.86	1204	18.61	61	0.94	273	4.22	145	2.24	49	0.76	316	4.88	128	1.98	42	0.65	50	0.77
0 期	1094	1080	98.72	2	0.18	2	0.18	2	0.18	0	0.00	0	0.00	1	0.09	0	0.00	1	0.09	6	0.55	0	0.00
I 期	1302	1095	84.10	35	2.69	69	5.30	28	2.15	35	2.69	2	0.15	11	0.84	6	0.46	10	0.77	9	0.69	2	0.15
II 期	4	0	0.00	1	25.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	3	75.00
IIA 期	725	219	30.21	233	32.14	173	23.86	11	1.52	61	8.41	6	0.83	8	1.10	10	1.38	3	0.41	1	0.14	0	0.00
IIB 期	55	13	23.64	21	38.18	13	23.64	1	1.82	2	3.64	2	3.64	0	0.00	0	0.00	1	1.82	2	3.64	0	0.00
IIC 期	52	6	11.54	17	32.69	13	25.00	1	1.92	7	13.46	4	7.69	3	5.77	1	1.92	0	0.00	0	0.00	0	0.00
IIIA 期	217	11	5.07	115	53.00	63	29.03	2	0.92	12	5.53	3	1.38	2	0.92	6	2.76	2	0.92	0	0.00	1	0.46
IIIB 期	1181	97	8.21	454	38.44	500	42.34	13	1.10	79	6.69	9	0.76	5	0.42	8	0.68	9	0.76	2	0.17	5	0.42
IIIC 期	421	26	6.18	128	30.40	188	44.66	1	0.24	44	10.45	6	1.43	6	1.43	8	1.90	9	2.14	1	0.24	4	0.95
IV 期	1115	70	6.28	338	30.31	164	14.71	1	0.09	32	2.87	111	9.96	13	1.17	272	24.39	76	6.82	11	0.99	27	2.42
不詳	305	236	77.38	6	1.97	19	6.23	1	0.33	1	0.33	2	0.66	0	0.00	5	1.64	17	5.57	10	3.28	8	2.62

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

直腸癌

表十之三 直腸癌 0-49 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療		手術合併化療與放療		手術合併放療		同步化療與放療		非同步化療與放療		放療		化療或/與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	938	468	49.89	186	19.83	181	19.30	4	0.43	29	3.09	12	1.28	1	0.11	40	4.26	3	0.32	5	0.53	9	0.96
0 期	126	124	98.41	0	0.00	1	0.79	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	0.79	0	0.00
I 期	235	221	94.04	1	0.43	9	3.83	2	0.85	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	2	0.85	0	0.00
II 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IIA 期	72	17	23.61	35	48.61	15	20.83	0	0.00	3	4.17	1	1.39	0	0.00	1	1.39	0	0.00	0	0.00	0	0.00
IIB 期	6	1	16.67	2	33.33	3	50.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IIC 期	5	1	20.00	2	40.00	1	20.00	0	0.00	1	20.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IIIA 期	31	0	0.00	21	67.74	9	29.03	0	0.00	1	3.23	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IIIB 期	160	9	5.63	56	35.00	81	50.63	2	1.25	11	6.88	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	0.63
IIIC 期	60	1	1.67	18	30.00	36	60.00	0	0.00	5	8.33	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IV 期	144	2	1.39	51	35.42	25	17.36	0	0.00	8	5.56	10	6.94	1	0.69	39	27.08	2	1.39	0	0.00	6	4.17
不詳	99	92	92.93	0	0.00	1	1.01	0	0.00	0	0.00	1	1.01	0	0.00	0	0.00	1	1.01	2	2.02	2	2.02

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

直腸癌

表十之四 直腸癌 50-69 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療		手術合併化療與放療		手術合併放療		同步化療與放療		非同步化療與放療		放療		化療或/與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	3496	1567	44.82	755	21.60	741	21.20	20	0.57	104	2.97	71	2.03	13	0.37	164	4.69	19	0.54	13	0.37	29	0.83
0 期	688	684	99.42	1	0.15	0	0.00	1	0.15	0	0.00	0	0.00	1	0.15	0	0.00	0	0.00	1	0.15	0	0.00
I 期	696	606	87.07	21	3.02	39	5.60	11	1.58	10	1.44	1	0.14	1	0.14	0	0.00	2	0.29	4	0.57	1	0.14
II 期	3	0	0.00	1	33.33	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	2	66.67
IIA 期	345	86	24.93	129	37.39	101	29.28	4	1.16	21	6.09	1	0.29	2	0.58	1	0.29	0	0.00	0	0.00	0	0.00
IIB 期	23	6	26.09	9	39.13	7	30.43	0	0.00	0	0.00	1	4.35	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IIC 期	25	1	4.00	10	40.00	7	28.00	0	0.00	3	12.00	1	4.00	3	12.00	0	0.00	0	0.00	0	0.00	0	0.00
IIIA 期	133	6	4.51	75	56.39	43	32.33	0	0.00	3	2.26	1	0.75	1	0.75	2	1.50	1	0.75	0	0.00	1	0.75
IIIB 期	621	27	4.35	246	39.61	309	49.76	4	0.64	29	4.67	2	0.32	0	0.00	2	0.32	0	0.00	0	0.00	2	0.32
IIIC 期	219	8	3.65	64	29.22	112	51.14	0	0.00	21	9.59	2	0.91	2	0.91	5	2.28	3	1.37	0	0.00	2	0.91
IV 期	591	25	4.23	195	32.99	109	18.44	0	0.00	16	2.71	62	10.49	3	0.51	150	25.38	11	1.86	4	0.68	16	2.71
不詳	152	118	77.63	4	2.63	14	9.21	0	0.00	1	0.66	0	0.00	0	0.00	4	2.63	2	1.32	4	2.63	5	3.29

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

直腸癌

表十之五 直腸癌 70 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療		手術合併化療與放療		手術合併放療		同步化療與放療		非同步化療與放療		放療		化療或與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	2037	818	40.16	409	20.08	282	13.84	37	1.82	140	6.87	62	3.04	35	1.72	112	5.50	106	5.20	24	1.18	12	0.59
0 期	280	272	97.14	1	0.36	1	0.36	1	0.36	0	0.00	0	0.00	0	0.00	0	0.00	1	0.36	4	1.43	0	0.00
I 期	371	268	72.24	13	3.50	21	5.66	15	4.04	25	6.74	1	0.27	10	2.70	6	1.62	8	2.16	3	0.81	1	0.27
II 期	1	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	100.00
IIA 期	308	116	37.66	69	22.40	57	18.51	7	2.27	37	12.01	4	1.30	6	1.95	8	2.60	3	0.97	1	0.32	0	0.00
IIB 期	26	6	23.08	10	38.46	3	11.54	1	3.85	2	7.69	1	3.85	0	0.00	0	0.00	1	3.85	2	7.69	0	0.00
IIC 期	22	4	18.18	5	22.73	5	22.73	1	4.55	3	13.64	3	13.64	0	0.00	1	4.55	0	0.00	0	0.00	0	0.00
IIIA 期	53	5	9.43	19	35.85	11	20.75	2	3.77	8	15.09	2	3.77	1	1.89	4	7.55	1	1.89	0	0.00	0	0.00
IIIB 期	400	61	15.25	152	38.00	110	27.50	7	1.75	39	9.75	7	1.75	5	1.25	6	1.50	9	2.25	2	0.50	2	0.50
IIIC 期	142	17	11.97	46	32.39	40	28.17	1	0.70	18	12.68	4	2.82	4	2.82	3	2.11	6	4.23	1	0.70	2	1.41
IV 期	380	43	11.32	92	24.21	30	7.89	1	0.26	8	2.11	39	10.26	9	2.37	83	21.84	63	16.58	7	1.84	5	1.32
不詳	54	26	48.15	2	3.70	4	7.41	1	1.85	0	0.00	1	1.85	0	0.00	1	1.85	14	25.93	4	7.41	1	1.85

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

Rectosigmoid

C199

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

Codes

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser ablation

No specimen sent to pathology from surgical events 10–14

- 20 Local tumor excision, NOS
 - 26 Polypectomy
 - 27 Excisional biopsy
 - 2M Endoscopic mucosal resection / mucosectomy (EMR)
 - 2E Endoscopic submucosa dissection (ESD)

Combination of 20 or 26–27 WITH

- 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 30 Wedge or segmental resection; partial proctosigmoidectomy, NOS
 - 31 Plus resection of contiguous organs; example: small bowel, bladder
- Procedures coded 30 include, but are not limited to:

Anterior resection
Hartmann operation
Low anterior resection (LAR)
Partial colectomy, NOS
Rectosigmoidectomy, NOS
Sigmoidectomy

- 40 Pull through WITH sphincter preservation (colo-anal anastomosis)

[SEER Note: Procedures coded 40 include but are not limited to: Altemeier's operation, Duhamel's operation, Soave's submucosal resection, Swenson's operation, Turnbull's operation]

- 50 Total proctectomy

[SEER Note: Procedures coded 50 include but are not limited to: Abdominoperineal resection (A & P resection), anterior/posterior resection (A/P resection)/Miles' operation, Rankin's operation]

- 51 Total colectomy

[SEER Note: Removal of the colon from cecum to rectosigmoid or portion of rectum]

- 55 Total colectomy WITH ileostomy, NOS

56 Ileorectal reconstruction

57 Total colectomy WITH other pouch; example: Koch pouch

- 60 Total proctocolectomy, NOS [SEER Note: Combination of 50 and 51]

65 Total proctocolectomy WITH ileostomy, NOS

66 Total proctocolectomy WITH ileostomy and pouch

Removal of the colon from cecum to the rectosigmoid or a portion of the rectum.

- 70 Colectomy or proctocolectomy resection in continuity with other organs; pelvic exenteration

[SEER Note: Procedures that may be part of an en bloc resection include, but are not limited to: an oophorectomy and a rectal mucosectomy. Code 70 includes any colectomy (partial, hemicolectomy or total) with an en bloc resection of any other organs. The "other organs" may be partially or totally resected. "In continuity with" or "en bloc" means that all of the tissues were removed during the same procedure, but not necessarily in a single specimen.]

- 80 Colectomy, NOS; Proctectomy, NOS

Specimen sent to pathology from surgical events 20-80.

- 90 Surgery, NOS

- 99 Unknown if surgery performed; death certificate ONLY

Rectum

C209

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

Codes

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from surgical events 10-14

- 20 Local tumor excision, NOS
 - 27 Excisional biopsy
 - 26 Polypectomy
 - 2M Endoscopic mucosal resection / mucosectomy(EMR)
 - 2E Endoscopic submucosa dissection (ESD)

Any combination of 20 or 26–27 WITH

- 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
- 25 Laser excision
- 28 Curette and fulguration
- 30 Wedge or segmental resection; partial proctectomy, NOS
 - Procedures coded 30 include, but are not limited to:
 - Anterior resection
 - Hartmann's operation
 - Low anterior resection (LAR)
 - Transsacral rectosigmoidectomy
 - Total mesorectal excision (TME)
- 40 Pull through WITH sphincter preservation (colo-anal anastomosis)

[SEER Note: Procedures coded 40 include but are not limited to: Altemeier's operation, Duhamel's operation, Soave's submucosal resection, Swenson's operation, Turnbull's operation]

- 50 Total proctectomy
 - Procedure coded 50 includes, but is not limited to:
 - Abdominoperineal resection (Miles Procedure)
 - [SEER Note: Also called A & P resection, anterior/posterior (A/P) resection/Miles' operation, Rankin's operation]

- 60 Total proctocolectomy, NOS
- 70 Proctectomy or proctocolectomy with resection in continuity with other organs; pelvic exenteration
 - [SEER Note: In continuity with or "en bloc" means that all of the tissues were removed during the same procedure, but not necessarily in a single specimen]
- 80 Proctectomy, NOS

Specimen sent to pathology from surgical events 20-80.

- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

肝癌

表十一之一 肝癌(C220)發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	8521	100.00	6047	100.00	2474	100.00	5001	100.00	3520	100.00
年齡										
00-04 歲	13	0.15	9	0.15	4	0.16	13	0.26	0	0.00
05-09 歲	3	0.04	3	0.05	0	0.00	3	0.06	0	0.00
10-14 歲	2	0.02	1	0.02	1	0.04	2	0.04	0	0.00
15-19 歲	1	0.01	0	0.00	1	0.04	1	0.02	0	0.00
20-24 歲	1	0.01	1	0.02	0	0.00	1	0.02	0	0.00
25-29 歲	10	0.12	5	0.08	5	0.20	8	0.16	2	0.06
30-34 歲	29	0.34	24	0.40	5	0.20	16	0.32	13	0.37
35-39 歲	88	1.03	73	1.21	15	0.61	57	1.14	31	0.88
40-44 歲	217	2.55	185	3.06	32	1.29	150	3.00	67	1.90
45-49 歲	338	3.97	303	5.01	35	1.41	220	4.40	118	3.35
50-54 歲	653	7.66	562	9.29	91	3.68	401	8.02	252	7.16
55-59 歲	1045	12.26	882	14.59	163	6.59	616	12.32	429	12.19
60-64 歲	1330	15.61	1026	16.97	304	12.29	817	16.34	513	14.57
65-69 歲	1524	17.89	1063	17.58	461	18.63	930	18.60	594	16.88
70-74 歲	1156	13.57	748	12.37	408	16.49	690	13.80	466	13.24
75-79 歲	1003	11.77	589	9.74	414	16.73	528	10.56	475	13.49
80-84 歲	656	7.70	339	5.61	317	12.81	331	6.62	325	9.23
85 歲以上	452	5.30	234	3.87	218	8.81	217	4.34	235	6.68
臨床期別										
I 期	3804	44.64	2555	42.25	1249	50.49	2333	46.65	1471	41.79
II 期	1524	17.89	1057	17.48	467	18.88	895	17.90	629	17.87
III 期	1997	23.44	1527	25.25	470	19.00	1135	22.70	862	24.49
IV 期	1026	12.04	796	13.16	230	9.30	540	10.80	486	13.81
不詳	170	2.00	112	1.85	58	2.34	98	1.96	72	2.05
病理期別										
I 期	1311	15.39	954	15.78	357	14.43	909	18.18	402	11.42
II 期	876	10.28	671	11.10	205	8.29	629	12.58	247	7.02
III 期	397	4.66	320	5.29	77	3.11	270	5.40	127	3.61
IV 期	112	1.31	94	1.55	18	0.73	68	1.36	44	1.25
不詳	5825	68.36	4008	66.28	1817	73.44	3125	62.49	2700	76.70
整併期別 ¹										
I 期	3401	39.91	2245	37.13	1156	46.73	2025	40.49	1376	39.09
II 期	1957	22.97	1391	23.00	566	22.88	1221	24.42	736	20.91
III 期	1984	23.28	1510	24.97	474	19.16	1133	22.66	851	24.18
IV 期	1031	12.10	804	13.30	227	9.18	542	10.84	489	13.89
不詳	148	1.74	97	1.60	51	2.06	80	1.60	68	1.93
BCLC 期別										
0 期	849	9.96	548	9.06	301	12.17	493	9.86	356	10.11
A 期	2865	33.62	1941	32.10	924	37.35	1747	34.93	1118	31.76
B 期	1847	21.68	1372	22.69	475	19.20	1119	22.38	728	20.68
C 期	2044	23.99	1577	26.08	467	18.88	1202	24.04	842	23.92
D 期	657	7.71	426	7.04	231	9.34	324	6.48	333	9.46
不詳	259	3.04	183	3.03	76	3.07	116	2.32	143	4.06

表十一之一 肝癌(C220)發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	8521	100.00	6047	100.00	2474	100.00	5001	100.00	3520	100.00
臨床與病理期別一致性										
Kappa ²	0.5105									
治療方式 ^{3,4}										
手術	2289	26.86	1705	28.20	584	23.61	1551	31.01	738	20.97
肝臟移植	44	0.52	33	0.55	11	0.44	41	0.82	3	0.09
局部治療	1523	17.87	943	15.59	580	23.44	786	15.72	737	20.94
栓塞	1341	15.74	921	15.23	420	16.98	741	14.82	600	17.05
手術合併局部治療	47	0.55	35	0.58	12	0.49	31	0.62	16	0.45
手術合併栓塞	117	1.37	88	1.46	29	1.17	71	1.42	46	1.31
手術合併標靶治療	52	0.61	41	0.68	11	0.44	39	0.78	13	0.37
局部治療合併栓塞	511	6.00	317	5.24	194	7.84	316	6.32	195	5.54
標靶治療	430	5.05	336	5.56	94	3.80	259	5.18	171	4.86
栓塞合併標靶治療	197	2.31	153	2.53	44	1.78	116	2.32	81	2.30
放療	166	1.95	120	1.98	46	1.86	94	1.88	72	2.05
放療合併栓塞	86	1.01	71	1.17	15	0.61	50	1.00	36	1.02
放療合併栓塞與標靶治療	97	1.14	86	1.42	11	0.44	70	1.40	27	0.77
放療合併標靶治療	189	2.22	158	2.61	31	1.25	87	1.74	102	2.90
化療	67	0.79	56	0.93	11	0.44	35	0.70	32	0.91
化療合併標靶治療	59	0.69	50	0.83	9	0.36	28	0.56	31	0.88
免疫治療	38	0.45	31	0.51	7	0.28	26	0.52	12	0.34
免疫治療合併標靶治療	64	0.75	49	0.81	15	0.61	53	1.06	11	0.31
緩和治療	575	6.75	374	6.18	201	8.12	248	4.96	327	9.29
未有首次治療申報紀錄	113	1.33	68	1.12	45	1.82	36	0.72	77	2.19
其他治療	516	6.06	412	6.81	104	4.20	323	6.46	193	5.48
組織型態										
肝細胞癌	8411	98.71	5973	98.78	2438	98.54	4929	98.56	3482	98.92
膽管癌	9	0.11	9	0.15	0	0.00	6	0.12	3	0.09
合併肝細胞癌和膽管癌	30	0.35	23	0.38	7	0.28	11	0.22	19	0.54
肝母細胞瘤	16	0.19	12	0.20	4	0.16	16	0.32	0	0.00
其他特定上皮癌	13	0.15	4	0.07	9	0.36	7	0.14	6	0.17
非特定上皮癌	4	0.05	2	0.03	2	0.08	3	0.06	1	0.03
血管肉瘤	23	0.27	17	0.28	6	0.24	17	0.34	6	0.17
其他惡性肉瘤	8	0.09	5	0.08	3	0.12	6	0.12	2	0.06
其他惡性腫瘤	7	0.08	2	0.03	5	0.20	6	0.12	1	0.03

註 1：整併期別*請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 2：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 3：參考後續治療方式相關表格之附註(p.582-587)。

註 4：治癒性治療組合所佔比例若小於 0.5%者，則不呈現於報告中。

肝內膽管癌

表十一之二 肝內膽管癌(C221)發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	1045	100.00	608	100.00	437	100.00	647	100.00	398	100.00
年齡										
00-04 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
05-09 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
10-14 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
15-19 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
20-24 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
25-29 歲	3	0.29	2	0.33	1	0.23	2	0.31	1	0.25
30-34 歲	2	0.19	1	0.16	1	0.23	2	0.31	0	0.00
35-39 歲	11	1.05	8	1.32	3	0.69	8	1.24	3	0.75
40-44 歲	23	2.20	13	2.14	10	2.29	17	2.63	6	1.51
45-49 歲	46	4.40	33	5.43	13	2.97	32	4.95	14	3.52
50-54 歲	98	9.38	76	12.50	22	5.03	67	10.36	31	7.79
55-59 歲	130	12.44	95	15.63	35	8.01	93	14.37	37	9.30
60-64 歲	167	15.98	103	16.94	64	14.65	106	16.38	61	15.33
65-69 歲	186	17.80	101	16.61	85	19.45	116	17.93	70	17.59
70-74 歲	142	13.59	71	11.68	71	16.25	81	12.52	61	15.33
75-79 歲	100	9.57	49	8.06	51	11.67	52	8.04	48	12.06
80-84 歲	77	7.37	27	4.44	50	11.44	44	6.80	33	8.29
85 歲以上	60	5.74	29	4.77	31	7.09	27	4.17	33	8.29
臨床期別										
0 期	1	0.10	1	0.16	0	0.00	1	0.15	0	0.00
I 期	213	20.38	134	22.04	79	18.08	156	24.11	57	14.32
II 期	123	11.77	71	11.68	52	11.90	77	11.90	46	11.56
III 期	202	19.33	119	19.57	83	18.99	109	16.85	93	23.37
IV 期	422	40.38	236	38.82	186	42.56	266	41.11	156	39.20
不詳	84	8.04	47	7.73	37	8.47	38	5.87	46	11.56
病理期別										
0 期	4	0.38	3	0.49	1	0.23	2	0.31	2	0.50
I 期	136	13.01	91	14.97	45	10.30	104	16.07	32	8.04
II 期	109	10.43	73	12.01	36	8.24	75	11.59	34	8.54
III 期	69	6.60	42	6.91	27	6.18	46	7.11	23	5.78
IV 期	83	7.94	38	6.25	45	10.30	61	9.43	22	5.53
不詳	644	61.63	361	59.38	283	64.76	359	55.49	285	71.61
整併期別 ¹										
0 期	4	0.38	3	0.49	1	0.23	2	0.31	2	0.50
I 期	180	17.22	114	18.75	66	15.10	135	20.87	45	11.31
II 期	160	15.31	96	15.79	64	14.65	103	15.92	57	14.32
III 期	216	20.67	127	20.89	89	20.37	117	18.08	99	24.87
IV 期	432	41.34	240	39.47	192	43.94	272	42.04	160	40.20
不詳	53	5.07	28	4.61	25	5.72	18	2.78	35	8.79

表十一之二 肝內膽管癌(C221)發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	1045	100.00	608	100.00	437	100.00	647	100.00	398	100.00
臨床與病理期別一致性										
Kappa ²	0.5644									
治療方式 ^{3,4}										
手術	262	25.07	167	27.47	95	21.74	191	29.52	71	17.84
化療	278	26.60	152	25.00	126	28.83	187	28.90	91	22.86
化療合併免疫治療	19	1.82	9	1.48	10	2.29	16	2.47	3	0.75
放療	45	4.31	27	4.44	18	4.12	25	3.86	20	5.03
放療合併化療	66	6.32	44	7.24	22	5.03	39	6.03	27	6.78
手術合併化療	53	5.07	33	5.43	20	4.58	34	5.26	19	4.77
手術合併放療	6	0.57	3	0.49	3	0.69	3	0.46	3	0.75
手術合併化療與放療	27	2.58	17	2.80	10	2.29	17	2.63	10	2.51
局部治療	20	1.91	10	1.64	10	2.29	14	2.16	6	1.51
栓塞	14	1.34	11	1.81	3	0.69	8	1.24	6	1.51
緩和治療	174	16.65	82	13.49	92	21.05	70	10.82	104	26.13
未有首次治療申報紀錄	30	2.87	18	2.96	12	2.75	7	1.08	23	5.78
其他治療	51	4.88	35	5.76	16	3.66	36	5.56	15	3.77
組織型態										
膽管癌	892	85.36	506	83.22	386	88.33	532	82.23	360	90.45
合併肝細胞癌和膽管癌	122	11.67	86	14.14	36	8.24	92	14.22	30	7.54
其他特定上皮癌	20	1.91	10	1.64	10	2.29	17	2.63	3	0.75
非特定上皮癌	10	0.96	6	0.99	4	0.92	6	0.93	4	1.01
其他惡性腫瘤	1	0.10	0	0.00	1	0.23	0	0.00	1	0.25

註 1：整併期別* -請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 2：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 3：參考後續治療方式相關表格之附註(p.588-589)。

註 4：治癒性治療組合所佔比例若小於 0.5%者，則不呈現於報告中。

肝癌

表十一之三 肝癌(C220)發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		肝臟移植 ³		局部治療 ⁴		栓塞 ⁵		手術合併局部治療		手術合併栓塞		手術合併標靶治療		局部治療合併栓塞		標靶治療		栓塞合併標靶治療	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	8521	2289	26.86	44	0.52	1523	17.87	1341	15.74	47	0.55	117	1.37	52	0.61	511	6.00	430	5.05	197	2.31
I 期	3401	1237	36.37	18	0.53	1211	35.61	372	10.94	19	0.56	39	1.15	2	0.06	273	8.03	4	0.12	5	0.15
II 期	1957	746	38.12	22	1.12	294	15.02	436	22.28	22	1.12	20	1.02	4	0.20	201	10.27	2	0.10	19	0.97
III 期	1984	261	13.16	4	0.20	7	0.35	437	22.03	4	0.20	58	2.92	29	1.46	31	1.56	201	10.13	105	5.29
IV 期	1031	11	1.07	0	0.00	5	0.48	85	8.24	1	0.10	0	0.00	16	1.55	3	0.29	222	21.53	67	6.50
不詳	148	34	22.97	0	0.00	6	4.05	11	7.43	1	0.68	0	0.00	1	0.68	3	2.03	1	0.68	1	0.68

表十一之四 肝癌(C220) 0-49 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		肝臟移植 ³		局部治療 ⁴		栓塞 ⁵		手術合併局部治療		手術合併栓塞		手術合併標靶治療		局部治療合併栓塞		標靶治療		栓塞合併標靶治療	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	702	212	30.20	5	0.71	80	11.40	76	10.83	3	0.43	18	2.56	11	1.57	28	3.99	39	5.56	19	2.71
I 期	244	121	49.59	2	0.82	63	25.82	15	6.15	2	0.82	7	2.87	0	0.00	17	6.97	0	0.00	0	0.00
II 期	153	61	39.87	2	1.31	17	11.11	38	24.84	1	0.65	3	1.96	1	0.65	11	7.19	0	0.00	4	2.61
III 期	169	27	15.98	1	0.59	0	0.00	17	10.06	0	0.00	8	4.73	6	3.55	0	0.00	20	11.83	11	6.51
IV 期	111	0	0.00	0	0.00	0	0.00	5	4.50	0	0.00	0	0.00	3	2.70	0	0.00	19	17.12	4	3.60
不詳	25	3	12.00	0	0.00	0	0.00	1	4.00	0	0.00	0	0.00	1	4.00	0	0.00	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：針對原發部位進行手術治療且術式編碼為 13、20-29、30-35、38、50-55、59-60、65-66、90。術式編碼詳見 p.590。

3 「肝臟移植」定義：針對原發部位進行手術治療且術式編碼為 61、75。術式編碼詳見 p.590。

4 「局部治療」定義：針對原發部位進行局部治療且術式編碼為 16-19、27-29、34-35、38、54-55、59。術式編碼詳見 p.590。

5 「栓塞」定義：化學治療編碼為 04-07 及術式編碼為 15、18、26、29、33、38、53、59。術式編碼詳見 p.590。

表十一之三 肝癌(C220)發生人數按整併期別¹及治療方式分類(續)

放療		放療 合併栓塞		放療合併 栓塞與 標靶治療		放療合併 標靶治療		化療		化療合併 標靶治療		免疫治療		免疫治療 合併 標靶治療		緩和治療 ⁶		未有 首次治療 申報紀錄 ⁷		其他治療 ⁸	
申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
166	1.95	86	1.01	97	1.14	189	2.22	67	0.79	59	0.69	38	0.45	64	0.75	575	6.75	113	1.33	516	6.06
35	1.03	29	0.85	1	0.03	1	0.03	2	0.06	1	0.03	0	0.00	1	0.03	57	1.68	19	0.56	75	2.21
20	1.02	10	0.51	2	0.10	0	0.00	5	0.26	1	0.05	1	0.05	0	0.00	42	2.15	18	0.92	92	4.70
67	3.38	41	2.07	50	2.52	88	4.44	28	1.41	32	1.61	17	0.86	25	1.26	250	12.60	42	2.12	207	10.43
37	3.59	6	0.58	44	4.27	99	9.60	24	2.33	22	2.13	19	1.84	37	3.59	196	19.01	26	2.52	111	10.77
7	4.73	0	0.00	0	0.00	1	0.68	8	5.41	3	2.03	1	0.68	1	0.68	30	20.27	8	5.41	31	20.95

表十一之四 肝癌(C220) 0-49 歲發生人數按整併期別¹及治療方式分類(續)

放療		放療合併栓塞		放療合併 栓塞與 標靶治療		放療合併 標靶治療		化療		化療合併 標靶治療		免疫治療		免疫治療 合併 標靶治療		緩和治療 ⁶		未有 首次治療 申報紀錄 ⁷		其他治療 ⁸	
申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
10	1.42	9	1.28	13	1.85	21	2.99	12	1.71	3	0.43	8	1.14	13	1.85	25	3.56	9	1.28	88	12.54
3	1.23	4	1.64	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	0.41	1	0.41	8	3.28
0	0.00	0	0.00	0	0.00	0	0.00	1	0.65	0	0.00	1	0.65	0	0.00	1	0.65	2	1.31	10	6.54
2	1.18	5	2.96	6	3.55	11	6.51	4	2.37	2	1.18	3	1.78	3	1.78	8	4.73	4	2.37	31	18.34
5	4.50	0	0.00	7	6.31	10	9.01	5	4.50	1	0.90	4	3.60	10	9.01	14	12.61	2	1.80	22	19.82
0	0.00	0	0.00	0	0.00	0	0.00	2	8.00	0	0.00	0	0.00	0	0.00	1	4.00	0	0.00	17	68.00

6 「緩和治療」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

7 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

8 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

肝癌

表十一之五 肝癌(C220) 50-69 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		肝臟移植 ³		局部治療 ⁴		栓塞 ⁵		手術合併局部治療		手術合併栓塞		手術合併標靶治療		局部治療合併栓塞		標靶治療		栓塞合併標靶治療	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	4552	1382	30.36	39	0.86	806	17.71	618	13.58	28	0.62	66	1.45	32	0.70	281	6.17	223	4.90	105	2.31
I 期	1817	746	41.06	16	0.88	641	35.28	158	8.70	10	0.55	20	1.10	2	0.11	143	7.87	1	0.06	1	0.06
II 期	1093	463	42.36	20	1.83	154	14.09	202	18.48	14	1.28	10	0.91	3	0.27	114	10.43	0	0.00	7	0.64
III 期	1024	147	14.36	3	0.29	2	0.20	207	20.21	2	0.20	36	3.52	17	1.66	20	1.95	100	9.77	52	5.08
IV 期	553	7	1.27	0	0.00	4	0.72	45	8.14	1	0.18	0	0.00	10	1.81	2	0.36	122	22.06	44	7.96
不詳	65	19	29.23	0	0.00	5	7.69	6	9.23	1	1.54	0	0.00	0	0.00	2	3.08	0	0.00	1	1.54

表十一之六 肝癌(C220) 70 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		肝臟移植 ³		局部治療 ⁴		栓塞 ⁵		手術合併局部治療		手術合併栓塞		手術合併標靶治療		局部治療合併栓塞		標靶治療		栓塞合併標靶治療	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	3267	695	21.27	0	0.00	637	19.50	647	19.80	16	0.49	33	1.01	9	0.28	202	6.18	168	5.14	73	2.23
I 期	1340	370	27.61	0	0.00	507	37.84	199	14.85	7	0.52	12	0.90	0	0.00	113	8.43	3	0.22	4	0.30
II 期	711	222	31.22	0	0.00	123	17.30	196	27.57	7	0.98	7	0.98	0	0.00	76	10.69	2	0.28	8	1.13
III 期	791	87	11.00	0	0.00	5	0.63	213	26.93	2	0.25	14	1.77	6	0.76	11	1.39	81	10.24	42	5.31
IV 期	367	4	1.09	0	0.00	1	0.27	35	9.54	0	0.00	0	0.00	3	0.82	1	0.27	81	22.07	19	5.18
不詳	58	12	20.69	0	0.00	1	1.72	4	6.90	0	0.00	0	0.00	0	0.00	1	1.72	1	1.72	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：針對原發部位進行手術治療且術式編碼為 13、20-29、30-35、38、50-55、59-60、65-66、90。術式編碼詳見 p.590。

3 「肝臟移植」定義：針對原發部位進行手術治療且術式編碼為 61、75。術式編碼詳見 p.590。

4 「局部治療」定義：針對原發部位進行局部治療且術式編碼為 16-19、27-29、34-35、38、54-55、59。術式編碼詳見 p.590。

5 「栓塞」定義：化學治療編碼為 04-07 及術式編碼為 15、18、26、29、33、38、53、59。術式編碼詳見 p.590。

表十一之五 肝癌(C220) 50-69 歲發生人數按整併期別¹及治療方式分類(續)

放療		放療 合併栓塞		放療合併 栓塞與 標靶治療		放療合併 標靶治療		化療		化療合併 標靶治療		免疫治療		免疫治療 合併 標靶治療		緩和治療 ⁶		未有 首次治療 申報紀錄 ⁷		其他治療 ⁸	
申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
81	1.78	34	0.75	61	1.34	102	2.24	44	0.97	42	0.92	20	0.44	31	0.68	190	4.17	40	0.88	327	7.18
9	0.50	5	0.28	0	0.00	0	0.00	2	0.11	0	0.00	0	0.00	0	0.00	9	0.50	5	0.28	49	2.70
6	0.55	7	0.64	0	0.00	0	0.00	4	0.37	1	0.09	0	0.00	0	0.00	17	1.56	8	0.73	63	5.76
43	4.20	20	1.95	34	3.32	51	4.98	18	1.76	22	2.15	10	0.98	12	1.17	80	7.81	14	1.37	134	13.09
19	3.44	2	0.36	27	4.88	51	9.22	16	2.89	17	3.07	10	1.81	18	3.25	76	13.74	12	2.17	70	12.66
4	6.15	0	0.00	0	0.00	0	0.00	4	6.15	2	3.08	0	0.00	1	1.54	8	12.31	1	1.54	11	16.92

表十一之六 肝癌(C220) 70 歲以上發生人數按整併期別¹及治療方式分類(續)

放療		放療合併栓塞		放療合併 栓塞與 標靶治療		放療合併 標靶治療		化療		化療合併 標靶治療		免疫治療		免疫治療 合併 標靶治療		緩和治療 ⁶		未有 首次治療 申報紀錄 ⁷		其他治療 ⁸	
申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
75	2.30	43	1.32	23	0.70	66	2.02	11	0.34	14	0.43	10	0.31	20	0.61	360	11.02	64	1.96	101	3.09
23	1.72	20	1.49	1	0.07	1	0.07	0	0.00	1	0.07	0	0.00	1	0.07	47	3.51	13	0.97	18	1.34
14	1.97	3	0.42	2	0.28	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	24	3.38	8	1.13	19	2.67
22	2.78	16	2.02	10	1.26	26	3.29	6	0.76	8	1.01	4	0.51	10	1.26	162	20.48	24	3.03	42	5.31
13	3.54	4	1.09	10	2.72	38	10.35	3	0.82	4	1.09	5	1.36	9	2.45	106	28.88	12	3.27	19	5.18
3	5.17	0	0.00	0	0.00	1	1.72	2	3.45	1	1.72	1	1.72	0	0.00	21	36.21	7	12.07	3	5.17

6 「緩和治療」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

7 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

8 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

肝癌

表十一之七 肝癌(C220)發生人數按 BCLC 期別及治療方式分類

期別	分析數	手術 ¹		肝臟移植 ²		局部治療 ³		栓塞 ⁴		手術合併局部治療		手術合併栓塞		手術合併標靶治療		局部治療合併栓塞		標靶治療		栓塞合併標靶治療	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	8521	2289	26.86	44	0.52	1523	17.87	1341	15.74	47	0.55	117	1.37	52	0.61	511	6.00	430	5.05	197	2.31
0 期	849	287	33.80	1	0.12	434	51.12	50	5.89	4	0.47	7	0.82	0	0.00	49	5.77	0	0.00	0	0.00
A 期	2865	1197	41.78	15	0.52	909	31.73	280	9.77	20	0.70	23	0.80	3	0.10	296	10.33	1	0.03	6	0.21
B 期	1847	603	32.65	6	0.32	85	4.60	629	34.06	15	0.81	58	3.14	9	0.49	118	6.39	13	0.70	39	2.11
C 期	2044	135	6.60	4	0.20	47	2.30	255	12.48	4	0.20	24	1.17	36	1.76	38	1.86	376	18.40	147	7.19
D 期	657	6	0.91	15	2.28	21	3.20	99	15.07	2	0.30	0	0.00	0	0.00	4	0.61	32	4.87	4	0.61
不詳	259	61	23.55	3	1.16	27	10.42	28	10.81	2	0.77	5	1.93	4	1.54	6	2.32	8	3.09	1	0.39

1 「手術」定義：針對原發部位進行手術治療且術式編碼為 13、20-29、30-35、38、50-55、59-60、65、66、90。術式編碼詳見 p.590。

2 「肝臟移植」定義：針對原發部位進行手術治療且術式編碼為 61、75。術式編碼詳見 p.590。

3 「局部治療」定義：針對原發部位進行局部治療且術式編碼為 16-19、27-29、34-35、38、54-55、59。術式編碼詳見 p.590。

4 「栓塞」定義：化學治療編碼為 04-07 及術式編碼為 15、18、26、29、33、38、53、59。術式編碼詳見 p.590。

表十一之七 肝癌(C220)發生人數按 BCLC 期別及治療方式分類(續)

放療		放療合併 合併栓塞		放療合併 栓塞與 標靶治療		放療合併 標靶治療		化療		化療合併 標靶治療		免疫治療		免疫治療 合併 標靶治療		緩和治療 ⁵		未有 首次治療 申報紀錄 ⁶		其他治療 ⁷	
申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
166	1.95	86	1.01	97	1.14	189	2.22	67	0.79	59	0.69	38	0.45	64	0.75	575	6.75	113	1.33	516	6.06
3	0.35	2	0.24	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	0.12	1	0.12	10	1.18
20	0.70	9	0.31	1	0.03	0	0.00	1	0.03	0	0.00	0	0.00	1	0.03	2	0.07	6	0.21	75	2.62
27	1.46	39	2.11	8	0.43	2	0.11	10	0.54	3	0.16	2	0.11	4	0.22	41	2.22	9	0.49	127	6.88
76	3.72	32	1.57	87	4.26	170	8.32	42	2.05	51	2.50	29	1.42	51	2.50	151	7.39	33	1.61	256	12.52
31	4.72	4	0.61	0	0.00	13	1.98	5	0.76	2	0.30	6	0.91	7	1.07	341	51.90	54	8.22	11	1.67
9	3.47	0	0.00	1	0.39	4	1.54	9	3.47	3	1.16	1	0.39	1	0.39	39	15.06	10	3.86	37	14.29

5 「緩和治療」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

6 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

7 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

肝內膽管癌

表十一之八 肝內膽管癌(C221)發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		化療		化療合併 免疫治療		放療		放療合併 化療		手術合併 化療		手術合併 放療		手術合併 化療與 放療		局部治療		栓塞		緩和 治療 ³		未有 首次治療 申報紀錄 ⁴		其他 治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	1045	262	25.07	278	26.60	19	1.82	45	4.31	66	6.32	53	5.07	6	0.57	27	2.58	20	1.91	14	1.34	174	16.65	30	2.87	51	4.88
I 期	4	4	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	180	126	70.00	4	2.22	0	0.00	4	2.22	2	1.11	7	3.89	3	1.67	3	1.67	16	8.89	4	2.22	6	3.33	2	1.11	3	1.67
III 期	160	84	52.50	17	10.63	1	0.63	6	3.75	1	0.63	15	9.38	2	1.25	5	3.13	3	1.88	5	3.13	10	6.25	2	1.25	9	5.63
IV 期	216	33	15.28	46	21.30	4	1.85	11	5.09	17	7.87	20	9.26	1	0.46	15	6.94	0	0.00	3	1.39	48	22.22	7	3.24	11	5.09
不詳	432	9	2.08	204	47.22	14	3.24	22	5.09	44	10.19	9	2.08	0	0.00	3	0.69	0	0.00	1	0.23	88	20.37	12	2.78	26	6.02

表十一之九 肝內膽管癌(C221) 0-49 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		化療		化療合併 免疫治療		放療		放療合併 化療		手術合併 化療		手術合併 放療		手術合併 化療與 放療		局部治療		栓塞		緩和 治療 ³		未有 首次治療 申報紀錄 ⁴		其他 治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	85	25	29.41	21	24.71	2	2.35	2	2.35	5	5.88	10	11.76	1	1.18	4	4.71	0	0.00	0	0.00	3	3.53	1	1.18	11	12.94
I 期	19	12	63.16	0	0.00	0	0.00	0	0.00	0	0.00	3	15.79	1	5.26	2	10.53	0	0.00	0	0.00	0	0.00	1	5.26	0	0.00
II 期	15	10	66.67	0	0.00	0	0.00	0	0.00	0	0.00	3	20.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	2	13.33
III 期	18	1	5.56	6	33.33	0	0.00	1	5.56	2	11.11	3	16.67	0	0.00	1	5.56	0	0.00	0	0.00	1	5.56	0	0.00	3	16.67
IV 期	32	1	3.13	15	46.88	2	6.25	1	3.13	3	9.38	1	3.13	0	0.00	1	3.13	0	0.00	0	0.00	2	6.25	0	0.00	6	18.75
不詳	1	1	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

肝內膽管癌

表十一之十 肝內膽管癌(C221) 50-69 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		化療		化療合併 免疫治療		放療		放療合併 化療		手術合併 化療		手術合併 放療		手術合併 化療與 放療		局部治療		栓塞		緩和 治療 ³		未有 首次治療 申報紀錄 ⁴		其他 治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	581	164	28.23	174	29.95	15	2.58	18	3.10	43	7.40	36	6.20	3	0.52	15	2.58	10	1.72	6	1.03	54	9.29	9	1.55	34	5.85
I 期	4	4	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	103	83	80.58	2	1.94	0	0.00	3	2.91	0	0.00	4	3.88	0	0.00	0	0.00	7	6.80	1	0.97	0	0.00	0	0.00	3	2.91
III 期	100	55	55.00	11	11.00	0	0.00	3	3.00	1	1.00	10	10.00	2	2.00	3	3.00	2	2.00	2	2.00	3	3.00	1	1.00	7	7.00
IV 期	110	15	13.64	25	22.73	4	3.64	3	2.73	9	8.18	14	12.73	1	0.91	10	9.09	0	0.00	3	2.73	17	15.45	3	2.73	6	5.45
不詳	244	5	2.05	132	54.10	11	4.51	8	3.28	31	12.70	6	2.46	0	0.00	1	0.41	0	0.00	0	0.00	29	11.89	4	1.64	17	6.97

表十一之十一 肝內膽管癌(C221) 70 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		化療		化療合併 免疫治療		放療		放療合併 化療		手術合併 化療		手術合併 放療		手術合併 化療與 放療		局部治療		栓塞		緩和 治療 ³		未有 首次治療 申報紀錄 ⁴		其他 治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	379	73	19.26	83	21.90	2	0.53	25	6.60	18	4.75	7	1.85	2	0.53	8	2.11	10	2.64	8	2.11	117	30.87	20	5.28	6	1.58
I 期	58	31	53.45	2	3.45	0	0.00	1	1.72	2	3.45	0	0.00	2	3.45	1	1.72	9	15.52	3	5.17	6	10.34	1	1.72	0	0.00
II 期	45	19	42.22	6	13.33	1	2.22	3	6.67	0	0.00	2	4.44	0	0.00	2	4.44	1	2.22	3	6.67	7	15.56	1	2.22	0	0.00
III 期	88	17	19.32	15	17.05	0	0.00	7	7.95	6	6.82	3	3.41	0	0.00	4	4.55	0	0.00	0	0.00	30	34.09	4	4.55	2	2.27
IV 期	156	3	1.92	57	36.54	1	0.64	13	8.33	10	6.41	2	1.28	0	0.00	1	0.64	0	0.00	1	0.64	57	36.54	8	5.13	3	1.92
不詳	32	3	9.38	3	9.38	0	0.00	1	3.13	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	3.13	17	53.13	6	18.75	1	3.13

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

LIVER AND INTRAHEPATIC BILE DUCTS

C22.0–C22.1

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS

11 Photodynamic therapy (PDT)

12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

13 Cryosurgery

14 Laser

15 Transcatheter arterial embolization (TAE)

16 Alcohol (Percutaneous Ethanol Injection-PEI) /acetic acid

17 Heat-Radio-frequency ablation (RFA)

18 Any combination of 15,16 or 17

19 Other (ultrasound)

No specimen sent to pathology from surgical events 10–19.

20 Wedge or segmental resection, NOS

21 Wedge resection

22 Segmental resection, NOS

23 One

24 Two

25 Three

26 Segmental resection AND local tumor destruction TAE only

27 Segmental resection AND local tumor destruction PEI /acetic acid only

28 Segmental resection AND local tumor destruction RFA only

29 Any combination of 26, 27 or 28

Specimen sent to pathology from surgical events 20–26.

30 Lobectomy, NOS

31 Right lobectomy

32 Left lobectomy

33 Lobectomy AND local tumor destruction TAE only

34 Lobectomy AND local tumor destruction PEI /acetic acid only

35 Lobectomy AND local tumor destruction RFA only

38 Any combination of 33, 34 or 35

50 Extended lobectomy, NOS (extended: resection of a single lobe plus a segment of another lobe)

51 Extended Right lobectomy

52 Extended Left lobectomy

53 Extended lobectomy AND local tumor destruction TAE only

54 Extended lobectomy AND local tumor destruction PEI /acetic acid only

55 Extended lobectomy AND local tumor destruction RFA only

59 Any combination of 53, 54 or 55

60 Hepatectomy, NOS

61 Total hepatectomy and transplant

65 Excision of a bile duct (for an intra-hepatic bile duct primary only)

66 Excision of a bile duct PLUS partial hepatectomy

75 Bile duct and hepatectomy WITH transplant

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

肺癌

表十二之一 小細胞肺癌以外之肺癌¹發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	14352	100.00	7073	100.00	7279	100.00	9461	100.00	4891	100.00
年齡										
00-04 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
05-09 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
10-14 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
15-19 歲	2	0.01	2	0.03	0	0.00	2	0.02	0	0.00
20-24 歲	6	0.04	2	0.03	4	0.05	6	0.06	0	0.00
25-29 歲	30	0.21	15	0.21	15	0.21	24	0.25	6	0.12
30-34 歲	69	0.48	25	0.35	44	0.60	53	0.56	16	0.33
35-39 歲	228	1.59	85	1.20	143	1.96	167	1.77	61	1.25
40-44 歲	459	3.20	172	2.43	287	3.94	332	3.51	127	2.60
45-49 歲	726	5.06	285	4.03	441	6.06	531	5.61	195	3.99
50-54 歲	1266	8.82	535	7.56	731	10.04	904	9.56	362	7.40
55-59 歲	1866	13.00	869	12.29	997	13.70	1339	14.15	527	10.77
60-64 歲	2262	15.76	1099	15.54	1163	15.98	1571	16.61	691	14.13
65-69 歲	2500	17.42	1333	18.85	1167	16.03	1646	17.40	854	17.46
70-74 歲	1637	11.41	877	12.40	760	10.44	1058	11.18	579	11.84
75-79 歲	1542	10.74	832	11.76	710	9.75	937	9.90	605	12.37
80-84 歲	1008	7.02	532	7.52	476	6.54	541	5.72	467	9.55
85 歲以上	751	5.23	410	5.80	341	4.68	350	3.70	401	8.20
臨床期別										
0 期	210	1.46	68	0.96	142	1.95	189	2.00	21	0.43
I 期	4667	32.52	1775	25.10	2892	39.73	3676	38.85	991	20.26
II 期	572	3.99	309	4.37	263	3.61	400	4.23	172	3.52
III 期	1527	10.64	1091	15.42	436	5.99	902	9.53	625	12.78
IV 期	6367	44.36	3454	48.83	2913	40.02	3711	39.22	2656	54.30
不詳	1009	7.03	376	5.32	633	8.70	583	6.16	426	8.71
病理期別										
0 期	746	5.20	212	3.00	534	7.34	622	6.57	124	2.54
I 期	4717	32.87	1803	25.49	2914	40.03	3629	38.36	1088	22.24
II 期	538	3.75	287	4.06	251	3.45	387	4.09	151	3.09
III 期	529	3.69	291	4.11	238	3.27	368	3.89	161	3.29
IV 期	2638	18.38	1328	18.78	1310	18.00	1704	18.01	934	19.10
不詳	5184	36.12	3152	44.56	2032	27.92	2751	29.08	2433	49.74
整併期別 ²										
0 期	746	5.20	212	3.00	534	7.34	622	6.57	124	2.54
I 期	4801	33.45	1838	25.99	2963	40.71	3662	38.71	1139	23.29
II 期	628	4.38	350	4.95	278	3.82	432	4.57	196	4.01
III 期	1581	11.02	1078	15.24	503	6.91	946	10.00	635	12.98
IV 期	6462	45.03	3500	49.48	2962	40.69	3757	39.71	2705	55.31
不詳	134	0.93	95	1.34	39	0.54	42	0.44	92	1.88

表十二之一 小細胞肺癌以外之肺癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	14352	100.00	7073	100.00	7279	100.00	9461	100.00	4891	100.00
臨床與病理期別一致性 Kappa ³	0.7505									
治療方式 ^{4,5,6}										
手術	5123	35.70	1884	26.64	3239	44.50	3987	42.14	1136	23.23
手術合併化療，有/無標靶治療	1234	8.60	619	8.75	615	8.45	876	9.26	358	7.32
手術合併化療與放療，有/無標靶治療	290	2.02	181	2.56	109	1.50	168	1.78	122	2.49
手術合併標靶治療	236	1.64	76	1.07	160	2.20	162	1.71	74	1.51
手術合併放療與標靶治療	40	0.28	21	0.30	19	0.26	23	0.24	17	0.35
化療	1023	7.13	758	10.72	265	3.64	568	6.00	455	9.30
化療合併標靶治療	346	2.41	186	2.63	160	2.20	168	1.78	178	3.64
標靶治療	2302	16.04	874	12.36	1428	19.62	1413	14.93	889	18.18
放療	442	3.08	320	4.52	122	1.68	246	2.60	196	4.01
非同步放療與標靶治療	746	5.20	316	4.47	430	5.91	469	4.96	277	5.66
非同步放療與化療	515	3.59	389	5.50	126	1.73	269	2.84	246	5.03
非同步放療、化療與標靶治療	162	1.13	92	1.30	70	0.96	86	0.91	76	1.55
非同步放療與化療合併免疫治療，有/ 無標靶治療	104	0.72	84	1.19	20	0.27	71	0.75	33	0.67
同步放療與化療	493	3.44	405	5.73	88	1.21	279	2.95	214	4.38
同步放療與化療與標靶治療	62	0.43	38	0.54	24	0.33	26	0.27	36	0.74
同步放療與化療合併免疫治療，有/無 標靶治療	66	0.46	52	0.74	14	0.19	48	0.51	18	0.37
免疫治療	78	0.54	56	0.79	22	0.30	56	0.59	22	0.45
免疫治療合併化療，有/無標靶治療	207	1.44	133	1.88	74	1.02	149	1.57	58	1.19
緩和治療	555	3.87	370	5.23	185	2.54	205	2.17	350	7.16
未有首次治療申報紀錄	80	0.56	50	0.71	30	0.41	22	0.23	58	1.19
其他治療	248	1.73	169	2.39	79	1.09	170	1.80	78	1.59
組織型態										
原位癌										
腺癌	746	99.87	212	100.00	534	99.81	622	100.00	124	99.20
其他特定上皮癌	1	0.13	0	0.00	1	0.19	0	0.00	1	0.80
侵襲癌										
鱗狀細胞癌	1638	12.04	1410	20.55	228	3.38	892	10.09	746	15.65
腺癌	10870	79.90	4731	68.95	6139	91.03	7331	82.94	3539	74.26
腺性鱗狀癌	186	1.37	111	1.62	75	1.11	115	1.30	71	1.49
大細胞癌	165	1.21	110	1.60	55	0.82	102	1.15	63	1.32
肉瘤樣癌	108	0.79	76	1.11	32	0.47	72	0.81	36	0.76
類癌腫瘤	79	0.58	32	0.47	47	0.70	53	0.60	26	0.55
唾液腺樣癌	20	0.15	13	0.19	7	0.10	9	0.10	11	0.23
其他特定上皮癌	13	0.10	7	0.10	6	0.09	6	0.07	7	0.15
非特定上皮癌	372	2.73	284	4.14	88	1.30	210	2.38	162	3.40
惡性肉瘤	18	0.13	15	0.22	3	0.04	13	0.15	5	0.10
其他惡性腫瘤	136	1.00	72	1.05	64	0.95	36	0.41	100	2.10

註 1：小細胞肺癌以外之肺癌，含非小細胞癌、惡性肉瘤等。

註 2：整併期別*請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 3：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 4：參考後續治療方式相關表格之附註(p.596-599)。

註 5：治療方式為 "OOO 合併 XX 治療，有/無□□治療"，表示包含「OOO 合併 XX 治療」與「OOO 合併 XX 治療與□□治療」之兩種方式合併呈現。

註 6：治療性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

肺癌

表十二之二 小細胞肺癌發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	933	100.00	829	100.00	104	100.00	498	100.00	435	100.00
年齡										
00-04 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
05-09 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
10-14 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
15-19 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
20-24 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
25-29 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
30-34 歲	1	0.11	1	0.12	0	0.00	1	0.20	0	0.00
35-39 歲	5	0.54	3	0.36	2	1.92	5	1.00	0	0.00
40-44 歲	13	1.39	12	1.45	1	0.96	4	0.80	9	2.07
45-49 歲	21	2.25	16	1.93	5	4.81	9	1.81	12	2.76
50-54 歲	57	6.11	49	5.91	8	7.69	33	6.63	24	5.52
55-59 歲	112	12.00	98	11.82	14	13.46	68	13.65	44	10.11
60-64 歲	166	17.79	149	17.97	17	16.35	80	16.06	86	19.77
65-69 歲	187	20.04	163	19.66	24	23.08	106	21.29	81	18.62
70-74 歲	127	13.61	116	13.99	11	10.58	72	14.46	55	12.64
75-79 歲	113	12.11	103	12.42	10	9.62	60	12.05	53	12.18
80-84 歲	78	8.36	70	8.44	8	7.69	31	6.22	47	10.80
85 歲以上	53	5.68	49	5.91	4	3.85	29	5.82	24	5.52
臨床期別										
0 期	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	28	3.00	20	2.41	8	7.69	19	3.82	9	2.07
II 期	17	1.82	15	1.81	2	1.92	9	1.81	8	1.84
III 期	209	22.40	185	22.32	24	23.08	107	21.49	102	23.45
IV 期	675	72.35	605	72.98	70	67.31	361	72.49	314	72.18
不詳	4	0.43	4	0.48	0	0.00	2	0.40	2	0.46
病理期別										
0 期	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	20	2.14	15	1.81	5	4.81	12	2.41	8	1.84
II 期	6	0.64	5	0.60	1	0.96	4	0.80	2	0.46
III 期	12	1.29	10	1.21	2	1.92	6	1.20	6	1.38
IV 期	209	22.40	185	22.32	24	23.08	127	25.50	82	18.85
不詳	686	73.53	614	74.07	72	69.23	349	70.08	337	77.47
整併期別 ¹										
0 期	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	25	2.68	20	2.41	5	4.81	14	2.81	11	2.53
II 期	14	1.50	13	1.57	1	0.96	8	1.61	6	1.38
III 期	213	22.83	187	22.56	26	25.00	111	22.29	102	23.45
IV 期	677	72.56	605	72.98	72	69.23	363	72.89	314	72.18
不詳	4	0.43	4	0.48	0	0.00	2	0.40	2	0.46

表十二之二 小細胞肺癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	933	100.00	829	100.00	104	100.00	498	100.00	435	100.00
臨床與病理期別一致性										
Kappa ²	-									
肺小細胞癌分期系統										
局限期	141	15.11	131	15.80	10	9.62	85	17.07	56	12.87
廣泛期	419	44.91	377	45.48	42	40.38	232	46.59	187	42.99
不詳	373	39.98	321	38.72	52	50.00	181	36.35	192	44.14
治療方式 ^{3,4}										
手術	13	1.39	8	0.97	5	4.81	7	1.41	6	1.38
手術合併化療	22	2.36	18	2.17	4	3.85	16	3.21	6	1.38
手術合併化療與放療	13	1.39	13	1.57	0	0.00	4	0.80	9	2.07
化療	280	30.01	253	30.52	27	25.96	165	33.13	115	26.44
放療	48	5.14	44	5.31	4	3.85	24	4.82	24	5.52
同步化療與放療	162	17.36	150	18.09	12	11.54	82	16.47	80	18.39
非同步化療與放療	222	23.79	190	22.92	32	30.77	108	21.69	114	26.21
免疫治療合併化療	23	2.47	21	2.53	2	1.92	13	2.61	10	2.30
免疫治療合併化療與放療	41	4.39	34	4.10	7	6.73	29	5.82	12	2.76
緩和治療	80	8.57	75	9.05	5	4.81	37	7.43	43	9.89
未有首次治療申報紀錄	7	0.75	7	0.84	0	0.00	3	0.60	4	0.92
其他治療	22	2.36	16	1.93	6	5.77	10	2.01	12	2.76
組織型態										
侵襲癌										
小細胞癌	933	100.00	829	100.00	104	100.00	498	100.00	435	100.00

註 1：整併期別* -請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 2：肺小細胞癌個案因接受手術治療少，病理期別不詳者居多，故未進行臨床病理期別一致性分析。

註 3：參考後續治療方式相關表格之附註(p.600)。

註 4：治癒性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

肺癌

表十二之三 小細胞肺癌以外之肺癌發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療，有/無標靶治療		手術合併化療與放療 ³ ，有/無標靶治療		手術合併標靶治療		手術合併放療與標靶治療		化療		化療合併標靶治療		標靶治療		放療		非同步放療與標靶治療	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	14352	5123	35.70	1234	8.60	290	2.02	236	1.64	40	0.28	1023	7.13	346	2.41	2302	16.04	442	3.08	746	5.20
0 期	746	744	99.73	0	0.00	0	0.00	1	0.13	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	4801	4138	86.19	497	10.35	9	0.19	14	0.29	0	0.00	8	0.17	0	0.00	5	0.10	89	1.85	3	0.06
II 期	628	104	16.56	378	60.19	27	4.30	11	1.75	1	0.16	8	1.27	1	0.16	3	0.48	43	6.85	1	0.16
IIIA 期	681	61	8.96	203	29.81	151	22.17	18	2.64	1	0.15	32	4.70	6	0.88	7	1.03	34	4.99	0	0.00
IIIB 期	598	13	2.17	60	10.03	52	8.70	16	2.68	3	0.50	74	12.37	9	1.51	66	11.04	32	5.35	5	0.84
IIIC 期	302	0	0.00	4	1.32	6	1.99	4	1.32	2	0.66	46	15.23	6	1.99	34	11.26	25	8.28	4	1.32
IV 期	6462	35	0.54	81	1.25	45	0.70	171	2.65	33	0.51	833	12.89	319	4.94	2180	33.74	212	3.28	731	11.31
不詳	134	28	20.90	11	8.21	0	0.00	1	0.75	0	0.00	22	16.42	5	3.73	7	5.22	7	5.22	2	1.49

表十二之四 小細胞肺癌以外之肺癌 0-49 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療，有/無標靶治療		手術合併化療與放療 ³ ，有/無標靶治療		手術合併標靶治療		手術合併放療與標靶治療		化療		化療合併標靶治療		標靶治療		放療		非同步放療與標靶治療	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	1520	824	54.21	118	7.76	33	2.17	25	1.64	11	0.72	53	3.49	27	1.78	156	10.26	6	0.39	70	4.61
0 期	227	227	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	621	575	92.59	46	7.41	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	49	5	10.20	34	69.39	4	8.16	1	2.04	1	2.04	0	0.00	0	0.00	0	0.00	1	2.04	0	0.00
IIIA 期	56	1	1.79	21	37.50	16	28.57	2	3.57	0	0.00	1	1.79	1	1.79	0	0.00	0	0.00	0	0.00
IIIB 期	41	0	0.00	4	9.76	7	17.07	2	4.88	1	2.44	4	9.76	0	0.00	6	14.63	0	0.00	0	0.00
IIIC 期	20	0	0.00	1	5.00	2	10.00	1	5.00	1	5.00	3	15.00	0	0.00	2	10.00	0	0.00	1	5.00
IV 期	487	5	1.03	10	2.05	4	0.82	19	3.90	8	1.64	45	9.24	24	4.93	148	30.39	5	1.03	69	14.17
不詳	19	11	57.89	2	10.53	0	0.00	0	0.00	0	0.00	0	0.00	2	10.53	0	0.00	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「放療」定義：放射治療包含照射原發部位及非原發部位。

表十二之三 小細胞肺癌以外之肺癌發生人數按整併期別¹及治療方式分類(續)

表十二：不同治療組合之肺癌發生人數及合併用藥及治療方式分類(續)																					
非同步放療與化療		非同步放療、化療與標靶治療		非同步放療與化療合併免疫治療，有/無標靶治療		同步放療與化療		同步放療與化療與標靶治療		同步放療與化療合併免疫治療，有/無標靶治療		免疫治療		免疫治療合併化療，有/無標靶治療		緩和治療 ⁴		未有首次治療申報紀錄 ⁵		其他治療 ⁶	
申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
515	3.59	162	1.13	104	0.72	493	3.44	62	0.43	66	0.46	78	0.54	207	1.44	555	3.87	80	0.56	248	1.73
0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	0.13
3	0.06	0	0.00	0	0.00	2	0.04	0	0.00	0	0.00	0	0.00	1	0.02	13	0.27	7	0.15	12	0.25
9	1.43	0	0.00	0	0.00	15	2.39	0	0.00	0	0.00	1	0.16	0	0.00	4	0.64	4	0.64	18	2.87
19	2.79	2	0.29	0	0.00	74	10.87	1	0.15	9	1.32	0	0.00	4	0.59	18	2.64	5	0.73	36	5.29
34	5.69	1	0.17	1	0.17	148	24.75	10	1.67	26	4.35	1	0.17	7	1.17	12	2.01	3	0.50	25	4.18
18	5.96	1	0.33	2	0.66	95	31.46	8	2.65	12	3.97	5	1.66	2	0.66	15	4.97	1	0.33	12	3.97
426	6.59	157	2.43	100	1.55	149	2.31	42	0.65	17	0.26	70	1.08	192	2.97	469	7.26	56	0.87	144	2.23
6	4.48	1	0.75	1	0.75	10	7.46	1	0.75	2	1.49	1	0.75	1	0.75	24	17.91	4	2.99	0	0.00

表十二之四 小細胞肺癌以外之肺癌 0-49 歲發生人數按整併期別¹及治療方式分類(續)

非同步 放療與 化療	非同步 放療、 化療與 標靶治療	非同步 放療與 化療合併 免疫治療 ，有/無 標靶治療	同步 放療與 化療	同步 放療與 化療與 標靶治療	同步 放療與 化療合併 免疫治療 ，有/無 標靶治療	免疫治療	免疫治療 合併化療 ，有/無 標靶治療	緩和治療 ⁴	未有 首次治療 申報紀錄 ⁵	其他治療 ⁶
申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %
47 3.09	23 1.51	13 0.86	29 1.91	5 0.33	6 0.39	6 0.39	30 1.97	7 0.46	2 0.13	29 1.91
0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00
0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00
1 2.04	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	2 4.08
1 1.79	0 0.00	0 0.00	3 5.36	0 0.00	1 1.79	0 0.00	0 0.00	0 0.00	0 0.00	9 16.07
1 2.44	0 0.00	0 0.00	10 24.39	0 0.00	2 4.88	0 0.00	1 2.44	0 0.00	0 0.00	3 7.32
2 10.00	0 0.00	0 0.00	4 20.00	1 5.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	2 10.00
41 8.42	23 4.72	13 2.67	11 2.26	4 0.82	3 0.62	5 1.03	29 5.95	7 1.44	1 0.21	13 2.67
1 5.26	0 0.00	0 0.00	1 5.26	0 0.00	0 0.00	1 5.26	0 0.00	0 0.00	1 5.26	0 0.00

4 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

5 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

6 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

肺癌

表十二之五 小細胞肺癌以外之肺癌 50-69 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療，有/無標靶治療		手術合併化療與放療 ³ ，有/無標靶治療		手術合併標靶治療		手術合併放療與標靶治療		化療		化療合併標靶治療		標靶治療		放療		非同步放療與標靶治療	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	7894	3203	40.58	782	9.91	205	2.60	154	1.95	22	0.28	493	6.25	179	2.27	1040	13.17	126	1.60	424	5.37
0 期	465	463	99.57	0	0.00	0	0.00	1	0.22	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	2981	2634	88.36	303	10.16	9	0.30	7	0.23	0	0.00	2	0.07	0	0.00	0	0.00	15	0.50	0	0.00
II 期	337	39	11.57	250	74.18	16	4.75	5	1.48	0	0.00	2	0.59	0	0.00	1	0.30	3	0.89	0	0.00
IIIA 期	374	22	5.88	130	34.76	104	27.81	12	3.21	1	0.27	17	4.55	2	0.53	1	0.27	4	1.07	0	0.00
IIIB 期	308	9	2.92	44	14.29	38	12.34	11	3.57	2	0.65	21	6.82	4	1.30	16	5.19	5	1.62	2	0.65
IIIC 期	158	0	0.00	2	1.27	3	1.90	3	1.90	1	0.63	18	11.39	3	1.90	14	8.86	10	6.33	0	0.00
IV 期	3216	22	0.68	48	1.49	35	1.09	115	3.58	18	0.56	424	13.18	168	5.22	1005	31.25	87	2.71	421	13.09
不詳	55	14	25.45	5	9.09	0	0.00	0	0.00	0	0.00	9	16.36	2	3.64	3	5.45	2	3.64	1	1.82

表十二之六 小細胞肺癌以外之肺癌 70 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療，有/無標靶治療		手術合併化療與放療 ³ ，有/無標靶治療		手術合併標靶治療		手術合併放療與標靶治療		化療		化療合併標靶治療		標靶治療		放療		非同步放療與標靶治療	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	4938	1096	22.20	334	6.76	52	1.05	57	1.15	7	0.14	477	9.66	140	2.84	1106	22.40	310	6.28	252	5.10
0 期	54	54	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	1199	929	77.48	148	12.34	0	0.00	7	0.58	0	0.00	6	0.50	0	0.00	5	0.42	74	6.17	3	0.25
II 期	242	60	24.79	94	38.84	7	2.89	5	2.07	0	0.00	6	2.48	1	0.41	2	0.83	39	16.12	1	0.41
IIIA 期	251	38	15.14	52	20.72	31	12.35	4	1.59	0	0.00	14	5.58	3	1.20	6	2.39	30	11.95	0	0.00
IIIB 期	249	4	1.61	12	4.82	7	2.81	3	1.20	0	0.00	49	19.68	5	2.01	44	17.67	27	10.84	3	1.20
IIIC 期	124	0	0.00	1	0.81	1	0.81	0	0.00	0	0.00	25	20.16	3	2.42	18	14.52	15	12.10	3	2.42
IV 期	2759	8	0.29	23	0.83	6	0.22	37	1.34	7	0.25	364	13.19	127	4.60	1027	37.22	120	4.35	241	8.74
不詳	60	3	5.00	4	6.67	0	0.00	1	1.67	0	0.00	13	21.67	1	1.67	4	6.67	5	8.33	1	1.67

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「放療」定義：放射治療包含照射原發部位及非原發部位。

表十二之五 小細胞肺癌以外之肺癌 50-69 歲發生人數按整併期別¹及治療方式分類(續)

非同步 放療與 化療		非同步 放療、 化療與 標靶治療		非同步 放療與 化療合併 免疫治療 ，有/無 標靶治療		同步 放療與 化療		同步 放療與 化療與 標靶治療		同步 放療與 化療合併 免疫治療 ，有/無 標靶治療		免疫治療		免疫治療 合併化療 ，有/無 標靶治療		緩和治療 ⁴		未有 首次治療 申報紀錄 ⁵		其他治療 ⁶	
申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
309	3.91	104	1.32	70	0.89	313	3.97	40	0.51	46	0.58	28	0.35	110	1.39	102	1.29	7	0.09	137	1.74
0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	0.22
2	0.07	0	0.00	0	0.00	1	0.03	0	0.00	0	0.00	0	0.00	0	0.00	2	0.07	0	0.00	6	0.20
3	0.89	0	0.00	0	0.00	5	1.48	0	0.00	0	0.00	1	0.30	0	0.00	0	0.00	0	0.00	12	3.56
10	2.67	0	0.00	0	0.00	39	10.43	1	0.27	6	1.60	0	0.00	2	0.53	3	0.80	0	0.00	20	5.35
12	3.90	0	0.00	1	0.32	99	32.14	5	1.62	20	6.49	0	0.00	2	0.65	1	0.32	0	0.00	16	5.19
6	3.80	1	0.63	1	0.63	66	41.77	6	3.80	11	6.96	1	0.63	1	0.63	5	3.16	1	0.63	5	3.16
271	8.43	103	3.20	68	2.11	97	3.02	27	0.84	9	0.28	26	0.81	104	3.23	86	2.67	5	0.16	77	2.39
5	9.09	0	0.00	0	0.00	6	10.91	1	1.82	0	0.00	0	0.00	1	1.82	5	9.09	1	1.82	0	0.00

表十二之六 小細胞肺癌以外之肺癌 70 歲以上發生人數按整併期別¹及治療方式分類(續)

非同步 放療與 化療	非同步 放療、 化療與 標靶治療	非同步 放療與 化療合併 免疫治療 ，有/無 標靶治療	同步 放療與 化療	同步 放療與 化療與 標靶治療	同步 放療與 化療合併 免疫治療 ，有/無 標靶治療	免疫治療	免疫治療 合併化療 ，有/無 標靶治療	緩和治療 ⁴	未有 首次治療 申報紀錄 ⁵	其他治療 ⁶											
申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%								
159	3.22	35	0.71	21	0.43	151	3.06	17	0.34	14	0.28	44	0.89	67	1.36	446	9.03	71	1.44	82	1.66
0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	0.08	0	0.00	0	0.00	1	0.08	0	0.00	0	0.00	0	0.00	1	0.08	11	0.92	7	0.58	6	0.50
5	2.07	0	0.00	0	0.00	10	4.13	0	0.00	0	0.00	0	0.00	0	0.00	4	1.65	4	1.65	4	1.65
8	3.19	2	0.80	0	0.00	32	12.75	0	0.00	2	0.80	0	0.00	2	0.80	15	5.98	5	1.99	7	2.79
21	8.43	1	0.40	0	0.00	39	15.66	5	2.01	4	1.61	1	0.40	4	1.61	11	4.42	3	1.20	6	2.41
10	8.06	0	0.00	1	0.81	25	20.16	1	0.81	1	0.81	4	3.23	1	0.81	10	8.06	0	0.00	5	4.03
114	4.13	31	1.12	19	0.69	41	1.49	11	0.40	5	0.18	39	1.41	59	2.14	376	13.63	50	1.81	54	1.96
0	0.00	1	1.67	1	1.67	3	5.00	0	0.00	2	3.33	0	0.00	0	0.00	19	31.67	2	3.33	0	0.00

4「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

5「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

6「其他治療」定義：個案於首次療程中接受其他治療組合方式。

肺癌

表十二之七 小細胞肺癌發生人數按肺小細胞癌的分期系統及治療方式分類

期別	分析數	手術 ¹		手術合併化療		手術合併化療與放療		化療		放療		同步化療與放療		非同步化療與放療		免疫治療合併化療		免疫治療合併化療與放療		緩和治療 ²		未有首次治療申報紀錄 ³		其他治療 ⁴	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	933	13	1.39	22	2.36	13	1.39	280	30.01	48	5.14	162	17.36	222	23.79	23	2.47	41	4.39	80	8.57	7	0.75	22	2.36
局限期	141	7	4.96	9	6.38	4	2.84	25	17.73	6	4.26	61	43.26	15	10.64	0	0.00	10	7.09	4	2.84	0	0.00	0	0.00
廣泛期	419	1	0.24	2	0.48	1	0.24	149	35.56	21	5.01	47	11.22	122	29.12	10	2.39	19	4.53	41	9.79	2	0.48	4	0.95
不詳	373	5	1.34	11	2.95	8	2.14	106	28.42	21	5.63	54	14.48	85	22.79	13	3.49	12	3.22	35	9.38	5	1.34	18	4.83

表十二之八 小細胞肺癌發生人數按整併期別⁵及治療方式分類

期別	分析數	手術 ¹		手術合併化療		手術合併化療與放療		化療		放療		同步化療與放療		非同步化療與放療		免疫治療合併化療		免疫治療合併化療與放療		緩和治療 ²		未有首次治療申報紀錄 ³		其他治療 ⁴	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	933	13	1.39	22	2.36	13	1.39	280	30.01	48	5.14	162	17.36	222	23.79	23	2.47	41	4.39	80	8.57	7	0.75	22	2.36
I 期	25	7	28.00	12	48.00	1	4.00	0	0.00	2	8.00	2	8.00	0	0.00	0	0.00	0	0.00	0	0.00	1	4.00	0	0.00
II 期	14	2	14.29	2	14.29	2	14.29	1	7.14	1	7.14	5	35.71	0	0.00	0	0.00	1	7.14	0	0.00	0	0.00	0	0.00
III 期	213	2	0.94	4	1.88	7	3.29	38	17.84	12	5.63	89	41.78	33	15.49	0	0.00	13	6.10	12	5.63	1	0.47	2	0.94
IV 期	677	2	0.30	4	0.59	3	0.44	240	35.45	33	4.87	64	9.45	189	27.92	23	3.40	27	3.99	67	9.90	5	0.74	20	2.95
不詳	4	0	0.00	0	0.00	0	0.00	1	25.00	0	0.00	2	50.00	0	0.00	0	0.00	0	0.00	1	25.00	0	0.00	0	0.00

1 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

2 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

3 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

4 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

5 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

Lung

C340–C349

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

Codes

00 None; no surgery of primary site; autopsy ONLY

19 Local tumor destruction or excision, NOS

Unknown whether a specimen was sent to pathology for surgical events coded 19 (used principally for cases diagnosed prior to January 1, 2003)

15 Local tumor destruction, NOS

12 Laser ablation or cryosurgery

13 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

No specimen sent to pathology from surgical events 12-13 and 15

[SEER Note: Assign code 15 for radiofrequency ablation (RFA).]

20 Excision or resection of less than one lobe, NOS

23 Excision, NOS

24 Laser excision

25 Bronchial sleeve resection ONLY

21 Wedge resection

22 Segmental resection, including lingulectomy

Specimen sent to pathology from surgical events 20–25

30 Resection of [at least one] lobe or bilobectomy, but less than the whole lung (partial pneumonectomy, NOS)

33 Lobectomy WITH mediastinal lymph node dissection

The lymph node dissection should also be coded under *Scope of Regional Lymph Node Surgery*

[SEER Note: Assign code 30 when lymph node dissection is not performed, but lymph nodes are obtained as part of the lobectomy specimen.]

45 Lobe or bilobectomy extended, NOS

46 WITH chest wall

47 WITH pericardium

48 WITH diaphragm

55 Pneumonectomy, NOS

[SEER Note: Code 55 includes the following procedures: complete pneumonectomy, sleeve pneumonectomy, standard pneumonectomy, total pneumonectomy, resection of whole lung]

56 WITH mediastinal lymph node dissection (radical pneumonectomy)

The lymph node dissection should also be coded under *Scope of Regional Lymph Node Surgery*

65 Extended pneumonectomy

66 Extended pneumonectomy plus pleura or diaphragm

70 Extended radical pneumonectomy

The lymph node dissection should also be coded under *Scope of Regional Lymph Node Surgery*

[SEER Note: An extended radical pneumonectomy is a radical pneumonectomy (including removal of mediastinal nodes) and the removal of other tissues or nodes]

80 Resection of lung, NOS

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

乳癌

表十三之一 乳癌發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	17036	100.00	51	100.00	16985	100.00	9000	100.00	8036	100.00
年齡										
00-04 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
05-09 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
10-14 歲	1	0.01	0	0.00	1	0.01	0	0.00	1	0.01
15-19 歲	2	0.01	0	0.00	2	0.01	1	0.01	1	0.01
20-24 歲	17	0.10	0	0.00	17	0.10	12	0.13	5	0.06
25-29 歲	94	0.55	1	1.96	93	0.55	59	0.66	35	0.44
30-34 歲	307	1.80	3	5.88	304	1.79	176	1.96	131	1.63
35-39 歲	839	4.92	2	3.92	837	4.93	464	5.16	375	4.67
40-44 歲	1676	9.84	2	3.92	1674	9.86	903	10.03	773	9.62
45-49 歲	2633	15.46	1	1.96	2632	15.50	1430	15.89	1203	14.97
50-54 歲	2385	14.00	1	1.96	2384	14.04	1296	14.40	1089	13.55
55-59 歲	2416	14.18	7	13.73	2409	14.18	1252	13.91	1164	14.48
60-64 歲	2431	14.27	8	15.69	2423	14.27	1252	13.91	1179	14.67
65-69 歲	1895	11.12	7	13.73	1888	11.12	990	11.00	905	11.26
70-74 歲	901	5.29	7	13.73	894	5.26	465	5.17	436	5.43
75-79 歲	731	4.29	4	7.84	727	4.28	365	4.06	366	4.55
80-84 歲	468	2.75	2	3.92	466	2.74	227	2.52	241	3.00
85 歲以上	240	1.41	6	11.76	234	1.38	108	1.20	132	1.64
臨床期別										
0 期	2679	15.73	1	1.96	2678	15.77	1505	16.72	1174	14.61
I 期	4755	27.91	12	23.53	4743	27.92	2460	27.33	2295	28.56
II 期	5590	32.81	21	41.18	5569	32.79	3081	34.23	2509	31.22
III 期	1322	7.76	3	5.88	1319	7.77	611	6.79	711	8.85
IV 期	1204	7.07	5	9.80	1199	7.06	674	7.49	530	6.60
不詳	1486	8.72	9	17.65	1477	8.70	669	7.43	817	10.17
病理期別										
0 期	2858	16.78	3	5.88	2855	16.81	1526	16.96	1332	16.58
I 期	5824	34.19	15	29.41	5809	34.20	3136	34.84	2688	33.45
II 期	4594	26.97	20	39.22	4574	26.93	2357	26.19	2237	27.84
III 期	1459	8.56	5	9.80	1454	8.56	724	8.04	735	9.15
IV 期	573	3.36	3	5.88	570	3.36	333	3.70	240	2.99
不詳	1728	10.14	5	9.80	1723	10.14	924	10.27	804	10.00
整併期別 ¹										
0 期	2717	15.95	3	5.88	2714	15.98	1447	16.08	1270	15.80
I 期	5395	31.67	15	29.41	5380	31.68	2888	32.09	2507	31.20
II 期	5524	32.43	21	41.18	5503	32.40	2934	32.60	2590	32.23
III 期	2014	11.82	5	9.80	2009	11.83	974	10.82	1040	12.94
IV 期	1244	7.30	6	11.76	1238	7.29	701	7.79	543	6.76
不詳	142	0.83	1	1.96	141	0.83	56	0.62	86	1.07
臨床與病理期別一致性										
Kappa ²	0.5584									

表十三之一 乳癌發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	17036	100.00	51	100.00	16985	100.00	9000	100.00	8036	100.00
治療方式 ^{3,4}										
乳房保留術合併內分泌治療	543	3.19	2	3.92	541	3.19	291	3.23	252	3.14
乳房保留術合併化療與內分泌治療	101	0.59	0	0.00	101	0.59	55	0.61	46	0.57
乳房保留術合併化療與標靶治療，有/無內分泌治療	118	0.69	0	0.00	118	0.69	69	0.77	49	0.61
乳房保留術合併放療與內分泌治療	3948	23.17	2	3.92	3946	23.23	2035	22.61	1913	23.81
乳房保留術合併化療、放療與內分泌治療	1723	10.11	1	1.96	1722	10.14	869	9.66	854	10.63
乳房保留術合併化療、放療、內分泌治療與標靶治療	591	3.47	0	0.00	591	3.48	334	3.71	257	3.20
乳房保留術	289	1.70	1	1.96	288	1.70	124	1.38	165	2.05
乳房保留術合併化療	85	0.50	0	0.00	85	0.50	40	0.44	45	0.56
乳房保留術合併放療	483	2.84	0	0.00	483	2.84	227	2.52	256	3.19
乳房保留術合併化療與放療	618	3.63	0	0.00	618	3.64	299	3.32	319	3.97
乳房保留術合併化療、放療與標靶治療	381	2.24	0	0.00	381	2.24	207	2.30	174	2.17
乳房切除術合併內分泌治療	2076	12.19	18	35.29	2058	12.12	1218	13.53	858	10.68
乳房切除術合併化療與內分泌治療	894	5.25	9	17.65	885	5.21	496	5.51	398	4.95
乳房切除術合併化療、內分泌治療與標靶治療	350	2.05	0	0.00	350	2.06	227	2.52	123	1.53
乳房切除術合併放療與內分泌治療	177	1.04	4	7.84	173	1.02	75	0.83	102	1.27
乳房切除術合併化療、放療與內分泌治療	950	5.58	5	9.80	945	5.56	475	5.28	475	5.91
乳房切除術合併化療、放療、內分泌治療與標靶治療	297	1.74	1	1.96	296	1.74	131	1.46	166	2.07
乳房切除術	682	4.00	0	0.00	682	4.02	363	4.03	319	3.97
乳房切除術合併化療	419	2.46	0	0.00	419	2.47	219	2.43	200	2.49
乳房切除術合併化療與標靶治療	363	2.13	3	5.88	360	2.12	230	2.56	133	1.66
乳房切除術合併化療與放療	256	1.50	0	0.00	256	1.51	119	1.32	137	1.70
乳房切除術合併化療、放療與標靶治療	223	1.31	0	0.00	223	1.31	91	1.01	132	1.64
化療	134	0.79	1	1.96	133	0.78	64	0.71	70	0.87
化療合併內分泌治療	124	0.73	0	0.00	124	0.73	68	0.76	56	0.70
化療合併標靶治療	263	1.54	1	1.96	262	1.54	160	1.78	103	1.28
內分泌治療	286	1.68	0	0.00	286	1.68	136	1.51	150	1.87
標靶治療合併內分泌治療	123	0.72	0	0.00	123	0.72	78	0.87	45	0.56
放療合併內分泌治療	43	0.25	1	1.96	42	0.25	17	0.19	26	0.32
放療合併化療與內分泌治療	39	0.23	0	0.00	39	0.23	21	0.23	18	0.22
緩和治療	33	0.19	1	1.96	32	0.19	9	0.10	24	0.30
未有首次治療申報紀錄	11	0.06	0	0.00	11	0.06	6	0.07	5	0.06
其他治療	413	2.42	1	1.96	412	2.43	247	2.74	166	2.07
組織型態										
原位癌										
管道內癌	2539	91.89	2	66.67	2537	91.92	1342	91.73	1197	92.08
小葉原位癌	70	2.53	0	0.00	70	2.54	36	2.46	34	2.62
乳頭狀原位癌	146	5.28	1	33.33	145	5.25	79	5.40	67	5.15
其他原位上皮癌	8	0.29	0	0.00	8	0.29	6	0.41	2	0.15
侵襲癌										
侵襲性癌，非特定型	12515	87.68	39	81.25	12476	87.70	6602	87.59	5913	87.78
黏液性癌	429	3.01	0	0.00	429	3.02	210	2.79	219	3.25
侵襲性小葉癌	645	4.52	0	0.00	645	4.53	369	4.90	276	4.10
乳房 Paget 氏病	28	0.20	0	0.00	28	0.20	16	0.21	12	0.18
侵襲性乳頭狀癌	233	1.63	6	12.50	227	1.60	127	1.69	106	1.57
化生性癌	82	0.57	0	0.00	82	0.58	42	0.56	40	0.59
其他特定上皮癌	99	0.69	2	4.17	97	0.68	51	0.68	48	0.71
非特定上皮癌	218	1.53	1	2.08	217	1.53	108	1.43	110	1.63
惡性肉瘤	11	0.08	0	0.00	11	0.08	6	0.08	5	0.07
其他惡性腫瘤	13	0.09	0	0.00	13	0.09	6	0.08	7	0.10

註 1：整併期別*-請參考 108 年度臨床與病理期別(AJCC_8th)-之整併流程說明，如圖 1 所示。

註 2：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 3：參考後續治療方式相關表格之附註(p.604-611)。

註 4：治癒性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

乳癌

表十三之二 乳癌發生人數按整併期別¹及治療方式分類

期別	分析數	乳房保留術 ² 合併 內分泌治療 ³		乳房保留術 合併化療與 內分泌治療		乳房保留術 合併化療與 標靶治療， 有/無 內分泌治療		乳房保留術 合併放療與 內分泌治療		乳房保留術 合併化療、 放療與 內分泌治療		乳房保留術 合併化療、 放療、 內分泌治療 與標靶治療		乳房保留術		乳房保留術 合併化療		乳房保留術 合併放療		乳房保留術 合併 化療與放療	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%		
合計	17036	543	3.19	101	0.59	118	0.69	3948	23.17	1723	10.11	591	3.47	289	1.70	85	0.50	483	2.84	618	3.63
0 期	2717	259	9.53	0	0.00	0	0.00	1167	42.95	0	0.00	2	0.07	119	4.38	0	0.00	310	11.41	3	0.11
IA 期	5225	163	3.12	23	0.44	18	0.34	2078	39.77	447	8.56	137	2.62	64	1.22	16	0.31	149	2.85	201	3.85
IB 期	170	2	1.18	4	2.35	6	3.53	33	19.41	44	25.88	5	2.94	1	0.59	0	0.00	1	0.59	4	2.35
II 期	2	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	50.00	0	0.00	0	0.00
IIA 期	3391	70	2.06	28	0.83	40	1.18	534	15.75	620	18.28	182	5.37	35	1.03	31	0.91	16	0.47	241	7.11
IIB 期	2131	16	0.75	24	1.13	21	0.99	104	4.88	352	16.52	168	7.88	8	0.38	15	0.70	2	0.09	108	5.07
III 期	2014	10	0.50	11	0.55	18	0.89	13	0.65	241	11.97	88	4.37	9	0.45	14	0.70	0	0.00	49	2.43
IV 期	1244	6	0.48	10	0.80	14	1.13	3	0.24	13	1.05	8	0.64	3	0.24	8	0.64	0	0.00	10	0.80
不詳	142	17	11.97	1	0.70	1	0.70	16	11.27	6	4.23	1	0.70	50	35.21	0	0.00	5	3.52	2	1.41

表十三之三 乳癌 0-34 歲發生人數按整併期別¹及治療方式分類

期別	分析數	乳房保留術 ² 合併 內分泌治療 ³		乳房保留術 合併化療與 內分泌治療		乳房保留術 合併化療與 標靶治療， 有/無 內分泌治療		乳房保留術 合併放療與 內分泌治療		乳房保留術 合併化療、 放療與 內分泌治療		乳房保留術 合併化療、 放療、 內分泌治療 與標靶治療		乳房保留術		乳房保留術 合併化療		乳房保留術 合併放療		乳房保留術 合併 化療與放療	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	421	8	1.90	3	0.71	4	0.95	82	19.48	68	16.15	33	7.84	6	1.43	2	0.48	14	3.33	26	6.18
0 期	62	8	12.90	0	0.00	0	0.00	29	46.77	0	0.00	0	0.00	3	4.84	0	0.00	8	12.90	0	0.00
IA 期	105	0	0.00	1	0.95	0	0.00	38	36.19	20	19.05	5	4.76	1	0.95	0	0.00	5	4.76	5	4.76
IB 期	8	0	0.00	0	0.00	2	25.00	1	12.50	0	0.00	1	12.50	1	12.50	0	0.00	0	0.00	0	0.00
II 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IIA 期	89	0	0.00	0	0.00	0	0.00	13	14.61	26	29.21	8	8.99	0	0.00	1	1.12	1	1.12	12	13.48
IIB 期	69	0	0.00	2	2.90	2	2.90	0	0.00	15	21.74	12	17.39	1	1.45	0	0.00	0	0.00	6	8.70
III 期	61	0	0.00	0	0.00	0	0.00	0	0.00	7	11.48	7	11.48	0	0.00	1	1.64	0	0.00	3	4.92
IV 期	25	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
不詳	2	0	0.00	0	0.00	0	0.00	1	50.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。
2 「乳房保留術」定義：針對原發部位進行手術治療且術式編碼為 20-24。術式編碼詳見 p.612。
3 「內分泌藥物治療」定義：個案於首次療程中接受內分泌藥物(荷爾蒙)治療且編碼為 01。

表十三之二 乳癌發生人數按整併期別¹及治療方式分類(續)

乳房保留術 合併化療、 放療與 標靶治療	乳房切除術 ⁴ 合併 內分泌治療	乳房切除術 合併化療與 內分泌治療	乳房切除術 合併化療、 內分泌治療 與標靶治療 ¹	乳房切除術 合併放療與 內分泌治療	乳房切除術 合併化療、 放療與 內分泌治療	乳房切除術 合併化療、 放療、 內分泌治療 與標靶治療	乳房切除術	乳房切除術 合併化療	乳房切除術 合併化療 與標靶治療	乳房切除術 合併化療與 放療
申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %
381 2.24	2076 12.19	894 5.25	350 2.05	177 1.04	950 5.58	297 1.74	682 4.00	419 2.46	363 2.13	256 1.50
0 0.00	455 16.75	0 0.00	1 0.04	11 0.40	0 0.00	0 0.00	365 13.43	1 0.04	1 0.04	0 0.00
89 1.70	1007 19.27	239 4.57	78 1.49	28 0.54	7 0.13	5 0.10	198 3.79	121 2.32	76 1.45	6 0.11
4 2.35	21 12.35	17 10.00	5 2.94	1 0.59	7 4.12	3 1.76	0 0.00	3 1.76	3 1.76	3 1.76
0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1 50.00	0 0.00	0 0.00	0 0.00
116 3.42	368 10.85	348 10.26	98 2.89	29 0.86	113 3.33	23 0.68	56 1.65	151 4.45	85 2.51	50 1.47
93 4.36	128 6.01	181 8.49	72 3.38	48 2.25	291 13.66	91 4.27	18 0.84	51 2.39	90 4.22	74 3.47
70 3.48	76 3.77	76 3.77	51 2.53	54 2.68	490 24.33	149 7.40	28 1.39	65 3.23	56 2.78	110 5.46
7 0.56	17 1.37	26 2.09	44 3.54	6 0.48	39 3.14	25 2.01	7 0.56	26 2.09	52 4.18	13 1.05
2 1.41	4 2.82	7 4.93	1 0.70	0 0.00	3 2.11	1 0.70	9 6.34	1 0.70	0 0.00	0 0.00

表十三之三 乳癌 0-34 歲發生人數按整併期別¹及治療方式分類(續)

乳房保留術 合併化療、 放療與 標靶治療	乳房切除術 ⁴ 合併 內分泌治療	乳房切除術 合併化療與 內分泌治療	乳房切除術 合併化療、 內分泌治療 與標靶治療 ¹	乳房切除術 合併放療與 內分泌治療	乳房切除術 合併化療、 放療與 內分泌治療	乳房切除術 合併化療、 放療、 內分泌治療 與標靶治療	乳房切除術	乳房切除術 合併化療	乳房切除術 合併化療 與標靶治療	乳房切除術 合併化療與 放療
申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %
7 1.66	28 6.65	19 4.51	9 2.14	2 0.48	29 6.89	16 3.80	9 2.14	6 1.43	8 1.90	10 2.38
0 0.00	7 11.29	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	6 9.68	0 0.00	0 0.00	0 0.00
1 0.95	14 13.33	6 5.71	1 0.95	2 1.90	2 1.90	0 0.00	1 0.95	0 0.00	0 0.00	0 0.00
0 0.00	0 0.00	1 12.50	0 0.00	0 0.00	2 25.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00
0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00
3 3.37	5 5.62	6 6.74	2 2.25	0 0.00	1 1.12	2 2.25	2 2.25	2 2.25	2 2.25	1 1.12
2 2.90	1 1.45	2 2.90	5 7.25	0 0.00	7 10.14	7 10.14	0 0.00	1 1.45	2 2.90	2 2.90
1 1.64	0 0.00	2 3.28	1 1.64	0 0.00	15 24.59	7 11.48	0 0.00	3 4.92	3 4.92	7 11.48
0 0.00	0 0.00	2 8.00	0 0.00	0 0.00	2 8.00	0 0.00	0 0.00	0 0.00	1 4.00	0 0.00
0 0.00	1 50.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00

4 「乳房切除術」定義：針對原發部位進行手術治療且術式編碼為 30-80。術式編碼詳見 p.612。

表十三之二 乳癌發生人數按整併期別¹及治療方式分類(續)

乳房切除術 合併化療、 放療與 標靶治療	化療		化療 合併 內分泌治療		化療 合併 標靶治療		內分泌治療		標靶治療合併 內分泌治療		放療合併 內分泌治療		放療合併 化療與 內分泌治療		緩和治療 ⁵		未有 首次治療 申報紀錄 ⁶		其他治療 ⁷			
	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%		
	223	1.31	134	0.79	124	0.73	263	1.54	286	1.68	123	0.72	43	0.25	39	0.23	33	0.19	11	0.06	413	2.42
	0	0.00	0	0.00	0	0.00	0	0.00	18	0.66	0	0.00	0	0.00	0	0.00	2	0.07	1	0.04	2	0.07
	2	0.04	1	0.02	1	0.02	0	0.00	35	0.67	0	0.00	2	0.04	1	0.02	1	0.02	0	0.00	32	0.61
	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	3	1.76
	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	17	0.50	8	0.24	8	0.24	5	0.15	64	1.89	0	0.00	2	0.06	2	0.06	1	0.03	1	0.03	49	1.45
	58	2.72	12	0.56	8	0.38	12	0.56	25	1.17	2	0.09	1	0.05	0	0.00	1	0.05	1	0.05	56	2.63
	129	6.41	30	1.49	15	0.74	25	1.24	40	1.99	6	0.30	8	0.40	3	0.15	4	0.20	0	0.00	76	3.77
	17	1.37	82	6.59	92	7.40	221	17.77	98	7.88	114	9.16	30	2.41	32	2.57	24	1.93	5	0.40	192	15.43
	0	0.00	1	0.70	0	0.00	0	0.00	6	4.23	1	0.70	0	0.00	1	0.70	0	0.00	3	2.11	3	2.11

表十三之三 乳癌 0-34 歲發生人數按整併期別¹及治療方式分類(續)

乳房切除術 合併化療、 放療與 標靶治療	化療		化療 合併 內分泌治療		化療 合併 標靶治療		內分泌治療		標靶治療合併 內分泌治療		放療合併 內分泌治療		放療合併 化療與 內分泌治療		緩和治療 ⁵		未有 首次治療 申報紀錄 ⁶		其他治療 ⁷			
	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%		
	4	0.95	5	1.19	3	0.71	8	1.90	2	0.48	1	0.24	0	0.00	0	0.00	0	0.00	1	0.24	8	1.90
	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	1.61	0	0.00
	1	0.95	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	2	1.90
	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	0	0.00	0	0.00	0	0.00	0	0.00	1	1.12	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	1.12
	1	1.45	1	1.45	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	2	3.28	1	1.64	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	1.64
	0	0.00	3	12.00	3	12.00	8	32.00	1	4.00	1	4.00	0	0.00	0	0.00	0	0.00	0	0.00	4	16.00
	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

5「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

6「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

7「其他治療」定義：個案於首次療程中接受其他治療組合方式。

乳癌

表十三之四 乳癌 35-49 歲發生人數按整併期別¹及治療方式分類

期別	分析數	乳房保留術 ² 合併 內分泌治療 ³		乳房保留術 合併化療與 內分泌治療		乳房保留術 合併化療與 標靶治療， 有/無 內分泌治療		乳房保留術 合併放療與 內分泌治療		乳房保留術 合併化療、 放療與 內分泌治療		乳房保留術 合併化療、 放療、 內分泌治療 與標靶治療		乳房保留術 合併化療		乳房保留術 合併放療		乳房保留術 合併 化療與放療			
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%		
合計	5148	104	2.02	41	0.80	32	0.62	1310	25.45	715	13.89	269	5.23	75	1.46	28	0.54	120	2.33	204	3.96
0 期	881	61	6.92	0	0.00	0	0.00	438	49.72	0	0.00	1	0.11	29	3.29	0	0.00	79	8.97	1	0.11
IA 期	1517	25	1.65	7	0.46	4	0.26	666	43.90	175	11.54	58	3.82	8	0.53	5	0.33	32	2.11	55	3.63
IB 期	54	0	0.00	2	3.70	0	0.00	11	20.37	16	29.63	1	1.85	0	0.00	0	0.00	1	1.85	3	5.56
II 期	2	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	50.00	0	0.00	0	0.00
IIA 期	1082	8	0.74	10	0.92	14	1.29	159	14.70	263	24.31	87	8.04	11	1.02	9	0.83	4	0.37	87	8.04
IIB 期	739	1	0.14	10	1.35	5	0.68	30	4.06	159	21.52	82	11.10	4	0.54	8	1.08	1	0.14	33	4.47
III 期	551	1	0.18	5	0.91	3	0.54	1	0.18	91	16.52	36	6.53	0	0.00	3	0.54	0	0.00	22	3.99
IV 期	266	0	0.00	6	2.26	5	1.88	2	0.75	8	3.01	3	1.13	0	0.00	2	0.75	0	0.00	2	0.75
不詳	56	8	14.29	1	1.79	1	1.79	3	5.36	3	5.36	1	1.79	23	41.07	0	0.00	3	5.36	1	1.79

表十三之五 乳癌 50-69 歲發生人數按整併期別¹及治療方式分類

期別	分析數	乳房保留術 ² 合併 內分泌治療 ³		乳房保留術 合併化療與 內分泌治療		乳房保留術 合併化療與 標靶治療， 有/無 內分泌治療		乳房保留術 合併放療與 內分泌治療		乳房保留術 合併化療、 放療與 內分泌治療		乳房保留術 合併化療、 放療、 內分泌治療 與標靶治療		乳房保留術		乳房保留術 合併化療		乳房保留術 合併放療		乳房保留術 合併 化療與放療	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	9127	254	2.78	50	0.55	64	0.70	2221	24.33	879	9.63	279	3.06	156	1.71	43	0.47	311	3.41	356	3.90
0 期	1566	151	9.64	0	0.00	0	0.00	655	41.83	0	0.00	1	0.06	66	4.21	0	0.00	208	13.28	2	0.13
IA 期	2996	64	2.14	14	0.47	12	0.40	1217	40.62	240	8.01	70	2.34	39	1.30	9	0.30	95	3.17	134	4.47
IB 期	88	1	1.14	2	2.27	3	3.41	17	19.32	27	30.68	3	3.41	0	0.00	0	0.00	0	0.00	1	1.14
II 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IIA 期	1660	25	1.51	14	0.84	21	1.27	266	16.02	310	18.67	85	5.12	17	1.02	15	0.90	5	0.30	125	7.53
IIB 期	1012	1	0.10	10	0.99	11	1.09	47	4.64	161	15.91	71	7.02	3	0.30	7	0.69	1	0.10	64	6.32
III 期	1032	2	0.19	6	0.58	11	1.07	7	0.68	134	12.98	44	4.26	5	0.48	7	0.68	0	0.00	21	2.03
IV 期	701	4	0.57	4	0.57	6	0.86	0	0.00	4	0.57	5	0.71	2	0.29	5	0.71	0	0.00	8	1.14
不詳	72	6	8.33	0	0.00	0	0.00	12	16.67	3	4.17	0	0.00	24	33.33	0	0.00	2	2.78	1	1.39

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。
2 「乳房保留術」定義：針對原發部位進行手術治療且術式編碼為 20-24。術式編碼詳見 p.612。
3 「內分泌藥物治療」定義：個案於首次療程中接受內分泌藥物(荷爾蒙)治療且編碼為 01。

表十三之四 乳癌 35-49 歲發生人數按整併期別¹及治療方式分類(續)

乳房保留術 合併化療、 放療與 標靶治療		乳房切除術 ⁴ 合併 內分泌治療		乳房切除術 合併化療與 內分泌治療		乳房切除術 合併化療、 內分泌治療 與標靶治療		乳房切除術 合併放療與 內分泌治療		乳房切除術 合併化療、 放療、 內分泌治療 與標靶治療		乳房切除術		乳房切除術 合併化療		乳房切除術 合併化療 與標靶治療		乳房切除術 合併化療與 放療	
申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
123	2.39	504	9.79	297	5.77	112	2.18	44	0.85	350	6.80	112	2.18	153	2.97	82	1.59	75	1.46
0	0.00	166	18.84	0	0.00	0	0.00	9	1.02	0	0.00	0	0.00	92	10.44	0	0.00	1	0.11
26	1.71	245	16.15	83	5.47	26	1.71	10	0.66	3	0.20	2	0.13	47	3.10	18	1.19	15	0.99
0	0.00	4	7.41	7	12.96	1	1.85	1	1.85	3	5.56	2	3.70	0	0.00	1	1.85	0	0.00
0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	50.00	0	0.00	0	0.00
36	3.33	73	6.75	111	10.26	44	4.07	5	0.46	48	4.44	9	0.83	6	0.55	31	2.87	18	1.66
40	5.41	13	1.76	66	8.93	17	2.30	12	1.62	108	14.61	36	4.87	2	0.27	14	1.89	20	2.71
19	3.45	2	0.36	21	3.81	13	2.36	5	0.91	173	31.40	49	8.89	2	0.36	11	2.00	9	1.63
1	0.38	0	0.00	8	3.01	10	3.76	2	0.75	15	5.64	13	4.89	0	0.00	7	2.63	12	4.51
1	1.79	1	1.79	1	1.79	1	1.79	0	0.00	0	0.00	1	1.79	3	5.36	0	0.00	0	0.00

表十三之五 乳癌 50-69 歲發生人數按整併期別¹及治療方式分類(續)

乳房保留術 合併化療、 放療與 標靶治療		乳房切除術 ⁴ 合併 內分泌治療		乳房切除術 合併化療與 內分泌治療		乳房切除術 合併化療、 內分泌治療 與標靶治療		乳房切除術 合併放療與 內分泌治療		乳房切除術 合併化療、 放療、 內分泌治療 與標靶治療		乳房切除術		乳房切除術 合併化療		乳房切除術 合併化療 與標靶治療		乳房切除術 合併化療與 放療			
申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%		
235	2.57	982	10.76	488	5.35	192	2.10	58	0.64	510	5.59	150	1.64	396	4.34	252	2.76	229	2.51	148	1.62
0	0.00	232	14.81	0	0.00	1	0.06	2	0.13	0	0.00	0	0.00	238	15.20	1	0.06	0	0.00	0	0.00
61	2.04	540	18.02	136	4.54	48	1.60	15	0.50	2	0.07	3	0.10	118	3.94	88	2.94	51	1.70	6	0.20
4	4.55	8	9.09	9	10.23	3	3.41	0	0.00	2	2.27	1	1.14	0	0.00	1	1.14	3	3.41	2	2.27
0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
69	4.16	145	8.73	191	11.51	48	2.89	11	0.66	58	3.49	12	0.72	14	0.84	87	5.24	52	3.13	28	1.69
48	4.74	28	2.77	98	9.68	40	3.95	16	1.58	162	16.01	44	4.35	3	0.30	24	2.37	56	5.53	40	3.95
46	4.46	19	1.84	39	3.78	25	2.42	13	1.26	264	25.58	79	7.66	13	1.26	41	3.97	34	3.29	62	6.01
6	0.86	8	1.14	10	1.43	27	3.85	1	0.14	19	2.71	11	1.57	4	0.57	10	1.43	33	4.71	10	1.43
1	1.39	2	2.78	5	6.94	0	0.00	0	0.00	3	4.17	0	0.00	6	8.33	0	0.00	0	0.00	0	0.00

4 「乳房切除術」定義：針對原發部位進行手術治療且術式編碼為 30-80。術式編碼詳見 p.612。

表十三之四 乳癌 35-49 歲發生人數按整併期別¹及治療方式分類(續)

乳房切除術 合併化療、 放療與 標靶治療	化療		化療 合併 內分泌治療		化療 合併 標靶治療		內分泌治療		標靶治療合併 內分泌治療		放療合併 內分泌治療		放療合併 化療與 內分泌治療		緩和治療 ⁵		未有 首次治療 申報紀錄 ⁶		其他治療 ⁷			
	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%		
	58	1.13	22	0.43	29	0.56	52	1.01	31	0.60	17	0.33	10	0.19	7	0.14	1	0.02	1	0.02	108	2.10
	0	0.00	0	0.00	0	0.00	0	0.00	4	0.45	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	0	0.00	0	0.00	0	0.00	0	0.00	2	0.13	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	5	0.33
	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	1.85
	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	7	0.65	3	0.28	3	0.28	0	0.00	5	0.46	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	16	1.48
	17	2.30	2	0.27	2	0.27	4	0.54	5	0.68	1	0.14	0	0.00	0	0.00	0	0.00	0	0.00	23	3.11
	31	5.63	4	0.73	3	0.54	2	0.36	1	0.18	1	0.18	0	0.00	0	0.00	0	0.00	0	0.00	21	3.81
	3	1.13	12	4.51	21	7.89	46	17.29	12	4.51	15	5.64	10	3.76	7	2.63	1	0.38	0	0.00	42	15.79
	0	0.00	1	1.79	0	0.00	0	0.00	2	3.57	0	0.00	0	0.00	0	0.00	0	0.00	1	1.79	0	0.00

表十三之五 乳癌 50-69 歲發生人數按整併期別¹及治療方式分類(續)

乳房切除術 合併化療、 放療與 標靶治療	化療		化療 合併 內分泌治療		化療 合併 標靶治療		內分泌治療		標靶治療合併 內分泌治療		放療合併 內分泌治療		放療合併 化療與 內分泌治療		緩和治療 ⁵		未有 首次治療 申報紀錄 ⁶		其他治療 ⁷			
	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%		
	137	1.50	71	0.78	66	0.72	163	1.79	87	0.95	75	0.82	19	0.21	24	0.26	13	0.14	5	0.05	214	2.34
	0	0.00	0	0.00	0	0.00	0	0.00	6	0.38	0	0.00	0	0.00	0	0.00	1	0.06	0	0.00	2	0.13
	1	0.03	0	0.00	0	0.00	0	0.00	9	0.30	0	0.00	1	0.03	1	0.03	0	0.00	0	0.00	22	0.73
	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	1.14
	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	9	0.54	3	0.18	3	0.18	4	0.24	17	1.02	0	0.00	0	0.00	2	0.12	0	0.00	0	0.00	24	1.45
	35	3.46	4	0.40	4	0.40	7	0.69	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	0.10	26	2.57
	80	7.75	18	1.74	7	0.68	15	1.45	11	1.07	3	0.29	1	0.10	0	0.00	1	0.10	0	0.00	24	2.33
	12	1.71	46	6.56	52	7.42	137	19.54	42	5.99	71	10.13	17	2.43	20	2.85	11	1.57	4	0.57	112	15.98
	0	0.00	0	0.00	0	0.00	0	0.00	2	2.78	1	1.39	0	0.00	1	1.39	0	0.00	0	0.00	3	4.17

5 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

6 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

7 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

乳癌

表十三之六 乳癌 70 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	乳房保留術 ² 合併 內分泌治療 ³		乳房保留術 合併化療與 內分泌治療		乳房保留術 合併化療與 標靶治療， 有/無 內分泌治療		乳房保留術 合併放療與 內分泌治療		乳房保留術 合併化療、 放療與 內分泌治療		乳房保留術 合併化療、 放療、 內分泌治療 與標靶治療		乳房保留術		乳房保留術 合併化療		乳房保留術 合併放療		乳房保留術 合併 化療與放療	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	2340	177	7.56	7	0.30	18	0.77	335	14.32	61	2.61	10	0.43	52	2.22	12	0.51	38	1.62	32	1.37
0 期	208	39	18.75	0	0.00	0	0.00	45	21.63	0	0.00	0	0.00	21	10.10	0	0.00	15	7.21	0	0.00
IA 期	607	74	12.19	1	0.16	2	0.33	157	25.86	12	1.98	4	0.66	16	2.64	2	0.33	17	2.80	7	1.15
IB 期	20	1	5.00	0	0.00	1	5.00	4	20.00	1	5.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IIA 期	560	37	6.61	4	0.71	5	0.89	96	17.14	21	3.75	2	0.36	7	1.25	6	1.07	6	1.07	17	3.04
IIB 期	311	14	4.50	2	0.64	3	0.96	27	8.68	17	5.47	3	0.96	0	0.00	0	0.00	0	0.00	5	1.61
III 期	370	7	1.89	0	0.00	4	1.08	5	1.35	9	2.43	1	0.27	4	1.08	3	0.81	0	0.00	3	0.81
IV 期	252	2	0.79	0	0.00	3	1.19	1	0.40	1	0.40	0	0.00	1	0.40	1	0.40	0	0.00	0	0.00
不詳	12	3	25.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	3	25.00	0	0.00	0	0.00	0	0.00

表十三之六 乳癌 70 歲以上發生人數按整併期別¹及治療方式分類(續)

乳房保留術 合併化療、 放療與 標靶治療		乳房切除術 ⁴ 合併 內分泌治療		乳房切除術 合併化療與 內分泌治療		乳房切除術 合併化療、 內分泌治療 與標靶治療		乳房切除術 合併放療與 內分泌治療		乳房切除術 合併化療、 放療與 內分泌治療		乳房切除術 合併化療、 放療、 內分泌治療 與標靶治療		乳房切除術		乳房切除術 合併化療		乳房切除術 合併化療 與標靶治療		乳房切除術 合併化療與 放療	
申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
16	0.68	562	24.02	90	3.85	37	1.58	73	3.12	61	2.61	19	0.81	124	5.30	79	3.38	51	2.18	36	1.54
0	0.00	50	24.04	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	29	13.94	0	0.00	0	0.00	0	0.00
1	0.16	208	34.27	14	2.31	3	0.49	1	0.16	0	0.00	0	0.00	32	5.27	15	2.47	10	1.65	0	0.00
0	0.00	9	45.00	0	0.00	1	5.00	0	0.00	0	0.00	0	0.00	0	0.00	1	5.00	0	0.00	1	5.00
0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
8	1.43	145	25.89	40	7.14	4	0.71	13	2.32	6	1.07	0	0.00	34	6.07	31	5.54	13	2.32	6	1.07
3	0.96	86	27.65	15	4.82	10	3.22	20	6.43	14	4.50	4	1.29	13	4.18	12	3.86	12	3.86	8	2.57
4	1.08	55	14.86	14	3.78	12	3.24	36	9.73	38	10.27	14	3.78	13	3.51	10	2.70	10	2.70	19	5.14
0	0.00	9	3.57	6	2.38	7	2.78	3	1.19	3	1.19	1	0.40	3	1.19	9	3.57	6	2.38	2	0.79
0	0.00	0	0.00	1	8.33	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	8.33	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「乳房保留術」定義：針對原發部位進行手術治療且術式編碼為 20-24。術式編碼詳見 p.612。

3 「內分泌藥物治療」定義：個案於首次療程中接受內分泌藥物(荷爾蒙)治療且編碼為 01。

4 「乳房切除術」定義：針對原發部位進行手術治療且術式編碼為 30-80。術式編碼詳見 p.612。

表十三之六 乳癌 70 歲以上發生人數按整併期別¹及治療方式分類(續)

乳房切除術 合併化療、 放療與 標靶治療		化療		化療 合併 內分泌治療		化療 合併 標靶治療		內分泌治療		標靶治療合併 內分泌治療		放療合併 內分泌治療		放療合併 化療與 內分泌治療		緩和治療 ⁵		未有 首次治療 申報紀錄 ⁶		其他治療 ⁷	
申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
24	1.03	36	1.54	26	1.11	40	1.71	166	7.09	30	1.28	14	0.60	8	0.34	19	0.81	4	0.17	83	3.55
0	0.00	0	0.00	0	0.00	0	0.00	8	3.85	0	0.00	0	0.00	0	0.00	1	0.48	0	0.00	0	0.00
0	0.00	1	0.16	1	0.16	0	0.00	24	3.95	0	0.00	1	0.16	0	0.00	1	0.16	0	0.00	3	0.49
0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	5.00
0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	0.18	2	0.36	2	0.36	1	0.18	41	7.32	0	0.00	2	0.36	0	0.00	1	0.18	1	0.18	8	1.43
5	1.61	5	1.61	2	0.64	1	0.32	20	6.43	1	0.32	1	0.32	0	0.00	1	0.32	0	0.00	7	2.25
16	4.32	7	1.89	5	1.35	8	2.16	28	7.57	2	0.54	7	1.89	3	0.81	3	0.81	0	0.00	30	8.11
2	0.79	21	8.33	16	6.35	30	11.90	43	17.06	27	10.71	3	1.19	5	1.98	12	4.76	1	0.40	34	13.49
0	0.00	0	0.00	0	0.00	0	0.00	2	16.67	0	0.00	0	0.00	0	0.00	0	0.00	2	16.67	0	0.00

5 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

6 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

7 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

Breast

C500–C509

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

Codes

00 None; no surgery of primary site; autopsy ONLY

19 Local tumor destruction, NOS

No specimen was sent to pathology for surgical events coded 19 (principally for cases diagnosed prior to January 1, 2003)

20 Partial mastectomy, NOS; less than total mastectomy, NOS

21 Partial mastectomy WITH nipple resection

22 Lumpectomy or excisional biopsy

23 Reexcision of the biopsy site for gross or microscopic residual disease

24 Segmental mastectomy (including wedge resection, quadrantectomy, tylectomy)

Procedures coded 20–24 remove the gross primary tumor and some of the breast tissue (breast-conserving or -preserving). There may be microscopic residual tumor.

30 Subcutaneous mastectomy

A subcutaneous mastectomy, also called a nipple sparing mastectomy, is the removal of breast tissue without the nipple and areolar complex or overlying skin. It is performed to facilitate immediate breast reconstruction. Cases coded 30 may be considered to have undergone breast reconstruction.

40 Total (simple) mastectomy

41 WITHOUT removal of uninvolved contralateral breast

43 Reconstruction, NOS

44 Tissue

45 Implant

46 Combined (tissue and implant)

42 WITH removal of uninvolved contralateral breast

47 Reconstruction, NOS

48 Tissue

49 Implant

75 Combined (tissue and implant)

[SEER Note: “Tissue” for reconstruction is defined as human tissue such as muscle (latissimus dorsi or rectus abdominis) or skin in contrast to artificial prostheses (implants). Placement of a tissue expander at the time of original surgery indicates that reconstruction is planned as part of the first course of treatment.]

[SEER Note: Assign code 43 for a simple mastectomy with tissue expanders and acellular dermal matrix/AlloDerm. The tissue expander indicates preparation for reconstruction. The acellular dermal matrix/AlloDerm is not coded because, while they often accompany an implant procedure, they are not the principle element of reconstructive procedures. The principle elements would be tissue from the patient and/or prosthetics (e.g., gel implants).]

A total (simple) mastectomy removes all breast tissue, the nipple, and areolar complex. An axillary dissection is not done, but sentinel lymph nodes may be removed.

For **single** primaries only, code removal of involved contralateral breast under the data item **Surgical Procedure/Other Site**.

[SEER Note: Example of single primary with removal of involved contralateral breast--Inflammatory carcinoma involving both breasts. Bilateral simple mastectomies. Code Surgery of Primary Site 41 and code Surgical Procedure of Other Site 1.]

If the **contralateral breast** reveals a **second primary**, each breast is abstracted separately. The surgical procedure is coded 41 for the first primary. The surgical code for the contralateral breast is coded to the procedure performed on that site.

Placement of a tissue expander at the time of original surgery means that reconstruction is planned as part of the first course of treatment. When an expander is placed, code the mastectomy and reconstruction.]

Reconstruction that is planned as part of first course treatment is coded 43-49 or 75, regardless of whether it is done at the time of mastectomy or later.

[**SEER Note:** Reconstruction may be done at the same time as the mastectomy or may be done later. Code 43-49, or 75 if the operative report or medical record states reconstruction will be done later, or if a tissue expander is inserted during the mastectomy procedure. Tissue expander insertion precedes reconstruction.]

76 Bilateral mastectomy for a single tumor involving both breasts, as for bilateral inflammatory carcinoma. (Effective with cases diagnosed 1/1/2011 and forward)

50 Modified radical mastectomy

51 WITHOUT removal of uninvolved contralateral breast

53 Reconstruction, NOS

54 Tissue

55 Implant

56 Combined (tissue and implant)

52 WITH removal of uninvolved contralateral breast

57 Reconstruction, NOS

58 Tissue

59 Implant

63 Combined (tissue and implant)

Removal of all breast tissue, the nipple, the areolar complex, and variable amounts of breast skin in continuity with the axilla. The specimen may or may not include a portion of the pectoralis major muscle. If only sentinel lymph nodes are removed, the procedure should be coded a simple mastectomy.

[**SEER Note:** “In continuity with” or “en bloc” means that all the tissues were removed during the same procedure, but not necessarily in a single specimen. “Tissue” for reconstruction is defined as human tissue such as muscle (latissimus dorsi or rectus abdominis) or skin in contrast to artificial prostheses (implants). Placement of a tissue expander at the time of original surgery indicates that reconstruction is planned as part of the first course of treatment. Assign code 51 or 52 if a patient has an excisional biopsy and axillary dissection followed by a simple mastectomy during the first course of therapy. Code the cumulative result of the surgeries, which is a modified radical mastectomy in this case. Code the most invasive, extensive or definitive surgery in Surgery of Primary Site.]

If contralateral breast reveals a second primary, it is abstracted separately. The surgical procedure is coded 41 or 51 for the first primary. The surgical code for the Contralateral breast is coded to the procedure performed for that site.

For **single** primaries only, code removal of involved contralateral breast under the data item **Surgical Procedure/Other Site**.

60 Radical mastectomy, NOS

61 WITHOUT removal of uninvolved contralateral breast

64 Reconstruction, NOS

- 65 Tissue
- 66 Implant
- 67 Combined (tissue and implant)
- 62 WITH removal of uninvolved contralateral breast
- 68 Reconstruction, NOS
- 69 Tissue
- 73 Implant

74 Combined (tissue and implant)

[SEER Note: Involves removal of breast tissue, nipple, areolar complex, variable amount of skin, pectoralis minor, and/or pectoralis major, as well as en bloc axillary dissection. "Tissue" for reconstruction is defined as human tissue such as muscle (latissimus dorsi or rectus abdominis) or skin in contrast to artificial prostheses (implants).

Placement of a tissue expander at the time of original surgery indicates that reconstruction is planned as part of the first course of treatment.]

70 Extended radical mastectomy

71 WITHOUT removal of uninvolved contralateral breast

72 WITH removal of uninvolved contralateral breast

[SEER Note: Involves removal of breast tissue, nipple, areolar complex, variable amounts of skin, pectoralis minor, and/or pectoralis major, as well as removal of internal mammary nodes and en bloc axillary dissection.]

80 Mastectomy, NOS

Specimen sent to pathology for surgical events coded 20-80.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

子宮頸癌

表十四之一 子宮頸癌發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	4119	100.00	-	-	4119	100.00	2336	100.00	1783	100.00
年齡										
00-04 歲	0	0.00	-	-	0	0.00	0	0.00	0	0.00
05-09 歲	0	0.00	-	-	0	0.00	0	0.00	0	0.00
10-14 歲	1	0.02	-	-	1	0.02	1	0.04	0	0.00
15-19 歲	1	0.02	-	-	1	0.02	1	0.04	0	0.00
20-24 歲	35	0.85	-	-	35	0.85	23	0.98	12	0.67
25-29 歲	187	4.54	-	-	187	4.54	111	4.75	76	4.26
30-34 歲	496	12.04	-	-	496	12.04	280	11.99	216	12.11
35-39 歲	677	16.44	-	-	677	16.44	383	16.40	294	16.49
40-44 歲	544	13.21	-	-	544	13.21	302	12.93	242	13.57
45-49 歲	462	11.22	-	-	462	11.22	272	11.64	190	10.66
50-54 歲	337	8.18	-	-	337	8.18	190	8.13	147	8.24
55-59 歲	368	8.93	-	-	368	8.93	218	9.33	150	8.41
60-64 歲	336	8.16	-	-	336	8.16	183	7.83	153	8.58
65-69 歲	279	6.77	-	-	279	6.77	155	6.64	124	6.95
70-74 歲	122	2.96	-	-	122	2.96	74	3.17	48	2.69
75-79 歲	112	2.72	-	-	112	2.72	68	2.91	44	2.47
80-84 歲	101	2.45	-	-	101	2.45	47	2.01	54	3.03
85 歲以上	61	1.48	-	-	61	1.48	28	1.20	33	1.85
FIGO 期別 ¹										
0 期	2889	70.14	-	-	2889	70.14	1531	65.54	1358	76.16
1 期	8	0.19	-	-	8	0.19	4	0.17	4	0.22
1A 期	15	0.36	-	-	15	0.36	6	0.26	9	0.50
1A1 期	71	1.72	-	-	71	1.72	43	1.84	28	1.57
1A2 期	15	0.36	-	-	15	0.36	12	0.51	3	0.17
1B 期	21	0.51	-	-	21	0.51	10	0.43	11	0.62
1B1 期	144	3.50	-	-	144	3.50	90	3.85	54	3.03
1B2 期	120	2.91	-	-	120	2.91	90	3.85	30	1.68
1B3 期	50	1.21	-	-	50	1.21	39	1.67	11	0.62
2A 期	11	0.27	-	-	11	0.27	4	0.17	7	0.39
2A1 期	22	0.53	-	-	22	0.53	14	0.60	8	0.45
2A2 期	31	0.75	-	-	31	0.75	23	0.98	8	0.45
2B 期	144	3.50	-	-	144	3.50	95	4.07	49	2.75
3 期	1	0.02	-	-	1	0.02	0	0.00	1	0.06
3A 期	14	0.34	-	-	14	0.34	10	0.43	4	0.22
3B 期	46	1.12	-	-	46	1.12	28	1.20	18	1.01
3C1 期	196	4.76	-	-	196	4.76	129	5.52	67	3.76
3C2 期	65	1.58	-	-	65	1.58	45	1.93	20	1.12
4 期	2	0.05	-	-	2	0.05	1	0.04	1	0.06
4A 期	44	1.07	-	-	44	1.07	27	1.16	17	0.95
4B 期	127	3.08	-	-	127	3.08	91	3.90	36	2.02
不詳	83	2.02	-	-	83	2.02	44	1.88	39	2.19
臨床期別 ²										
0 期	2889	70.14	-	-	2889	70.14	1531	65.54	1358	76.16
I 期	466	11.31	-	-	466	11.31	310	13.27	156	8.75
II 期	357	8.67	-	-	357	8.67	230	9.85	127	7.12
III 期	121	2.94	-	-	121	2.94	87	3.72	34	1.91
IV 期	191	4.64	-	-	191	4.64	123	5.27	68	3.81
不詳	95	2.31	-	-	95	2.31	55	2.35	40	2.24

表十四之一 子宮頸癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	4119	100.00	-	-	4119	100.00	2336	100.00	1783	100.00
病理期別 ²										
0 期	2889	70.14	-	-	2889	70.14	1531	65.54	1358	76.16
I 期	443	10.76	-	-	443	10.76	297	12.71	146	8.19
II 期	84	2.04	-	-	84	2.04	50	2.14	34	1.91
III 期	7	0.17	-	-	7	0.17	2	0.09	5	0.28
IV 期	55	1.34	-	-	55	1.34	33	1.41	22	1.23
不詳	641	15.56	-	-	641	15.56	423	18.11	218	12.23
整併期別 ^{2,3}										
0 期	2889	70.14	-	-	2889	70.14	1531	65.54	1358	76.16
I 期	524	12.72	-	-	524	12.72	347	14.85	177	9.93
II 期	373	9.06	-	-	373	9.06	240	10.27	133	7.46
III 期	123	2.99	-	-	123	2.99	87	3.72	36	2.02
IV 期	199	4.83	-	-	199	4.83	126	5.39	73	4.09
不詳	11	0.27	-	-	11	0.27	5	0.21	6	0.34
臨床與病理期別一致性 Kappa ⁴	0.9103									
治療方式 ^{5,6}										
手術	3160	76.72	-	-	3160	76.72	1717	73.50	1443	80.93
手術合併化療與放療	180	4.37	-	-	180	4.37	109	4.67	71	3.98
手術合併放療	82	1.99	-	-	82	1.99	51	2.18	31	1.74
手術合併化療	32	0.78	-	-	32	0.78	20	0.86	12	0.67
同步化療與放療	398	9.66	-	-	398	9.66	269	11.52	129	7.23
非同步化療與放療	73	1.77	-	-	73	1.77	55	2.35	18	1.01
放療	116	2.82	-	-	116	2.82	68	2.91	48	2.69
放療合併化療與免疫治療	14	0.34	-	-	14	0.34	14	0.60	0	0.00
化療	14	0.34	-	-	14	0.34	9	0.39	5	0.28
緩和治療	12	0.29	-	-	12	0.29	2	0.09	10	0.56
未有首次治療申報紀錄	8	0.19	-	-	8	0.19	0	0.00	8	0.45
其他治療	30	0.73	-	-	30	0.73	22	0.94	8	0.45
組織型態										
原位癌										
鱗狀細胞癌	2704	93.60	-	-	2704	93.60	1452	94.84	1252	92.19
腺癌	90	3.12	-	-	90	3.12	58	3.79	32	2.36
其他原位上皮癌	95	3.29	-	-	95	3.29	21	1.37	74	5.45
侵襲癌										
鱗狀細胞癌	863	70.16	-	-	863	70.16	553	68.70	310	72.94
腺癌	269	21.87	-	-	269	21.87	180	22.36	89	20.94
神經內分泌癌	27	2.20	-	-	27	2.20	20	2.48	7	1.65
其他特定上皮癌	33	2.68	-	-	33	2.68	22	2.73	11	2.59
非特定上皮癌	23	1.87	-	-	23	1.87	18	2.24	5	1.18
惡性黑色素瘤	2	0.16	-	-	2	0.16	2	0.25	0	0.00
混合性上皮與間質腫瘤	4	0.33	-	-	4	0.33	3	0.37	1	0.24
惡性肉瘤	4	0.33	-	-	4	0.33	4	0.50	0	0.00
其他惡性腫瘤	5	0.41	-	-	5	0.41	3	0.37	2	0.47

註 1：FIGO 期別*請參考 108 年度子宮頸癌 FIGO 期別之流程說明，如圖 2 所示。

註 2：有癌前病變之 888 期別歸類在 0 期。

註 3：整併期別*請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 4：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 5：參考後續治療方式相關表格之附註(p.618-625)。

註 6：治療性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

子宮頸癌

表十四之二 子宮頸癌發生人數按 FIGO 期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療		非同步化療與放療		放療		放療合併化療與免疫治療		化療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	4119	3160	76.72	180	4.37	82	1.99	32	0.78	398	9.66	73	1.77	116	2.82	14	0.34	14	0.34	12	0.29	8	0.19	30	0.73
0 期	2889	2872	99.41	0	0.00	2	0.07	1	0.03	0	0.00	0	0.00	4	0.14	0	0.00	0	0.00	0	0.00	3	0.10	7	0.24
1 期	8	3	37.50	4	50.00	0	0.00	1	12.50	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1A 期	15	12	80.00	1	6.67	2	13.33	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1A1 期	71	68	95.77	1	1.41	1	1.41	1	1.41	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1A2 期	15	11	73.33	0	0.00	4	26.67	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1B 期	21	8	38.10	9	42.86	1	4.76	1	4.76	2	9.52	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1B1 期	144	87	60.42	19	13.19	17	11.81	2	1.39	5	3.47	0	0.00	13	9.03	0	0.00	0	0.00	0	0.00	0	0.00	1	0.69
1B2 期	120	41	34.17	30	25.00	19	15.83	5	4.17	15	12.50	1	0.83	8	6.67	0	0.00	1	0.83	0	0.00	0	0.00	0	0.00
1B3 期	50	9	18.00	14	28.00	8	16.00	4	8.00	13	26.00	0	0.00	2	4.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2A 期	11	0	0.00	5	45.45	0	0.00	0	0.00	4	36.36	1	9.09	1	9.09	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2A1 期	22	3	13.64	5	22.73	3	13.64	0	0.00	8	36.36	1	4.55	2	9.09	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2A2 期	31	1	3.23	12	38.71	3	9.68	0	0.00	12	38.71	0	0.00	2	6.45	0	0.00	0	0.00	0	0.00	0	0.00	1	3.23
2B 期	144	0	0.00	18	12.50	1	0.69	2	1.39	99	68.75	2	1.39	18	12.50	0	0.00	2	1.39	0	0.00	0	0.00	2	1.39
3 期	1	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3A 期	14	0	0.00	0	0.00	0	0.00	0	0.00	5	35.71	0	0.00	7	50.00	0	0.00	0	0.00	1	7.14	0	0.00	1	7.14
3B 期	46	0	0.00	4	8.70	0	0.00	1	2.17	23	50.00	5	10.87	8	17.39	2	4.35	0	0.00	1	2.17	0	0.00	2	4.35
3C1 期	196	2	1.02	30	15.31	5	2.55	3	1.53	130	66.33	3	1.53	16	8.16	5	2.55	1	0.51	0	0.00	0	0.00	1	0.51
3C2 期	65	1	1.54	8	12.31	0	0.00	0	0.00	43	66.15	3	4.62	5	7.69	4	6.15	0	0.00	0	0.00	0	0.00	1	1.54
4 期	2	0	0.00	0	0.00	0	0.00	0	0.00	1	50.00	0	0.00	0	0.00	0	0.00	1	50.00	0	0.00	0	0.00	0	0.00
4A 期	44	1	2.27	0	0.00	0	0.00	1	2.27	26	59.09	1	2.27	11	25.00	0	0.00	2	4.55	1	2.27	0	0.00	1	2.27
4B 期	127	0	0.00	9	7.09	2	1.57	4	3.15	11	8.66	55	43.31	17	13.39	3	2.36	6	4.72	7	5.51	1	0.79	12	9.45
不詳	83	41	49.40	11	13.25	14	16.87	6	7.23	1	1.20	1	1.20	1	1.20	0	0.00	1	1.20	2	2.41	4	4.82	1	1.20

1 「FIGO」定義：請參考 108 年度子宮頸癌 FIGO 期別之流程說明，如圖 2 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

子宮頸癌

表十四之三 子宮頸癌 0-29 歲發生人數按 FIGO 期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療		非同步化療與放療		放療		放療合併化療與免疫治療		化療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	224	213	95.09	0	0.00	1	0.45	3	1.34	3	1.34	0	0.00	0	0.00	2	0.89	1	0.45	0	0.00	0	0.00	1	0.45
0 期	204	203	99.51	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	0.49
1 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1A 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1A1 期	3	3	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1A2 期	1	1	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1B 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1B1 期	1	1	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1B2 期	5	2	40.00	0	0.00	1	20.00	2	40.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1B3 期	1	1	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2A 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2A1 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2A2 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2B 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3A 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3B 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3C1 期	4	0	0.00	0	0.00	0	0.00	0	0.00	3	75.00	0	0.00	0	0.00	1	25.00	0	0.00	0	0.00	0	0.00	0	0.00
3C2 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4A 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4B 期	2	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
不詳	3	2	66.67	0	0.00	0	0.00	1	33.33	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

1 「FIGO」定義：請參考 108 年度子宮頸癌 FIGO 期別之流程說明，如圖 2 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

子宮頸癌

表十四之四 子宮頸癌 30-49 歲發生人數按 FIGO 期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療		非同步化療與放療		放療		放療合併化療與免疫治療		化療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	2179	1941	89.08	71	3.26	24	1.10	10	0.46	93	4.27	16	0.73	3	0.14	6	0.28	4	0.18	0	0.00	1	0.05	10	0.46
0 期	1790	1786	99.78	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	0.06	3	0.17
1 期	4	2	50.00	2	50.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1A 期	8	6	75.00	0	0.00	2	25.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1A1 期	47	45	95.74	1	2.13	0	0.00	1	2.13	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1A2 期	9	8	88.89	0	0.00	1	11.11	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1B 期	8	5	62.50	3	37.50	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1B1 期	57	42	73.68	6	10.53	7	12.28	1	1.75	1	1.75	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1B2 期	43	17	39.53	14	32.56	5	11.63	0	0.00	5	11.63	0	0.00	1	2.33	0	0.00	1	2.33	0	0.00	0	0.00	0	0.00
1B3 期	27	4	14.81	8	29.63	5	18.52	4	14.81	5	18.52	0	0.00	1	3.70	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2A 期	6	0	0.00	4	66.67	0	0.00	0	0.00	2	33.33	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2A1 期	2	0	0.00	2	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2A2 期	14	1	7.14	9	64.29	1	7.14	0	0.00	3	21.43	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2B 期	27	0	0.00	6	22.22	0	0.00	1	3.70	20	74.07	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3A 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3B 期	5	0	0.00	0	0.00	0	0.00	0	0.00	3	60.00	2	40.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3C1 期	63	2	3.17	10	15.87	1	1.59	2	3.17	41	65.08	2	3.17	1	1.59	3	4.76	0	0.00	0	0.00	0	0.00	1	1.59
3C2 期	14	1	7.14	2	14.29	0	0.00	0	0.00	9	64.29	0	0.00	0	0.00	1	7.14	0	0.00	0	0.00	0	0.00	1	7.14
4 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4A 期	4	0	0.00	0	0.00	0	0.00	1	25.00	2	50.00	1	25.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4B 期	22	0	0.00	1	4.55	0	0.00	0	0.00	1	4.55	11	50.00	0	0.00	2	9.09	2	9.09	0	0.00	0	0.00	5	22.73
不詳	29	22	75.86	3	10.34	2	6.90	0	0.00	1	3.45	0	0.00	0	0.00	0	0.00	1	3.45	0	0.00	0	0.00	0	0.00

1 「FIGO」定義：請參考 108 年度子宮頸癌 FIGO 期別之流程說明，如圖 2 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

子宮頸癌

表十四之五 子宮頸癌 50-69 歲發生人數按 FIGO 期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療		非同步化療與放療		放療		放療合併化療與免疫治療		化療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	1320	857	64.92	98	7.42	37	2.80	16	1.21	217	16.44	38	2.88	23	1.74	6	0.45	6	0.45	2	0.15	3	0.23	17	1.29
0 期	765	757	98.95	0	0.00	1	0.13	1	0.13	0	0.00	0	0.00	1	0.13	0	0.00	0	0.00	0	0.00	2	0.26	3	0.39
1 期	3	1	33.33	2	66.67	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1A 期	4	4	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1A1 期	17	16	94.12	0	0.00	1	5.88	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1A2 期	4	2	50.00	0	0.00	2	50.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1B 期	12	3	25.00	5	41.67	1	8.33	1	8.33	2	16.67	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1B1 期	64	37	57.81	12	18.75	9	14.06	1	1.56	1	1.56	0	0.00	3	4.69	0	0.00	0	0.00	0	0.00	0	0.00	1	1.56
1B2 期	52	16	30.77	14	26.92	11	21.15	2	3.85	4	7.69	1	1.92	4	7.69	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1B3 期	18	4	22.22	6	33.33	1	5.56	0	0.00	7	38.89	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2A 期	4	0	0.00	1	25.00	0	0.00	0	0.00	2	50.00	1	25.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2A1 期	11	3	27.27	2	18.18	1	9.09	0	0.00	5	45.45	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2A2 期	11	0	0.00	3	27.27	0	0.00	0	0.00	7	63.64	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	9.09
2B 期	71	0	0.00	11	15.49	1	1.41	1	1.41	53	74.65	1	1.41	2	2.82	0	0.00	0	0.00	0	0.00	0	0.00	2	2.82
3 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3A 期	6	0	0.00	0	0.00	0	0.00	0	0.00	4	66.67	0	0.00	1	16.67	0	0.00	0	0.00	0	0.00	0	0.00	1	16.67
3B 期	23	0	0.00	4	17.39	0	0.00	0	0.00	12	52.17	2	8.70	1	4.35	2	8.70	0	0.00	0	0.00	0	0.00	2	8.70
3C1 期	95	0	0.00	18	18.95	2	2.11	1	1.05	69	72.63	1	1.05	2	2.11	1	1.05	1	1.05	0	0.00	0	0.00	0	0.00
3C2 期	37	0	0.00	5	13.51	0	0.00	0	0.00	26	70.27	1	2.70	2	5.41	3	8.11	0	0.00	0	0.00	0	0.00	0	0.00
4 期	1	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	100	0	0.00	0	0.00	0	0.00
4A 期	25	0	0.00	0	0.00	0	0.00	0	0.00	17	68.00	0	0.00	5	20.00	0	0.00	2	8.00	0	0.00	0	0.00	1	4.00
4B 期	61	0	0.00	7	11.48	0	0.00	4	6.56	8	13.11	30	49.18	2	3.28	0	0.00	2	3.28	1	1.64	1	1.64	6	9.84
不詳	36	14	38.89	8	22.22	7	19.44	5	13.89	0	0.00	1	2.78	0	0.00	0	0.00	0	0.00	1	2.78	0	0.00	0	0.00

1 「FIGO」定義：請參考 108 年度子宮頸癌 FIGO 期別之流程說明，如圖 2 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

子宮頸癌

表十四之六 子宮頸癌 70 歲以上發生人數按 FIGO 期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療		非同步化療與放療		放療		放療合併化療與免疫治療		化療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	396	149	37.63	11	2.78	20	5.05	3	0.76	85	21.46	19	4.80	90	22.73	0	0.00	3	0.76	10	2.53	4	1.01	2	0.51
0 期	130	126	96.92	0	0.00	1	0.77	0	0.00	0	0.00	0	0.00	3	2.31	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1 期	1	0	0.00	0	0.00	0	0.00	1	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1A 期	3	2	66.67	1	33.33	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1A1 期	4	4	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1A2 期	1	0	0.00	0	0.00	1	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1B 期	1	0	0.00	1	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1B1 期	22	7	31.82	1	4.55	1	4.55	0	0.00	3	13.64	0	0.00	10	45.45	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1B2 期	20	6	30.00	2	10.00	2	10.00	1	5.00	6	30.00	0	0.00	3	15.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1B3 期	4	0	0.00	0	0.00	2	50.00	0	0.00	1	25.00	0	0.00	1	25.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2A 期	1	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2A1 期	9	0	0.00	1	11.11	2	22.22	0	0.00	3	33.33	1	11.11	2	22.22	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2A2 期	6	0	0.00	0	0.00	2	33.33	0	0.00	2	33.33	0	0.00	2	33.33	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2B 期	46	0	0.00	1	2.17	0	0.00	0	0.00	26	56.52	1	2.17	16	34.78	0	0.00	2	4.35	0	0.00	0	0.00	0	0.00
3 期	1	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3A 期	8	0	0.00	0	0.00	0	0.00	0	0.00	1	12.50	0	0.00	6	75.00	0	0.00	0	0.00	1	12.50	0	0.00	0	0.00
3B 期	18	0	0.00	0	0.00	0	0.00	1	5.56	8	44.44	1	5.56	7	38.89	0	0.00	0	0.00	1	5.56	0	0.00	0	0.00
3C1 期	34	0	0.00	2	5.88	2	5.88	0	0.00	17	50.00	0	0.00	13	38.24	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3C2 期	14	0	0.00	1	7.14	0	0.00	0	0.00	8	57.14	2	14.29	3	21.43	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4 期	1	0	0.00	0	0.00	0	0.00	0	0.00	1	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4A 期	15	1	6.67	0	0.00	0	0.00	0	0.00	7	46.67	0	0.00	6	40.00	0	0.00	0	0.00	1	6.67	0	0.00	0	0.00
4B 期	42	0	0.00	1	2.38	2	4.76	0	0.00	2	4.76	14	33.33	15	35.71	0	0.00	1	2.38	6	14.29	0	0.00	1	2.38
不詳	15	3	20.00	0	0.00	5	33.33	0	0.00	0	0.00	0	0.00	1	6.67	0	0.00	0	0.00	1	6.67	4	26.67	1	6.67

1 「FIGO」定義：請參考 108 年度子宮頸癌 FIGO 期別之流程說明，如圖 2 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

子宮頸癌

表十四之七 子宮頸癌發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療		非同步化療與放療		放療		放療合併化療與免疫治療		化療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	4119	3160	76.72	180	4.37	82	1.99	32	0.78	398	9.66	73	1.77	116	2.82	14	0.34	14	0.34	12	0.29	8	0.19	30	0.73
0 期	2889	2872	99.41	0	0.00	2	0.07	1	0.03	0	0.00	0	0.00	4	0.14	0	0.00	0	0.00	0	0.00	3	0.10	7	0.24
I 期	524	280	53.44	75	14.31	63	12.02	16	3.05	57	10.88	2	0.38	25	4.77	2	0.38	1	0.19	0	0.00	0	0.00	3	0.57
II 期	373	6	1.61	80	21.45	12	3.22	5	1.34	221	59.25	6	1.61	34	9.12	4	1.07	2	0.54	0	0.00	0	0.00	3	0.80
III 期	123	0	0.00	10	8.13	2	1.63	1	0.81	75	60.98	4	3.25	20	16.26	5	4.07	1	0.81	2	1.63	0	0.00	3	2.44
IV 期	199	2	1.01	14	7.04	3	1.51	7	3.52	42	21.11	60	30.15	32	16.08	3	1.51	10	5.03	9	4.52	3	1.51	14	7.04
不詳	11	0	0.00	1	9.09	0	0.00	2	18.18	3	27.27	1	9.09	1	9.09	0	0.00	0	0.00	1	9.09	2	18.18	0	0.00

表十四之八 子宮頸癌 0-29 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療		非同步化療與放療		放療		放療合併化療與免疫治療		化療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	224	213	95.09	0	0.00	1	0.45	3	1.34	3	1.34	0	0.00	0	0.00	2	0.89	1	0.45	0	0.00	0	0.00	1	0.45
0 期	204	203	99.51	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	0.49
I 期	10	9	90.00	0	0.00	0	0.00	1	10.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	6	1	16.67	0	0.00	1	16.67	0	0.00	3	50.00	0	0.00	0	0.00	1	16.67	0	0.00	0	0.00	0	0.00	0	0.00
III 期	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
IV 期	2	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
不詳	2	0	0.00	0	0.00	0	0.00	2	100	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

子宮頸癌

表十四之九 子宮頸癌 30-49 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療		非同步化療與放療		放療		放療合併化療與免疫治療		化療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	2179	1941	89.08	71	3.26	24	1.10	10	0.46	93	4.27	16	0.73	3	0.14	6	0.28	4	0.18	0	0.00	1	0.05	10	0.46
0 期	1790	1786	99.78	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	0.06	3	0.17
I 期	245	153	62.45	38	15.51	22	8.98	7	2.86	20	8.16	1	0.41	2	0.82	1	0.41	1	0.41	0	0.00	0	0.00	0	0.00
II 期	86	1	1.16	28	32.56	1	1.16	2	2.33	49	56.98	1	1.16	0	0.00	2	2.33	0	0.00	0	0.00	0	0.00	2	2.33
III 期	26	0	0.00	2	7.69	1	3.85	0	0.00	20	76.92	1	3.85	1	3.85	1	3.85	0	0.00	0	0.00	0	0.00	0	0.00
IV 期	32	1	3.13	3	9.38	0	0.00	1	3.13	4	12.50	13	40.63	0	0.00	2	6.25	3	9.38	0	0.00	0	0.00	5	15.63
不詳	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

表十四之十 子宮頸癌 50-69 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療		非同步化療與放療		放療		放療合併化療與免疫治療		化療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	1320	857	64.92	98	7.42	37	2.80	16	1.21	217	16.44	38	2.88	23	1.74	6	0.45	6	0.45	2	0.15	3	0.23	17	1.29
0 期	765	757	98.95	0	0.00	1	0.13	1	0.13	0	0.00	0	0.00	1	0.13	0	0.00	0	0.00	0	0.00	2	0.26	3	0.39
I 期	205	97	47.32	34	16.59	32	15.61	6	2.93	24	11.71	1	0.49	7	3.41	1	0.49	0	0.00	0	0.00	0	0.00	3	1.46
II 期	191	3	1.57	48	25.13	4	2.09	2	1.05	126	65.97	1	0.52	5	2.62	1	0.52	0	0.00	0	0.00	0	0.00	1	0.52
III 期	57	0	0.00	6	10.53	0	0.00	1	1.75	38	66.67	2	3.51	2	3.51	4	7.02	1	1.75	0	0.00	0	0.00	3	5.26
IV 期	98	0	0.00	9	9.18	0	0.00	6	6.12	27	27.55	33	33.67	8	8.16	0	0.00	5	5.10	2	2.04	1	1.02	7	7.14
不詳	4	0	0.00	1	25.00	0	0.00	0	0.00	2	50.00	1	25.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

子宮頸癌

表十四之十一 子宮頸癌 70 歲以上發生人數按整併期別1及治療方式分類

期別	分析數	手術 ²		手術合併化療與放療		手術合併放療		手術合併化療		同步化療與放療		非同步化療與放療		放療		放療合併化療與免疫治療		化療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	396	149	37.63	11	2.78	20	5.05	3	0.76	85	21.46	19	4.80	90	22.73	0	0.00	3	0.76	10	2.53	4	1.01	2	0.51
0 期	130	126	96.92	0	0.00	1	0.77	0	0.00	0	0.00	0	0.00	3	2.31	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
I 期	64	21	32.81	3	4.69	9	14.06	2	3.13	13	20.31	0	0.00	16	25.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
II 期	90	1	1.11	4	4.44	6	6.67	1	1.11	43	47.78	4	4.44	29	32.22	0	0.00	2	2.22	0	0.00	0	0.00	0	0.00
III 期	40	0	0.00	2	5.00	1	2.50	0	0.00	17	42.50	1	2.50	17	42.50	0	0.00	0	0.00	2	5.00	0	0.00	0	0.00
IV 期	67	1	1.49	2	2.99	3	4.48	0	0.00	11	16.42	14	20.90	24	35.82	0	0.00	1	1.49	7	10.45	2	2.99	2	2.99
不詳	5	0	0.00	0	0.00	0	0.00	0	0.00	1	20.00	0	0.00	1	20.00	0	0.00	0	0.00	1	20.00	2	40.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

Cervix Uteri

C530–C539

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

[SEER Note: **Do not code** dilation and curettage (D&C) as Surgery of Primary Site **for invasive cancers**]

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS

11 Photodynamic therapy (PDT)

12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

13 Cryosurgery

15 Loop Electrocautery Excision Procedure (LEEP)

16 Laser ablation

17 Thermal ablation

No specimen sent to pathology from surgical events 10–17

20 Local tumor excision, NOS

[SEER Note: Margins of resection may have microscopic involvement. Procedures in code 20 include but are not limited to: cryosurgery, electrocautery, excisional biopsy, laser ablation, or thermal ablation.]

26 Excisional biopsy, NOS

27 Cone biopsy

24 Cone biopsy WITH gross excision of lesion

29 Trachelectomy(**radical**); removal of cervical stump; cervicectomy

Any combination of 20, 24, 26, 27 or 29 WITH

21 Electrocautery

22 Cryosurgery

23 Laser ablation or excision

25 Dilatation and curettage; endocervical curettage (for in situ only)

28 Loop electrocautery excision procedure (LEEP)

30 Total hysterectomy (simple, pan-) WITHOUT removal of tubes and ovaries

Total hysterectomy removes both the corpus and the cervix uteri and may also include a portion of vaginal cuff

40 Total hysterectomy (simple, pan-) WITH removal of tubes and/or ovary

Total hysterectomy removes both the corpus and the cervix uteri and may also

50 Modified radical or extended hysterectomy; radical hysterectomy; extended radical hysterectomy

51 Modified radical hysterectomy

52 Extended hysterectomy

53 Radical hysterectomy; Wertheim procedure

54 Extended radical hysterectomy

60 Hysterectomy, NOS, WITH or WITHOUT removal of tubes and ovaries

61 WITHOUT removal of tubes and ovaries

62 WITH removal of tubes and ovaries

70 Pelvic exenteration

71 Anterior exenteration

Includes bladder, distal ureters, and genital organs WITH their ligamentous attachments and pelvic lymph nodes.

[SEER Note: Do not code removal of pelvic lymph nodes under Surgical Procedure/Other Site]

72 Posterior exenteration

Includes rectum and rectosigmoid WITH ligamentous attachments and pelvic lymph nodes.
[SEER Note:Do not code removal of pelvic lymph nodes under Surgical Procedure/Other Site]

73 Total exenteration

Includes removal of all pelvic contents and pelvic lymph nodes.
[SEER Note:Do not code removal of pelvic lymph nodes under Surgical Procedure/Other Site]

74 Extended exenteration

Includes pelvic blood vessels or bony pelvis

Specimen sent to pathology from surgical events 20-74.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

子宮體癌

表十五之一 子宮體癌發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	3129	100.00	-	-	3129	100.00	2040	100.00	1089	100.00
年齡										
00-04 歲	0	0.00	-	-	0	0.00	0	0.00	0	0.00
05-09 歲	0	0.00	-	-	0	0.00	0	0.00	0	0.00
10-14 歲	0	0.00	-	-	0	0.00	0	0.00	0	0.00
15-19 歲	3	0.10	-	-	3	0.10	3	0.15	0	0.00
20-24 歲	8	0.26	-	-	8	0.26	4	0.20	4	0.37
25-29 歲	32	1.02	-	-	32	1.02	24	1.18	8	0.73
30-34 歲	89	2.84	-	-	89	2.84	67	3.28	22	2.02
35-39 歲	177	5.66	-	-	177	5.66	120	5.88	57	5.23
40-44 歲	244	7.80	-	-	244	7.80	159	7.79	85	7.81
45-49 歲	361	11.54	-	-	361	11.54	245	12.01	116	10.65
50-54 歲	539	17.23	-	-	539	17.23	350	17.16	189	17.36
55-59 歲	574	18.34	-	-	574	18.34	367	17.99	207	19.01
60-64 歲	467	14.92	-	-	467	14.92	291	14.26	176	16.16
65-69 歲	322	10.29	-	-	322	10.29	215	10.54	107	9.83
70-74 歲	162	5.18	-	-	162	5.18	99	4.85	63	5.79
75-79 歲	81	2.59	-	-	81	2.59	50	2.45	31	2.85
80-84 歲	47	1.50	-	-	47	1.50	29	1.42	18	1.65
85 歲以上	23	0.74	-	-	23	0.74	17	0.83	6	0.55
FIGO 期別 ¹										
0 期	184	5.88	-	-	184	5.88	156	7.65	28	2.57
1 期	5	0.16	-	-	5	0.16	1	0.05	4	0.37
1A 期	1223	39.09	-	-	1223	39.09	706	34.61	517	47.47
1B 期	344	10.99	-	-	344	10.99	202	9.90	142	13.04
1C 期	6	0.19	-	-	6	0.19	4	0.20	2	0.18
2 期	96	3.07	-	-	96	3.07	53	2.60	43	3.95
2A 期	5	0.16	-	-	5	0.16	3	0.15	2	0.18
2B 期	5	0.16	-	-	5	0.16	1	0.05	4	0.37
3 期	1	0.03	-	-	1	0.03	1	0.05	0	0.00
3A 期	84	2.68	-	-	84	2.68	45	2.21	39	3.58
3B 期	25	0.80	-	-	25	0.80	12	0.59	13	1.19
3C 期	3	0.10	-	-	3	0.10	2	0.10	1	0.09
3C1 期	103	3.29	-	-	103	3.29	53	2.60	50	4.59
3C2 期	62	1.98	-	-	62	1.98	34	1.67	28	2.57
4A 期	4	0.13	-	-	4	0.13	1	0.05	3	0.28
4B 期	137	4.38	-	-	137	4.38	84	4.12	53	4.87
不詳	842	26.91	-	-	842	26.91	682	33.43	160	14.69

表十五之一 子宮體癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	3129	100.00	-	-	3129	100.00	2040	100.00	1089	100.00
臨床期別										
0 期	184	5.88	-	-	184	5.88	156	7.65	28	2.57
I 期	1921	61.39	-	-	1921	61.39	1243	60.93	678	62.26
II 期	146	4.67	-	-	146	4.67	95	4.66	51	4.68
III 期	264	8.44	-	-	264	8.44	171	8.38	93	8.54
IV 期	183	5.85	-	-	183	5.85	127	6.23	56	5.14
不詳	431	13.77	-	-	431	13.77	248	12.16	183	16.80
病理期別										
0 期	184	5.88	-	-	184	5.88	156	7.65	28	2.57
I 期	2027	64.78	-	-	2027	64.78	1318	64.61	709	65.11
II 期	144	4.60	-	-	144	4.60	89	4.36	55	5.05
III 期	340	10.87	-	-	340	10.87	205	10.05	135	12.40
IV 期	203	6.49	-	-	203	6.49	133	6.52	70	6.43
不詳	231	7.38	-	-	231	7.38	139	6.81	92	8.45
整併期別 ²										
0 期	184	5.88	-	-	184	5.88	156	7.65	28	2.57
I 期	2115	67.59	-	-	2115	67.59	1382	67.75	733	67.31
II 期	155	4.95	-	-	155	4.95	96	4.71	59	5.42
III 期	360	11.51	-	-	360	11.51	223	10.93	137	12.58
IV 期	245	7.83	-	-	245	7.83	161	7.89	84	7.71
不詳	70	2.24	-	-	70	2.24	22	1.08	48	4.41
臨床與病理期別一致性										
Kappa ³	0.6921									
治療方式 ^{4,5,6}										
手術	1537	49.12	-	-	1537	49.12	992	48.63	545	50.05
手術合併放療	493	15.76	-	-	493	15.76	304	14.90	189	17.36
手術合併放療與化療，有/無標靶治療	317	10.13	-	-	317	10.13	206	10.10	111	10.19
手術合併化療，有/無標靶治療	331	10.58	-	-	331	10.58	217	10.64	114	10.47
手術合併內分泌治療	179	5.72	-	-	179	5.72	122	5.98	57	5.23
化療	26	0.83	-	-	26	0.83	20	0.98	6	0.55
放療	31	0.99	-	-	31	0.99	25	1.23	6	0.55
內分泌治療	77	2.46	-	-	77	2.46	59	2.89	18	1.65
緩和治療	10	0.32	-	-	10	0.32	5	0.25	5	0.46
未有首次治療申報紀錄	7	0.22	-	-	7	0.22	5	0.25	2	0.18
其他治療	121	3.87	-	-	121	3.87	85	4.17	36	3.31
組織型態										
子宮內膜癌	2771	88.56	-	-	2771	88.56	1816	89.02	955	87.70
惡性 Muller 氏混合性腫瘤	154	4.92	-	-	154	4.92	99	4.85	55	5.05
絨毛膜癌	1	0.03	-	-	1	0.03	1	0.05	0	0.00
其他特定上皮癌	1	0.03	-	-	1	0.03	1	0.05	0	0.00
非特定上皮癌	10	0.32	-	-	10	0.32	7	0.34	3	0.28
平滑肌肉瘤	94	3.00	-	-	94	3.00	59	2.89	35	3.21
子宮內膜基質肉瘤	67	2.14	-	-	67	2.14	40	1.96	27	2.48
其他惡性肉瘤	26	0.83	-	-	26	0.83	16	0.78	10	0.92
其他惡性腫瘤	5	0.16	-	-	5	0.16	1	0.05	4	0.37

註 1：FIGO 期別*請參考 108 年度子宮體癌及卵巢癌 FIGO 期別之流程說明，如圖 3 所示。

註 2：整併期別*請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 3：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 4：參考後續治療方式相關表格之附註(p.630-632)。

註 5：治療方式為 "OOO 合併 XX 治療，有/無□□治療"，表示包含「OOO 合併 XX 治療」與「OOO 合併 XX 治療與□□治療」之兩種方式合併呈現。

註 6：治癒性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

子宮體癌

表十五之二 子宮體癌發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²	手術合併 放療	手術合併 放療與 化療 ，有/無 標靶治療	手術合併 化療 ，有/無 標靶治療	手術合併 內分泌 治療	化療		放療		內分泌 治療		緩和 治療 ³		未有 首次治療 申報紀錄 ⁴		其他 治療 ⁵						
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%				
合計	3129	1537	49.12	493	15.76	317	10.13	331	10.58	179	5.72	26	0.83	31	0.99	77	2.46	10	0.32	7	0.22	121	3.87
0 期	184	110	59.78	0	0.00	0	0.00	0	0.00	53	28.80	0	0.00	0	0.00	14	7.61	0	0.00	2	1.09	5	2.72
I 期	2115	1320	62.41	384	18.16	76	3.59	119	5.63	106	5.01	0	0.00	17	0.80	56	2.65	1	0.05	2	0.09	34	1.61
II 期	155	18	11.61	72	46.45	31	20.00	10	6.45	8	5.16	1	0.65	3	1.94	2	1.29	0	0.00	0	0.00	10	6.45
III 期	360	27	7.50	26	7.22	166	46.11	102	28.33	5	1.39	0	0.00	5	1.39	0	0.00	1	0.28	1	0.28	27	7.50
IV 期	245	18	7.35	9	3.67	42	17.14	92	37.55	2	0.82	24	9.80	4	1.63	1	0.41	7	2.86	2	0.82	44	17.96
不詳	70	44	62.86	2	2.86	2	2.86	8	11.43	5	7.14	1	1.43	2	2.86	4	5.71	1	1.43	0	0.00	1	1.43

表十五之三 子宮體癌 0-39 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²	手術合併 放療	手術合併 放療與 化療 ，有/無 標靶治療	手術合併 化療 ，有/無 標靶治療	手術合併 內分泌 治療	化療	放療	內分泌 治療	緩和 治療 ³	未有 首次治療 申報紀錄 ⁴	其他 治療 ⁵
		申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %
合計	309	116 37.54	19 6.15	14 4.53	15 4.85	57 18.45	3 0.97	0 0.00	63 20.39	0 0.00	2 0.65	20 6.47
0 期	71	27 38.03	0 0.00	0 0.00	0 0.00	31 43.66	0 0.00	0 0.00	10 14.08	0 0.00	1 1.41	2 2.82
I 期	179	86 48.04	12 6.70	1 0.56	2 1.12	21 11.73	0 0.00	0 0.00	47 26.26	0 0.00	1 0.56	9 5.03
II 期	14	1 7.14	6 42.86	2 14.29	0 0.00	2 14.29	0 0.00	0 0.00	2 14.29	0 0.00	0 0.00	1 7.14
III 期	24	1 4.17	1 4.17	10 41.67	10 41.67	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	2 8.33
IV 期	12	0 0.00	0 0.00	1 8.33	2 16.67	0 0.00	3 25.00	0 0.00	0 0.00	0 0.00	0 0.00	6 50.00
不詳	9	1 11.11	0 0.00	0 0.00	1 11.11	3 33.33	0 0.00	0 0.00	4 44.44	0 0.00	0 0.00	0 0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

子宮體癌

表十五之四 子宮體癌 40-59 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²	手術合併放療	手術合併放療與化療，有/無標靶治療	手術合併化療，有/無標靶治療	手術合併內分泌治療	化療	放療	內分泌治療	緩和治療 ³	未有首次治療申報紀錄 ⁴	其他治療 ⁵
		申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %
合計	1718	968 56.34	231 13.45	165 9.60	173 10.07	85 4.95	15 0.87	7 0.41	14 0.81	5 0.29	1 0.06	54 3.14
0 期	104	75 72.12	0 0.00	0 0.00	0 0.00	22 21.15	0 0.00	0 0.00	4 3.85	0 0.00	0 0.00	3 2.88
I 期	1191	826 69.35	186 15.62	35 2.94	63 5.29	57 4.79	0 0.00	4 0.34	9 0.76	0 0.00	0 0.00	11 0.92
II 期	81	13 16.05	32 39.51	19 23.46	6 7.41	3 3.70	1 1.23	1 1.23	0 0.00	0 0.00	0 0.00	6 7.41
III 期	172	14 8.14	9 5.23	86 50.00	48 27.91	0 0.00	0 0.00	1 0.58	0 0.00	0 0.00	0 0.00	14 8.14
IV 期	127	8 6.30	3 2.36	24 18.90	51 40.16	1 0.79	14 11.02	0 0.00	1 0.79	5 3.94	1 0.79	19 14.96
不詳	43	32 74.42	1 2.33	1 2.33	5 11.63	2 4.65	0 0.00	1 2.33	0 0.00	0 0.00	0 0.00	1 2.33

表十五之五 子宮體癌 60 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²	手術合併放療	手術合併放療與化療，有/無標靶治療	手術合併化療，有/無標靶治療	手術合併內分泌治療	化療	放療	內分泌治療	緩和治療 ³	未有首次治療申報紀錄 ⁴	其他治療 ⁵
		申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %
合計	1102	453 41.11	243 22.05	138 12.52	143 12.98	37 3.36	8 0.73	24 2.18	0 0.00	5 0.45	4 0.36	47 4.26
0 期	9	8 88.89	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1 11.11	0 0.00
I 期	745	408 54.77	186 24.97	40 5.37	54 7.25	28 3.76	0 0.00	13 1.74	0 0.00	1 0.13	1 0.13	14 1.88
II 期	60	4 6.67	34 56.67	10 16.67	4 6.67	3 5.00	0 0.00	2 3.33	0 0.00	0 0.00	0 0.00	3 5.00
III 期	164	12 7.32	16 9.76	70 42.68	44 26.83	5 3.05	0 0.00	4 2.44	0 0.00	1 0.61	1 0.61	11 6.71
IV 期	106	10 9.43	6 5.66	17 16.04	39 36.79	1 0.94	7 6.60	4 3.77	0 0.00	2 1.89	1 0.94	19 17.92
不詳	18	11 61.11	1 5.56	1 5.56	2 11.11	0 0.00	1 5.56	1 5.56	0 0.00	1 5.56	0 0.00	0 0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

子宮體癌

表十五之六 子宮體癌發生人數按 FIGO 期別¹及治療方式分類

期別	分析數	手術 ²		手術合併放療		手術合併放療與化療，有/無標靶治療		手術合併化療，有/無標靶治療		手術合併內分泌治療		化療		放療		內分泌治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	3129	1537	49.12	493	15.76	317	10.13	331	10.58	179	5.72	26	0.83	31	0.99	77	2.46	10	0.32	7	0.22	121	3.87
0 期	184	110	59.78	0	0.00	0	0.00	0	0.00	53	28.80	0	0.00	0	0.00	14	7.61	0	0.00	2	1.09	5	2.72
1 期	5	4	80.00	0	0.00	0	0.00	0	0.00	1	20.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1A 期	1223	912	74.57	165	13.49	34	2.78	53	4.33	45	3.68	0	0.00	1	0.08	4	0.33	0	0.00	0	0.00	9	0.74
1B 期	344	100	29.07	161	46.80	30	8.72	30	8.72	15	4.36	0	0.00	1	0.29	0	0.00	0	0.00	0	0.00	7	2.03
1C 期	6	1	16.67	2	33.33	1	16.67	2	33.33	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2 期	96	9	9.38	57	59.38	18	18.75	6	6.25	2	2.08	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	4	4.17
2A 期	5	1	20.00	2	40.00	1	20.00	1	20.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2B 期	5	1	20.00	1	20.00	2	40.00	1	20.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3 期	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3A 期	84	7	8.33	8	9.52	35	41.67	28	33.33	2	2.38	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	4	4.76
3B 期	25	3	12.00	6	24.00	8	32.00	4	16.00	1	4.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	3	12.00
3C 期	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3C1 期	103	6	5.83	10	9.71	57	55.34	20	19.42	1	0.97	0	0.00	1	0.97	0	0.00	0	0.00	0	0.00	8	7.77
3C2 期	62	6	9.68	1	1.61	29	46.77	22	35.48	0	0.00	0	0.00	1	1.61	0	0.00	0	0.00	0	0.00	3	4.84
4A 期	4	2	50.00	0	0.00	1	25.00	1	25.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4B 期	137	8	5.84	5	3.65	30	21.90	67	48.91	2	1.46	6	4.38	0	0.00	0	0.00	2	1.46	0	0.00	17	12.41
不詳	842	367	43.59	75	8.91	71	8.43	92	10.93	57	6.77	20	2.38	27	3.21	59	7.01	8	0.95	5	0.59	61	7.24

1 「FIGO 期別」-請參考 108 年度子宮體癌 FIGO 期別之流程說明，如圖 3 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

Corpus Uteri

C540–C559

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

Codes

00 None; no surgery of primary site; autopsy ONLY

19 Local tumor destruction or excision, NOS

Unknown whether a specimen was sent to pathology for surgical events coded 19 (principally for cases diagnosed prior to January 1, 2003)

10 Local tumor destruction, NOS

I

11 Photodynamic therapy (PDT)

12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

13 Cryosurgery

14 Laser

15 Loop Electrocautery Excision Procedure (LEEP)

16 Thermal ablation

No specimen sent to pathology from surgical events 10–16

20 Local tumor excision, NOS; simple excision, NOS

24 Excisional biopsy

25 Polypectomy

26 Myomectomy

Any combination of 20 or 24–26 WITH

21 Electrocautery

22 Cryosurgery

23 Laser ablation or excision

[SEER Note: Margins of resection may have microscopic involvement]

30 Subtotal hysterectomy/supracervical hysterectomy/fundectomy WITH or WITHOUT removal of tube(s) and ovary(ies)

31 WITHOUT tube(s) and ovary(ies)

32 WITH tube(s) and ovary(ies)

[SEER Note: For these procedures, the cervix is left in place]

40 Total hysterectomy (simple, pan-) WITHOUT removal of tube(s) and ovary(ies)

Removes both the corpus and cervix uteri. It may also include a portion of the vaginal cuff.

50 Total hysterectomy (simple, pan-) WITH removal of tube(s) and/or ovary(ies)

Removes both the corpus and cervix uteri. It may also include a portion of the vaginal cuff.

60 Modified radical or extended hysterectomy; radical hysterectomy; extended radical hysterectomy

61 Modified radical hysterectomy

62 Extended hysterectomy

63 Radical hysterectomy; Wertheim procedure

[SEER Note: Use code 63 for "Type III" hysterectomy]

64 Extended radical hysterectomy

65 Hysterectomy, NOS, WITH or WITHOUT removal of tube(s) and ovary(ies)

66 WITHOUT removal of tube(s) and ovary(ies)

67 WITH removal of tube(s) and ovary(ies)

- 75 Pelvic exenteration
- 76 Anterior exenteration
 - Includes bladder, distal ureters, and genital organs WITH their ligamentous attachments and pelvic lymph nodes.
 - [SEER Note: Do not code removal of pelvic lymph nodes under Surgical Procedure/Other Site]
- 77 Posterior exenteration
 - Includes rectum and rectosigmoid WITH ligamentous attachments and pelvic lymph nodes.
 - [SEER Note: Do not code removal of pelvic lymph nodes under Surgical Procedure/Other Site]
- 78 Total exenteration
 - Includes removal of all pelvic contents and pelvic lymph nodes.
 - [SEER Note: Do not code removal of pelvic lymph nodes under Surgical Procedure/Other Site]
- 79 Extended exenteration
 - Includes pelvic blood vessels or bony pelvis

Specimen sent to pathology from surgical events 20-79.

- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

卵巢癌

表十六之一 卵巢癌發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	1559	100.00	-	-	1559	100.00	1068	100.00	491	100.00
年齡										
00-04 歲	3	0.19	-	-	3	0.19	3	0.28	0	0.00
05-09 歲	1	0.06	-	-	1	0.06	1	0.09	0	0.00
10-14 歲	2	0.13	-	-	2	0.13	1	0.09	1	0.20
15-19 歲	12	0.77	-	-	12	0.77	9	0.84	3	0.61
20-24 歲	25	1.60	-	-	25	1.60	17	1.59	8	1.63
25-29 歲	39	2.50	-	-	39	2.50	34	3.18	5	1.02
30-34 歲	53	3.40	-	-	53	3.40	39	3.65	14	2.85
35-39 歲	89	5.71	-	-	89	5.71	61	5.71	28	5.70
40-44 歲	167	10.71	-	-	167	10.71	116	10.86	51	10.39
45-49 歲	201	12.89	-	-	201	12.89	146	13.67	55	11.20
50-54 歲	266	17.06	-	-	266	17.06	184	17.23	82	16.70
55-59 歲	203	13.02	-	-	203	13.02	140	13.11	63	12.83
60-64 歲	168	10.78	-	-	168	10.78	113	10.58	55	11.20
65-69 歲	144	9.24	-	-	144	9.24	98	9.18	46	9.37
70-74 歲	72	4.62	-	-	72	4.62	52	4.87	20	4.07
75-79 歲	56	3.59	-	-	56	3.59	23	2.15	33	6.72
80-84 歲	43	2.76	-	-	43	2.76	23	2.15	20	4.07
85 歲以上	15	0.96	-	-	15	0.96	8	0.75	7	1.43
FIGO 期別 ¹										
1 期	2	0.13	-	-	2	0.13	1	0.09	1	0.20
1A 期	241	15.46	-	-	241	15.46	167	15.64	74	15.07
1B 期	8	0.51	-	-	8	0.51	5	0.47	3	0.61
1C 期	15	0.96	-	-	15	0.96	7	0.66	8	1.63
1C1 期	182	11.67	-	-	182	11.67	132	12.36	50	10.18
1C2 期	98	6.29	-	-	98	6.29	65	6.09	33	6.72
1C3 期	45	2.89	-	-	45	2.89	32	3.00	13	2.65
2 期	1	0.06	-	-	1	0.06	1	0.09	0	0.00
2A 期	53	3.40	-	-	53	3.40	28	2.62	25	5.09
2B 期	73	4.68	-	-	73	4.68	52	4.87	21	4.28
3A1 期	48	3.08	-	-	48	3.08	30	2.81	18	3.67
3A2 期	43	2.76	-	-	43	2.76	32	3.00	11	2.24
3B 期	78	5.00	-	-	78	5.00	50	4.68	28	5.70
3C 期	200	12.83	-	-	200	12.83	147	13.76	53	10.79
4 期	7	0.45	-	-	7	0.45	7	0.66	0	0.00
4A 期	40	2.57	-	-	40	2.57	28	2.62	12	2.44
4B 期	140	8.98	-	-	140	8.98	107	10.02	33	6.72
不詳	285	18.28	-	-	285	18.28	177	16.57	108	22.00

表十六之一 卵巢癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	1559	100.00	-	-	1559	100.00	1068	100.00	491	100.00
臨床期別										
Ⅰ期	500	32.07	-	-	500	32.07	335	31.37	165	33.60
Ⅱ期	83	5.32	-	-	83	5.32	57	5.34	26	5.30
Ⅲ期	406	26.04	-	-	406	26.04	279	26.12	127	25.87
Ⅳ期	224	14.37	-	-	224	14.37	158	14.79	66	13.44
不詳	346	22.19	-	-	346	22.19	239	22.38	107	21.79
病理期別										
Ⅰ期	667	42.78	-	-	667	42.78	459	42.98	208	42.36
Ⅱ期	133	8.53	-	-	133	8.53	86	8.05	47	9.57
Ⅲ期	404	25.91	-	-	404	25.91	286	26.78	118	24.03
Ⅳ期	216	13.86	-	-	216	13.86	168	15.73	48	9.78
不詳	139	8.92	-	-	139	8.92	69	6.46	70	14.26
整併期別 ²										
Ⅰ期	667	42.78	-	-	667	42.78	456	42.70	211	42.97
Ⅱ期	136	8.72	-	-	136	8.72	86	8.05	50	10.18
Ⅲ期	452	28.99	-	-	452	28.99	316	29.59	136	27.70
Ⅳ期	250	16.04	-	-	250	16.04	181	16.95	69	14.05
不詳	54	3.46	-	-	54	3.46	29	2.72	25	5.09
臨床與病理期別一致性 Kappa ³	0.7757									
治療方式 ^{4,5}										
手術	304	19.50	-	-	304	19.50	193	18.07	111	22.61
手術合併化療	855	54.84	-	-	855	54.84	593	55.52	262	53.36
手術合併化療與標靶治療	224	14.37	-	-	224	14.37	161	15.07	63	12.83
手術合併化療與免疫治療， 有/無標靶治療	40	2.57	-	-	40	2.57	39	3.65	1	0.20
手術合併化療與內分泌治療	10	0.64	-	-	10	0.64	8	0.75	2	0.41
手術合併化療與放療	9	0.58	-	-	9	0.58	5	0.47	4	0.81
化療或/與標靶治療	76	4.87	-	-	76	4.87	51	4.78	25	5.09
緩和治療	20	1.28	-	-	20	1.28	5	0.47	15	3.05
未有首次治療申報紀錄	2	0.13	-	-	2	0.13	1	0.09	1	0.20
其他治療	19	1.22	-	-	19	1.22	12	1.12	7	1.43
組織型態										
漿液性腺癌	511	32.78	-	-	511	32.78	362	33.90	149	30.35
黏液性腺癌	158	10.13	-	-	158	10.13	106	9.93	52	10.59
子宮內膜樣癌	231	14.82	-	-	231	14.82	158	14.79	73	14.87
明亮細胞癌	329	21.10	-	-	329	21.10	239	22.38	90	18.33
混合細胞腺癌	62	3.98	-	-	62	3.98	48	4.49	14	2.85
非特定腺癌	51	3.27	-	-	51	3.27	27	2.53	24	4.89
生殖細胞瘤	57	3.66	-	-	57	3.66	40	3.75	17	3.46
性索間質腫瘤	74	4.75	-	-	74	4.75	41	3.84	33	6.72
其他特定上皮癌	34	2.18	-	-	34	2.18	22	2.06	12	2.44
非特定上皮癌	30	1.92	-	-	30	1.92	15	1.40	15	3.05
惡性肉瘤	8	0.51	-	-	8	0.51	6	0.56	2	0.41
其他惡性腫瘤	14	0.90	-	-	14	0.90	4	0.37	10	2.04

註 1：FIGO 期別*請參考 108 年度子宮體癌及卵巢癌 FIGO 期別之流程說明，如圖 3 所示。

註 2：整併期別*請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 3：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 4：參考後續治療方式相關表格之附註(p.638-640)。

註 5：治療方式為 "OOO 合併 XX 治療，有/無□□治療"，表示包含「OOO 合併 XX 治療」與「OOO 合併 XX 治療與□□治療」之兩種方式合併呈現。

註 6：治癒性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

卵巢癌

表十六之二 卵巢癌發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療		手術合併化療與標靶治療		手術合併化療與免疫治療，有/無標靶治療		手術合併化療與內分泌治療		手術合併化療與放療		化療或/與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	1559	304	19.50	855	54.84	224	14.37	40	2.57	10	0.64	9	0.58	76	4.87	20	1.28	2	0.13	19	1.22
I 期	667	219	32.83	406	60.87	36	5.40	1	0.15	2	0.30	0	0.00	0	0.00	0	0.00	0	0.00	3	0.45
II 期	136	14	10.29	103	75.74	12	8.82	1	0.74	2	1.47	2	1.47	0	0.00	2	1.47	0	0.00	0	0.00
III 期	452	24	5.31	239	52.88	112	24.78	27	5.97	5	1.11	4	0.88	29	6.42	4	0.88	1	0.22	7	1.55
IV 期	250	17	6.80	89	35.60	62	24.80	11	4.40	1	0.40	3	1.20	46	18.40	12	4.80	0	0.00	9	3.60
不詳	54	30	55.56	18	33.33	2	3.70	0	0.00	0	0.00	0	0.00	1	1.85	2	3.70	1	1.85	0	0.00

表十六之三 卵巢癌 0-39 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療		手術合併化療與標靶治療		手術合併化療與免疫治療，有/無標靶治療		手術合併化療與內分泌治療		手術合併化療與放療		化療或/與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	224	65	29.02	128	57.14	16	7.14	4	1.79	5	2.23	1	0.45	3	1.34	0	0.00	1	0.45	1	0.45
I 期	139	51	36.69	82	58.99	4	2.88	0	0.00	1	0.72	0	0.00	0	0.00	0	0.00	0	0.00	1	0.72
II 期	17	1	5.88	12	70.59	2	11.76	0	0.00	1	5.88	1	5.88	0	0.00	0	0.00	0	0.00	0	0.00
III 期	35	2	5.71	20	57.14	7	20.00	2	5.71	3	8.57	0	0.00	1	2.86	0	0.00	0	0.00	0	0.00
IV 期	15	0	0.00	8	53.33	3	20.00	2	13.33	0	0.00	0	0.00	2	13.33	0	0.00	0	0.00	0	0.00
不詳	18	11	61.11	6	33.33	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	5.56	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

卵巢癌

表十六之四 卵巢癌 40-59 歲發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²	手術合併化療	手術合併化療與標靶治療	手術合併化療與免疫治療，有/無標靶治療	手術合併化療與內分泌治療	手術合併化療與放療	化療或/與標靶治療	緩和治療 ³	未有首次治療申報紀錄 ⁴	其他治療 ⁵
		申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %
合計	837	150 17.92	484 57.83	137 16.37	25 2.99	2 0.24	4 0.48	21 2.51	4 0.48	0 0.00	10 1.19
I 期	391	109 27.88	251 64.19	28 7.16	1 0.26	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	2 0.51
II 期	80	8 10.00	61 76.25	9 11.25	1 1.25	0 0.00	1 1.25	0 0.00	0 0.00	0 0.00	0 0.00
III 期	233	11 4.72	126 54.08	66 28.33	18 7.73	1 0.43	2 0.86	5 2.15	1 0.43	0 0.00	3 1.29
IV 期	108	7 6.48	39 36.11	32 29.63	5 4.63	1 0.93	1 0.93	15 13.89	3 2.78	0 0.00	5 4.63
不詳	25	15 60.00	7 28.00	2 8.00	0 0.00	0 0.00	0 0.00	1 4.00	0 0.00	0 0.00	0 0.00

表十六之五 卵巢癌 60 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	手術 ²	手術合併化療	手術合併化療與標靶治療	手術合併化療與免疫治療，有/無標靶治療	手術合併化療與內分泌治療	手術合併化療與放療	化療或/與標靶治療	緩和治療 ³	未有首次治療申報紀錄 ⁴	其他治療 ⁵
		申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %
合計	498	89 17.87	243 48.80	71 14.26	11 2.21	3 0.60	4 0.80	52 10.44	16 3.21	1 0.20	8 1.61
I 期	137	59 43.07	73 53.28	4 2.92	0 0.00	1 0.73	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00
II 期	39	5 12.82	30 76.92	1 2.56	0 0.00	1 2.56	0 0.00	0 0.00	2 5.13	0 0.00	0 0.00
III 期	184	11 5.98	93 50.54	39 21.20	7 3.80	1 0.54	2 1.09	23 12.50	3 1.63	1 0.54	4 2.17
IV 期	127	10 7.87	42 33.07	27 21.26	4 3.15	0 0.00	2 1.57	29 22.83	9 7.09	0 0.00	4 3.15
不詳	11	4 36.36	5 45.45	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	2 18.18	0 0.00	0 0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC 8th)之整併流程說明，如圖 1 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

卵巢癌

表十六之六 卵巢癌發生人數按 FIGO 期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療		手術合併化療與標靶治療		手術合併化療與免疫治療，有/無標靶治療		手術合併化療與內分泌治療		手術合併化療與放療		化療或/與標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	1559	304	19.50	855	54.84	224	14.37	40	2.57	10	0.64	9	0.58	76	4.87	20	1.28	2	0.13	19	1.22
1 期	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1A 期	241	126	52.28	108	44.81	4	1.66	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	3	1.24
1B 期	8	1	12.50	7	87.50	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1C 期	15	2	13.33	12	80.00	1	6.67	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1C1 期	182	31	17.03	132	72.53	18	9.89	0	0.00	1	0.55	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1C2 期	98	15	15.31	74	75.51	8	8.16	1	1.02	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1C3 期	45	5	11.11	37	82.22	2	4.44	0	0.00	1	2.22	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2 期	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2A 期	53	7	13.21	38	71.70	6	11.32	1	1.89	0	0.00	0	0.00	0	0.00	1	1.89	0	0.00	0	0.00
2B 期	73	7	9.59	57	78.08	5	6.85	0	0.00	2	2.74	2	2.74	0	0.00	0	0.00	0	0.00	0	0.00
3A 期	48	2	4.17	30	62.50	12	25.00	2	4.17	1	2.08	0	0.00	1	2.08	0	0.00	0	0.00	0	0.00
3A1 期	43	1	2.33	30	69.77	7	16.28	3	6.98	1	2.33	0	0.00	0	0.00	0	0.00	0	0.00	1	2.33
3A2 期	78	5	6.41	44	56.41	25	32.05	3	3.85	0	0.00	1	1.28	0	0.00	0	0.00	0	0.00	0	0.00
3B 期	200	9	4.50	99	49.50	58	29.00	14	7.00	3	1.50	3	1.50	8	4.00	1	0.50	0	0.00	5	2.50
3C 期	7	0	0.00	3	42.86	3	42.86	0	0.00	0	0.00	0	0.00	1	14.29	0	0.00	0	0.00	0	0.00
4 期	40	3	7.50	16	40.00	15	37.50	1	2.50	0	0.00	0	0.00	2	5.00	1	2.50	0	0.00	2	5.00
4A 期	140	10	7.14	51	36.43	40	28.57	7	5.00	1	0.71	3	2.14	20	14.29	3	2.14	0	0.00	5	3.57
4B 期	9	8	88.89	1	11.11	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
不詳	276	71	25.72	114	41.30	20	7.25	8	2.90	0	0.00	0	0.00	44	15.94	14	5.07	2	0.72	3	1.09

1 「FIGO 期別」-請參考 108 年度卵巢癌 FIGO 期別之流程說明，如圖 3 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

Ovary

C569

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

Codes

00 None; no surgery of primary site; autopsy ONLY

17 Local tumor destruction, NOS

No specimen sent to pathology from surgical event 17

25 Total removal of tumor or (single) ovary, NOS

26 Resection of ovary (wedge, subtotal, or partial) ONLY, NOS; unknown if hysterectomy done

27 WITHOUT hysterectomy

28 WITH hysterectomy

35 Unilateral (salpingo-) oophorectomy; unknown if hysterectomy done

36 WITHOUT hysterectomy

37 WITH hysterectomy

[SEER Note: Use code 37 for current unilateral (salpingo-) oophorectomy with previous history of hysterectomy.]

50 Bilateral (salpingo-) oophorectomy; unknown if hysterectomy done

51 WITHOUT hysterectomy

52 WITH hysterectomy

[SEER Note: Use code 52 for current bilateral (salpingo-) oophorectomy with previous history of hysterectomy.]

55 Unilateral or bilateral (salpingo-) oophorectomy WITH OMENTECTOMY, NOS; partial or total; unknown if hysterectomy done

56 WITHOUT hysterectomy

57 WITH hysterectomy

60 Debulking; cytoreductive surgery, NOS

61 WITH colon (including appendix) and/or small intestine resection (not incidental)

62 WITH partial resection of urinary tract (not incidental)

63 Combination of 61 and 62

Debulking is a partial or total removal of the tumor mass and can involve the removal of multiple organ sites. It may include removal of ovaries and/or the uterus (a hysterectomy). The pathology report may or may not identify ovarian tissue. A debulking is usually followed by another treatment modality such as chemotherapy.

[SEER Note: Debulking or cytoreductive surgery is implied by the following phrases in the operative report, pathology report, discharge summary, or consultation.

(This is not intended to be a complete list. Other phrases may also imply debulking).

Adjuvant treatment pending surgical reduction of tumor

Ovaries, tubes buried in tumor

Tumor burden

Tumor cakes

Very large tumor mass

Do not code debulking or cytoreductive surgery based on: multiple biopsies alone, the mention of "multiple tissue fragments" or "removal of multiple implants." Multiple biopsies and multiple specimens confirm the presence or absence of metastasis.]

- 70 Pelvic exenteration, NOS
- 71 Anterior exenteration
 - Includes bladder, distal ureters, and genital organs WITH their ligamentous attachments and pelvic lymph nodes.
 - [SEER Note: Do not code removal of pelvic lymph nodes under Surgical Procedure/Other Site.]
- 72 Posterior exenteration
 - Includes rectum and rectosigmoid WITH ligamentous attachments and pelvic lymph nodes.
 - [SEER Note: Do not code removal of pelvic lymph nodes under Surgical Procedure/Other Site.]
- 73 Total exenteration
 - Includes removal of all pelvic contents and pelvic lymph nodes.
 - [SEER Note: Do not code removal of pelvic lymph nodes under Surgical Procedure/Other Site.]
- 74 Extended exenteration
 - Includes pelvic blood vessels or bony pelvis
- 80 (Salpingo-) oophorectomy, NOS

Specimen sent to pathology from surgical events 25-80.

- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

攝護腺癌

表十七之一 攝護腺癌發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	6406	100.00	6406	100.00	-	-	3649	100.00	2757	100.00
年齡										
00-04 歲	0	0.00	0	0.00	-	-	0	0.00	0	0.00
05-09 歲	0	0.00	0	0.00	-	-	0	0.00	0	0.00
10-14 歲	0	0.00	0	0.00	-	-	0	0.00	0	0.00
15-19 歲	0	0.00	0	0.00	-	-	0	0.00	0	0.00
20-24 歲	0	0.00	0	0.00	-	-	0	0.00	0	0.00
25-29 歲	0	0.00	0	0.00	-	-	0	0.00	0	0.00
30-34 歲	1	0.02	1	0.02	-	-	1	0.03	0	0.00
35-39 歲	1	0.02	1	0.02	-	-	1	0.03	0	0.00
40-44 歲	6	0.09	6	0.09	-	-	5	0.14	1	0.04
45-49 歲	23	0.36	23	0.36	-	-	11	0.30	12	0.44
50-54 歲	101	1.58	101	1.58	-	-	63	1.73	38	1.38
55-59 歲	309	4.82	309	4.82	-	-	209	5.73	100	3.63
60-64 歲	781	12.19	781	12.19	-	-	511	14.00	270	9.79
65-69 歲	1377	21.50	1377	21.50	-	-	823	22.55	554	20.09
70-74 歲	1266	19.76	1266	19.76	-	-	764	20.94	502	18.21
75-79 歲	1179	18.40	1179	18.40	-	-	630	17.27	549	19.91
80-84 歲	791	12.35	791	12.35	-	-	359	9.84	432	15.67
85 歲以上	571	8.91	571	8.91	-	-	272	7.45	299	10.85
臨床與病理期別一致性										
Kappa ¹	0.4996									
治療方式 ^{2,3,4}										
根除性手術	1463	22.84	1463	22.84	-	-	1046	28.67	417	15.13
冷凍療法	9	0.14	9	0.14	-	-	9	0.25	0	0.00
HIFU	50	0.78	50	0.78	-	-	40	1.10	10	0.36
TURP/其他手術	552	8.62	552	8.62	-	-	294	8.06	258	9.36
根除性手術合併內分泌治療，有/無放療	533	8.32	533	8.32	-	-	333	9.13	200	7.25
HIFU 合併內分泌治療，有/無放療	56	0.87	56	0.87	-	-	46	1.26	10	0.36
TURP 合併內分泌治療，有/無放療	975	15.22	975	15.22	-	-	373	10.22	602	21.84
雷射或 TURP 合併化療與內分泌治療	27	0.42	27	0.42	-	-	19	0.52	8	0.29
放療	85	1.33	85	1.33	-	-	44	1.21	41	1.49
內分泌治療	1103	17.22	1103	17.22	-	-	578	15.84	525	19.04
放療合併內分泌治療	1068	16.67	1068	16.67	-	-	546	14.96	522	18.93
化療合併內分泌治療	85	1.33	85	1.33	-	-	61	1.67	24	0.87
化療合併放療與內分泌治療	36	0.56	36	0.56	-	-	24	0.66	12	0.44
緩和治療	15	0.23	15	0.23	-	-	7	0.19	8	0.29
未有首次治療申報紀錄	216	3.37	216	3.37	-	-	150	4.11	66	2.39
拒絕治療	14	0.22	14	0.22	-	-	10	0.27	4	0.15
其他治療	119	1.86	119	1.86	-	-	69	1.89	50	1.81

表十七之一 攝護腺癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	6406	100.00	6406	100.00	-	-	3649	100.00	2757	100.00
組織型態										
腺癌	6299	98.33	6299	98.33	-	-	3611	98.96	2688	97.50
神經內分泌癌	19	0.30	19	0.30	-	-	7	0.19	12	0.44
其他特定上皮癌	1	0.02	1	0.02	-	-	0	0.00	1	0.04
非特定上皮癌	26	0.41	26	0.41	-	-	13	0.36	13	0.47
惡性肉瘤	2	0.03	2	0.03	-	-	2	0.05	0	0.00
其他惡性腫瘤	59	0.92	59	0.92	-	-	16	0.44	43	1.56
TNM 診斷組合(臨床期別)										
Stage I										
cT1a-cN0M0	378	7.36	378	7.36	-	-	200	7.14	178	7.62
cT2aN0M0	76	1.48	76	1.48	-	-	55	1.96	21	0.90
pT2N0M0	65	1.27	65	1.27	-	-	53	1.89	12	0.51
Stage IIA										
cT1a-cN0M0	106	2.06	106	2.06	-	-	49	1.75	57	2.44
cT2aN0M0	44	0.86	44	0.86	-	-	19	0.68	25	1.07
pT2N0M0	1	0.02	1	0.02	-	-	0	0.00	1	0.04
cT2bN0M0	14	0.27	14	0.27	-	-	8	0.29	6	0.26
cT2cN0M0	136	2.65	136	2.65	-	-	64	2.29	72	3.08
Stage IIB										
T1-2N0M0	413	8.04	413	8.04	-	-	249	8.89	164	7.02
Stage IIC										
T1-2N0M0 Grade3	233	4.54	233	4.54	-	-	146	5.21	87	3.72
T1-2N0M0 Grade4	128	2.49	128	2.49	-	-	62	2.21	66	2.83
Stage IIIA										
T1-2N0M0	503	9.79	503	9.79	-	-	229	8.18	274	11.73
Stage IIIB										
T3-4N0M0	590	11.49	590	11.49	-	-	383	13.68	207	8.86
Stage IIIC										
TanyN0M0	524	10.20	524	10.20	-	-	283	10.11	241	10.32
Stage IVA										
TanyN1M0	344	6.70	344	6.70	-	-	188	6.71	156	6.68
Stage IVB										
TanyNanyM1	1581	30.78	1581	30.78	-	-	812	29.00	769	32.92
其他	1270	-	1270	-	-	-	849	-	421	-

註 1：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 2：參考後續治療方式相關表格之附註(p.648-651)。

註 3：治療方式為 "OOO 合併 XX 治療，有/無□□治療"，表示包含「OOO 合併 XX 治療」與「OOO 合併 XX 治療與□□治療」之兩種方式合併呈現。

註 4：治癒性治療組合所佔比例若小於 0.2%者，則不呈現於報告中(冷凍療法依委員建議呈現)。

攝護腺癌

表十七之一 攝護腺癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	6406	100.00	6406	100.00	-	-	3649	100.00	2757	100.00
TNM 診斷組合(病理期別)										
Stage I										
cT1a-cN0M0	0	0.00	0	0.00	-	-	0	0.00	0	0.00
cT2aN0M0	2	0.10	2	0.10	-	-	0	0.00	2	0.31
pT2N0M0	134	6.70	134	6.70	-	-	95	6.97	39	6.12
Stage IIA										
cT1a-cN0M0	1	0.05	1	0.05	-	-	0	0.00	1	0.16
cT2aN0M0	0	0.00	0	0.00	-	-	0	0.00	0	0.00
pT2N0M0	1	0.05	1	0.05	-	-	0	0.00	1	0.16
cT2bN0M0	0	0.00	0	0.00	-	-	0	0.00	0	0.00
cT2cN0M0	1	0.05	1	0.05	-	-	1	0.07	0	0.00
Stage IIB										
T1-2N0M0	397	19.85	397	19.85	-	-	273	20.03	124	19.47
Stage IIC										
T1-2N0M0 Grade3	210	10.50	210	10.50	-	-	138	10.12	72	11.30
T1-2N0M0 Grade4	52	2.60	52	2.60	-	-	32	2.35	20	3.14
Stage IIIA										
T1-2N0M0	116	5.80	116	5.80	-	-	74	5.43	42	6.59
Stage IIIB										
T3-4N0M0	509	25.45	509	25.45	-	-	381	27.95	128	20.09
Stage IIIC										
TanyN0M0	239	11.95	239	11.95	-	-	158	11.59	81	12.72
Stage IVA										
TanyN1M0	137	6.85	137	6.85	-	-	97	7.12	40	6.28
Stage IVB										
TanyNanyM1	201	10.05	201	10.05	-	-	114	8.36	87	13.66
其他	4406	-	4406	-	-	-	2286	-	2120	-

表十七之一 攝護腺癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	6406	100.00	6406	100.00	-	-	3649	100.00	2757	100.00
TNM 診斷組合(整併期別 ⁵⁾)										
Stage I										
cT1a-cN0M0	378	6.05	378	6.05	-	-	200	5.59	178	6.67
cT2aN0M0	76	1.22	76	1.22	-	-	55	1.54	21	0.79
pT2N0M0	134	2.14	134	2.14	-	-	95	2.65	39	1.46
Stage IIA										
cT1a-cN0M0	106	1.70	106	1.70	-	-	49	1.37	57	2.13
cT2aN0M0	44	0.70	44	0.70	-	-	19	0.53	25	0.94
pT2N0M0	1	0.02	1	0.02	-	-	0	0.00	1	0.04
cT2bN0M0	14	0.22	14	0.22	-	-	8	0.22	6	0.22
cT2cN0M0	136	2.18	136	2.18	-	-	64	1.79	72	2.70
Stage IIB										
T1-2N0M0	679	10.86	679	10.86	-	-	433	12.09	246	9.21
Stage IIC										
T1-2N0M0 Grade3	360	5.76	360	5.76	-	-	227	6.34	133	4.98
T1-2N0M0 Grade4	157	2.51	157	2.51	-	-	80	2.23	77	2.88
Stage IIIA										
T1-2N0M0	524	8.38	524	8.38	-	-	246	6.87	278	10.41
Stage IIIB										
T3-4N0M0	969	15.50	969	15.50	-	-	668	18.66	301	11.27
Stage IIIC										
TanyN0M0	641	10.26	641	10.26	-	-	359	10.03	282	10.56
Stage IVA										
TanyN1M0	448	7.17	448	7.17	-	-	263	7.35	185	6.93
Stage IVB										
TanyNanyM1	1583	25.33	1583	25.33	-	-	814	22.74	769	28.80
其他	156	-	156	-	-	-	69	-	87	-

註 5：整併期別* -請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

攝護腺癌

表十七之二 攝護腺癌發生人數按整併期別¹及治療方式分類

期別	分析數	根除性手術 ²		冷凍療法 ³		HIFU ⁴		TURP/ 其他手術 ⁵		根除性手術 合併 內分泌治療 ⁶ ，有/無放療		HIFU 合併 內分泌治療 ，有/無放療		TURP 合併 內分泌治療 ，有/無放療		雷射或 TURP 合併 化療與 內分泌治療	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	6406	1463	22.84	9	0.14	50	0.78	552	8.62	533	8.32	56	0.87	975	15.22	27	0.42
I 期	588	136	23.13	0	0	11	1.87	259	44.05	7	1.19	1	0.17	29	4.93	0	0
II 期	1545	661	42.78	5	0.32	31	2.01	180	11.65	78	5.05	29	1.88	141	9.13	0	0
III 期	2134	623	29.19	4	0.19	8	0.37	71	3.33	305	14.29	25	1.17	353	16.54	1	0.05
IV 期	2031	28	1.38	0	0.00	0	0.00	7	0.34	140	6.89	1	0.05	436	21.47	26	1.28
不詳	108	15	13.89	0	0.00	0	0.00	35	32.41	3	2.78	0	0.00	16	14.81	0	0

表十七之三 攝護腺癌 0-59 歲發生人數按整併期別¹及治療方式分類

期別	分析數	根除性手術 ²		冷凍療法 ³		HIFU ⁴		TURP/ 其他手術 ⁵		根除性手術 合併 內分泌治療 ⁶ ，有/無放療		HIFU 合併 內分泌治療 ，有/無放療		TURP 合併 內分泌治療 ，有/無放療		雷射或 TURP 合併 化療與 內分泌治療	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	441	188	42.63	0	0.00	4	0.91	19	4.31	74	16.78	5	1.13	23	5.22	2	0.45
I 期	57	28	49.12	0	0.00	1	1.75	12	21.05	0	0.00	0	0.00	0	0.00	0	0.00
II 期	148	96	64.86	0	0.00	3	2.03	5	3.38	12	8.11	5	3.38	6	4.05	0	0.00
III 期	117	60	51.28	0	0.00	0	0.00	1	0.85	38	32.48	0	0.00	3	2.56	0	0.00
IV 期	115	3	2.61	0	0.00	0	0.00	0	0.00	24	20.87	0	0.00	14	12.17	2	1.74
不詳	4	1	25.00	0	0.00	0	0.00	1	25.00	0	0.00	0	0.00	0	0.00	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC 8th)之整併流程說明，如圖 1 所示。

2 「根除性手術」定義：針對原發部位進行手術治療且術式編碼為 30-80。術式編碼詳見 p.652。

3 「冷凍療法」定義：針對原發部位進行手術治療且術式編碼為 14 及 24。術式編碼詳見 p.652。

4 「HIFU」定義：針對原發部位進行手術治療且術式編碼為 17 及 27。術式編碼詳見 p.652。

5 「TURP/其他手術」定義：針對原發部位進行手術治療且術式編碼為 10、15、16、18、19、20、21、22、23、25、26 以及 90。術式編碼詳見 p.652。

6 「內分泌治」定義：個案於首次療程中接受內分泌藥物(荷爾蒙)治療且編碼為 01-31 及內分泌處置編碼為 10-50。

表十七之二 攝護腺癌發生人數按整併期別¹及治療方式分類(續)

放療	內分泌治療	放療合併 內分泌治療	化療合併 內分泌治療	化療合併 放療與 內分泌治療	緩和治療 ⁷	未有 首次治療 申報紀錄 ⁸	拒絕治療	其他治療 ⁹
申報數 申報數	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %
85 85	1103 17.22	1068 16.67	85 1.33	36 0.56	15 0.23	216 3.37	14 0.22	119 1.86
20 20	6 1.02	18 3.06	0 0.00	0 0.00	3 0.51	83 14.12	2 0.34	13 2.21
53 53	52 3.37	194 12.56	0 0.00	0 0.00	1 0.06	78 5.05	9 0.58	33 2.14
11 11	188 8.81	472 22.12	0 0.00	1 0.05	1 0.05	38 1.78	3 0.14	30 1.41
1 1	841 41.41	382 18.81	85 4.19	35 1.72	8 0.39	1 0.05	0 0.00	40 1.97
0 0	16 14.81	2 1.85	0 0.00	0 0.00	2 1.85	16 14.81	0 0.00	3 2.78

表十七之三 攝護腺癌 0-59 歲發生人數按整併期別¹及治療方式分類(續)

放療	內分泌治療	放療合併 內分泌治療	化療合併 內分泌治療	化療合併 放療與 內分泌治療	緩和治療 ⁷	未有 首次治療 申報紀錄 ⁸	拒絕治療	其他治療 ⁹
申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %
1 0.23	36 8.16	35 7.94	14 3.17	3 0.68	0 0.00	24 5.44	2 0.45	11 2.49
1 1.75	0 0.00	1 1.75	0 0.00	0 0.00	0 0.00	13 22.81	0 0.00	1 1.75
0 0.00	0 0.00	8 5.41	0 0.00	0 0.00	0 0.00	9 6.08	2 1.35	2 1.35
0 0.00	2 1.71	7 5.98	0 0.00	0 0.00	0 0.00	1 0.85	0 0.00	5 4.27
0 0.00	34 29.57	19 16.52	14 12.17	3 2.61	0 0.00	0 0.00	0 0.00	2 1.74
0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1 25.00	0 0.00	1 25.00

7 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

8 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，此處個案均為積極監測(active surveillance)/觀察等待/watchful waiting)。

9 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

攝護腺癌

表十七之四 攝護腺癌 60-74 歲發生人數按整併期別¹及治療方式分類

期別	分析數	根除性手術 ²		冷凍療法 ³		HIFU ⁴		TURP/ 其他手術 ⁵		根除性手術 合併 內分泌治療 ⁶ ，有/無放療		HIFU 合併 內分泌治療 ，有/無放療		TURP 合併 內分泌治療 ，有/無放療		雷射或 TURP 合併 化療與 內分泌治療	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	3424	1107	32.33	4	0.12	31	0.91	250	7.30	384	11.21	29	0.85	349	10.19	19	0.55
I 期	350	96	27.43	0	0.00	9	2.57	135	38.57	7	2.00	1	0.29	14	4.00	0	0.00
II 期	927	494	53.29	2	0.22	18	1.94	82	8.85	53	5.72	13	1.40	73	7.87	0	0.00
III 期	1140	486	42.63	2	0.18	4	0.35	20	1.75	223	19.56	14	1.23	99	8.68	0	0.00
IV 期	969	22	2.27	0	0.00	0	0.00	2	0.21	99	10.22	1	0.10	160	16.51	19	1.96
不詳	38	9	23.68	0	0.00	0	0.00	11	28.95	2	5.26	0	0.00	3	7.89	0	0.00

表十七之五 攝護腺癌 75 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	根除性手術 ²		冷凍療法 ³		HIFU ⁴		TURP/ 其他手術 ⁵		根除性手術 合併 內分泌治療 ⁶ ，有/無放療		HIFU 合併 內分泌治療 ，有/無放療		TURP 合併 內分泌治療 ，有/無放療		雷射或 TURP 合併 化療與 內分泌治療	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	2541	168	6.61	5	0.20	15	0.59	283	11.14	75	2.95	22	0.87	603	23.73	6	0.24
I 期	181	12	6.63	0	0.00	1	0.55	112	61.88	0	0.00	0	0.00	15	8.29	0	0.00
II 期	470	71	15.11	3	0.64	10	2.13	93	19.79	13	2.77	11	2.34	62	13.19	0	0.00
III 期	877	77	8.78	2	0.23	4	0.46	50	5.70	44	5.02	11	1.25	251	28.62	1	0.11
IV 期	947	3	0.32	0	0.00	0	0.00	5	0.53	17	1.80	0	0.00	262	27.67	5	0.53
不詳	66	5	7.58	0	0.00	0	0.00	23	34.85	1	1.52	0	0.00	13	19.70	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC 8th)之整併流程說明，如圖 1 所示。

2 「根除性手術」定義：針對原發部位進行手術治療且術式編碼為 30-80。術式編碼詳見 p.652。

3 「冷凍療法」定義：針對原發部位進行手術治療且術式編碼為 14 及 24。術式編碼詳見 p.652。

4 「HIFU」定義：針對原發部位進行手術治療且術式編碼為 17 及 27。術式編碼詳見 p.652。

5 「TURP/其他手術」定義：針對原發部位進行手術治療且術式編碼為 10、15、16、18、19、20、21、22、23、25、26 以及 90。術式編碼詳見 p.652。

6 「內分泌治」定義：個案於首次療程中接受內分泌藥物(荷爾蒙)治療且編碼為 01-31 及內分泌處置編碼為 10-50。

表十七之四 攝護腺癌 60-74 歲發生人數按整併期別¹及治療方式分類(續)

放療	內分泌治療	放療合併 內分泌治療	化療合併 內分泌治療	化療合併 放療與 內分泌治療	緩和治療 ⁷	未有 首次治療 申報紀錄 ⁸	拒絕治療	其他治療 ⁹
申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %
44 1.29	396 11.57	543 15.86	51 1.49	27 0.79	2 0.06	106 3.10	6 0.18	76 2.22
12 3.43	3 0.86	8 2.29	0 0.00	0 0.00	0 0.00	53 15.14	1 0.29	11 3.14
27 2.91	10 1.08	96 10.36	0 0.00	0 0.00	0 0.00	32 3.45	4 0.43	23 2.48
5 0.44	34 2.98	220 19.30	0 0.00	1 0.09	1 0.09	12 1.05	1 0.09	18 1.58
0 0.00	346 35.71	219 22.60	51 5.26	26 2.68	1 0.10	0 0.00	0 0.00	23 2.37
0 0.00	3 7.89	0 0.00	0 0.00	0 0.00	0 0.00	9 23.68	0 0.00	1 2.63

表十七之五 攝護腺癌 75 歲以上發生人數按整併期別¹及治療方式分類(續)

放療	內分泌治療	放療合併 內分泌治療	化療合併 內分泌治療	化療合併 放療與 內分泌治療	緩和治療 ⁷	未有 首次治療 申報紀錄 ⁸	拒絕治療	其他治療 ⁹
申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %	申報數 %
40 1.57	671 26.41	490 19.28	20 0.79	6 0.24	13 0.51	86 3.38	6 0.24	32 1.26
7 3.87	3 1.66	9 4.97	0 0.00	0 0.00	3 1.66	17 9.39	1 0.55	1 0.55
26 5.53	42 8.94	90 19.15	0 0.00	0 0.00	1 0.21	37 7.87	3 0.64	8 1.70
6 0.68	152 17.33	245 27.94	0 0.00	0 0.00	0 0.00	25 2.85	2 0.23	7 0.80
1 0.11	461 48.68	144 15.21	20 2.11	6 0.63	7 0.74	1 0.11	0 0.00	15 1.58
0 0.00	13 19.70	2 3.03	0 0.00	0 0.00	2 3.03	6 9.09	0 0.00	1 1.52

7 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

8 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，此處個案均為積極監測(active surveillance)/觀察等待/watchful waiting)。

9 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

Prostate

C619

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

Codes

00 None; no surgery of primary site; autopsy ONLY

18 Local tumor destruction or excision, NOS

19 Transurethral resection (TURP), NOS

Unknown whether a specimen was sent to pathology for surgical events coded 18 or 19

(principally for cases diagnosed prior to January 1, 2003)

10 Local tumor destruction [or excision], NOS

14 Cryoprostatectomy

15 Laser ablation

16 Hyperthermia

17 Other method of local tumor destruction

No specimen sent to pathology from surgical events 10–17

[SEER Note: Assign **code 15** for Niagara laser photovaporization of the prostate. Assign **code 16** for Transurethral Microwave Thermotherapy (TUMT). Assign **code 17** for High Intensity Focused Ultrasonography (HIFU) and for Transurethral Needle Ablation (TUNA).]

20 Local tumor excision, NOS

21 Transurethral resection (TURP), NOS

22 TURP—cancer is incidental finding during surgery for benign disease

23 TURP—patient has suspected/known cancer

Any combination of 20–23 WITH

24 Cryosurgery

25 Laser

26 Hyperthermia

27 HIFU

30 Subtotal, segmental, or simple prostatectomy, which may leave all or part of the capsule intact

[SEER Note: May include suprapubic prostatectomy.]

50 Radical prostatectomy, NOS; total prostatectomy, NOS

Includes excision of the prostate, prostatic capsule, ejaculatory ducts, seminal vesicle(s); and may include a narrow cuff of bladder neck.

70 Prostatectomy WITH resection in continuity with other organs; pelvic exenteration

Surgeries coded 70 are any prostatectomy WITH resection in continuity with any other organs.

The other organs may be partially or totally removed. Procedures may include, but are not limited to cystoprostatectomy, radical cystectomy, and prostatectomy.

[SEER Note: “In continuity with” or “en bloc” means that all of the tissues were removed during the same procedure, but not necessarily in a single specimen]

80 Prostatectomy, NOS

Specimen sent to pathology from surgical events 20-80.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

膀胱癌

表十八之一 膀胱癌發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	3455	100.00	2380	100.00	1075	100.00	1844	100.00	1611	100.00
年齡										
00-04 歲	1	0.03	0	0.00	1	0.09	1	0.05	0	0.00
05-09 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
10-14 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
15-19 歲	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
20-24 歲	3	0.09	3	0.13	0	0.00	3	0.16	0	0.00
25-29 歲	6	0.17	4	0.17	2	0.19	5	0.27	1	0.06
30-34 歲	7	0.20	5	0.21	2	0.19	6	0.33	1	0.06
35-39 歲	31	0.90	26	1.09	5	0.47	16	0.87	15	0.93
40-44 歲	44	1.27	36	1.51	8	0.74	21	1.14	23	1.43
45-49 歲	72	2.08	58	2.44	14	1.30	46	2.49	26	1.61
50-54 歲	167	4.83	128	5.38	39	3.63	84	4.56	83	5.15
55-59 歲	298	8.63	222	9.33	76	7.07	160	8.68	138	8.57
60-64 歲	465	13.46	332	13.95	133	12.37	243	13.18	222	13.78
65-69 歲	565	16.35	394	16.55	171	15.91	314	17.03	251	15.58
70-74 歲	480	13.89	321	13.49	159	14.79	266	14.43	214	13.28
75-79 歲	531	15.37	336	14.12	195	18.14	286	15.51	245	15.21
80-84 歲	404	11.69	256	10.76	148	13.77	209	11.33	195	12.10
85 歲以上	381	11.03	259	10.88	122	11.35	184	9.98	197	12.23
臨床與病理期別一致性										
Kappa ¹	0.4419									
治療方式 ^{2,3,4}										
根治性手術	92	2.66	59	2.48	33	3.07	63	3.42	29	1.80
根治性手術合併全身化療，有/無局部化療	93	2.69	70	2.94	23	2.14	67	3.63	26	1.61
根治性手術合併局部化療	29	0.84	15	0.63	14	1.30	21	1.14	8	0.50
根治性手術合併免疫治療，有/無全身化療	22	0.64	13	0.55	9	0.84	18	0.98	4	0.25
部分切除性手術	25	0.72	14	0.59	11	1.02	17	0.92	8	0.50
部分切除性手術合併全身或局部化療任一種以上	23	0.67	15	0.63	8	0.74	16	0.87	7	0.43
TURBT	644	18.64	432	18.15	212	19.72	301	16.32	343	21.29
TURBT 合併局部化療	1744	50.48	1233	51.81	511	47.53	883	47.89	861	53.45
TURBT 合併局部免疫治療	73	2.11	51	2.14	22	2.05	45	2.44	28	1.74
TURBT 合併局部化療與局部免疫治療	162	4.69	110	4.62	52	4.84	100	5.42	62	3.85
TURBT 合併全身化療	92	2.66	66	2.77	26	2.42	51	2.77	41	2.55
TURBT 合併全身化療與局部藥物治療(化學或免疫任一種以上)	57	1.65	43	1.81	14	1.30	35	1.90	22	1.37
TURBT 合併全身免疫治療，有/無化療(全身或局部任一種以上)	46	1.33	34	1.43	12	1.12	31	1.68	15	0.93
放療(有/無 TURBT)	69	2.00	37	1.55	32	2.98	35	1.90	34	2.11
放療合併化療(有/無 TURBT)	151	4.37	97	4.08	54	5.02	75	4.07	76	4.72
化療	17	0.49	12	0.50	5	0.47	15	0.81	2	0.12
緩和治療	25	0.72	15	0.63	10	0.93	11	0.60	14	0.87
未有首次治療申報紀錄	10	0.29	8	0.34	2	0.19	5	0.27	5	0.31
其他治療	81	2.34	56	2.35	25	2.33	55	2.98	26	1.61

表十八之一 膀胱癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	3455	100.00	2380	100.00	1075	100.00	1844	100.00	1611	100.00
組織型態										
原位癌										
泌尿上皮癌	95	7.81	57	6.75	38	10.24	56	8.37	39	7.13
乳突狀原位癌	1118	91.94	786	93.02	332	89.49	611	91.33	507	92.69
非特定原位上皮癌	3	0.25	2	0.24	1	0.27	2	0.30	1	0.18
侵襲癌										
泌尿上皮癌	2142	95.67	1474	96.03	668	94.89	1121	95.40	1021	95.96
腺癌	32	1.43	23	1.50	9	1.28	18	1.53	14	1.32
鱗狀細胞癌	17	0.76	10	0.65	7	0.99	12	1.02	5	0.47
神經內分泌癌	31	1.38	24	1.56	7	0.99	14	1.19	17	1.60
非特定上皮癌	6	0.27	1	0.07	5	0.71	3	0.26	3	0.28
惡性黑色素瘤	3	0.13	0	0.00	3	0.43	2	0.17	1	0.09
惡性肉瘤	2	0.09	0	0.00	2	0.28	2	0.17	0	0.00
其他惡性腫瘤	6	0.27	3	0.20	3	0.43	3	0.26	3	0.28
TNM 診斷組合(臨床期別)										
Stage 0										
TaN0M0	1098	41.43	779	42.68	319	38.67	608	42.28	490	40.43
TisN0M0	62	2.34	33	1.81	29	3.52	47	3.27	15	1.24
Stage I										
T1N0M0	1164	43.92	806	44.16	358	43.39	598	41.59	566	46.70
Stage II										
T2aN0M0	7	0.26	6	0.33	1	0.12	2	0.14	5	0.41
T2bN0M0	7	0.26	3	0.16	4	0.48	2	0.14	5	0.41
Stage IIIA										
T3N0M0	19	0.72	12	0.66	7	0.85	13	0.90	6	0.50
T4aN0M0	50	1.89	37	2.03	13	1.58	27	1.88	23	1.90
T1-4aN1M0	32	1.21	16	0.88	16	1.94	19	1.32	13	1.07
Stage IIIB										
T1-4aN2-3M0	53	2.00	37	2.03	16	1.94	31	2.16	22	1.82
Stage IVA										
T4bN0M0	15	0.57	9	0.49	6	0.73	10	0.70	5	0.41
TanyNanyM1a	35	1.32	20	1.10	15	1.82	18	1.25	17	1.40
Stage IVB										
TanyNanyM1b	108	4.08	67	3.67	41	4.97	63	4.38	45	3.71
其他	805	-	555	-	250	-	406	-	399	-

註 1：計算 Kappa 值時，排除病理期別、臨床期別不詳者。

註 2：參考後續治療方式相關表格之附註(p.658-661)。

註 3：治療方式為 "OOO 合併 XX 治療，有/無□□治療"，表示包含「OOO 合併 XX 治療」與「OOO 合併 XX 治療與□□治療」之兩種方式合併呈現。

註 4：治癒性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

膀胱癌

表十八之一 膀胱癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	3455	100.00	2380	100.00	1075	100.00	1844	100.00	1611	100.00
TNM 診斷組合(病理期別)										
Stage 0										
TaNO0	104	32.50	82	36.12	22	23.66	57	29.69	47	36.72
TisNO0	4	1.25	2	0.88	2	2.15	2	1.04	2	1.56
Stage I										
T1NO0	88	27.50	60	26.43	28	30.11	54	28.13	34	26.56
Stage II										
T2aNO0	15	4.69	12	5.29	3	3.23	9	4.69	6	4.69
T2bNO0	12	3.75	7	3.08	5	5.38	6	3.13	6	4.69
Stage IIIA										
T3NO0	37	11.56	22	9.69	15	16.13	25	13.02	12	9.38
T4aNO0	11	3.44	7	3.08	4	4.30	9	4.69	2	1.56
T1-4aN1M0	6	1.88	6	2.64	0	0.00	5	2.60	1	0.78
Stage IIIB										
T1-4aN2-3M0	10	3.13	9	3.96	1	1.08	6	3.13	4	3.13
Stage IVA										
T4bNO0	1	0.31	1	0.44	0	0.00	1	0.52	0	0.00
TanyNanyM1a	7	2.19	5	2.20	2	2.15	3	1.56	4	3.13
Stage IVB										
TanyNanyM1b	25	7.81	14	6.17	11	11.83	15	7.81	10	7.81
其他	3135	-	2153	-	982	-	1652	-	1483	-

表十八之一 膀胱癌發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	3455	100.00	2380	100.00	1075	100.00	1844	100.00	1611	100.00
TNM 診斷組合(整併期別 ⁵⁾)										
Stage 0										
TaNO0M0	1159	41.26	825	42.64	334	38.22	633	41.67	526	40.78
TisNO0M0	66	2.35	35	1.81	31	3.55	49	3.23	17	1.32
Stage I										
T1NO0M0	1202	42.79	832	43.00	370	42.33	618	40.68	584	45.27
Stage II										
T2aNO0M0	17	0.61	13	0.67	4	0.46	9	0.59	8	0.62
T2bNO0M0	14	0.50	7	0.36	7	0.80	6	0.39	8	0.62
Stage IIIA										
T3NO0M0	38	1.35	23	1.19	15	1.72	25	1.65	13	1.01
T4aNO0M0	53	1.89	38	1.96	15	1.72	29	1.91	24	1.86
T1-4aN1M0	35	1.25	19	0.98	16	1.83	21	1.38	14	1.09
Stage IIIB										
T1-4aN2-3M0	60	2.14	43	2.22	17	1.95	34	2.24	26	2.02
Stage IVA										
T4bNO0M0	16	0.57	10	0.52	6	0.69	11	0.72	5	0.39
TanyNanyM1a	35	1.25	20	1.03	15	1.72	18	1.18	17	1.32
Stage IVB										
TanyNanyM1b	114	4.06	70	3.62	44	5.03	66	4.34	48	3.72
其他	646	-	445	-	201	-	325	-	321	-

註 5：整併期別*請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

膀胱癌

表十八之二 膀胱癌發生人數按整併期別¹之治療方式分類

期別	分析數	根除性手術 ²		根除性手術合併全身化療，有/無局部化療 ³		根除性手術合併局部化療		根除性手術合併免疫治療，有/無全身化療		部分切除性手術 ⁴		部分切除性手術合併全身或局部化療任一種以上		TURBT ⁵		TURBT合併局部化療		TURBT合併局部免疫治療 ⁶	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	3455	92	2.66	93	2.69	29	0.84	22	0.64	25	0.72	23	0.67	644	18.64	1744	50.48	73	2.11
0 期	1225	8	0.65	0	0.00	2	0.16	0	0.00	2	0.16	1	0.08	300	24.49	802	65.47	25	2.04
I 期	1202	31	2.58	5	0.42	7	0.58	0	0.00	5	0.42	5	0.42	147	12.23	793	65.97	44	3.66
II 期	446	22	4.93	34	7.62	14	3.14	5	1.12	8	1.79	12	2.69	82	18.39	96	21.52	4	0.90
III 期	331	24	7.25	50	15.11	5	1.51	13	3.93	7	2.11	4	1.21	58	17.52	23	6.95	0	0.00
IV 期	167	3	1.80	4	2.40	1	0.60	3	1.80	0	0.00	0	0.00	30	17.96	1	0.60	0	0.00
不詳	84	4	4.76	0	0.00	0	0.00	1	1.19	3	3.57	1	1.19	27	32.14	29	34.52	0	0.00

表十八之三 膀胱癌 0-49 歲發生人數按整併期別¹及治療方式分類

期別	分析數	根除性手術 ²		根除性手術合併全身化療，有/無局部化療 ³		根除性手術合併局部化療		根除性手術合併免疫治療，有/無全身化療		部分切除性手術 ⁴		部分切除性手術合併全身或局部化療任一種以上		TURBT ⁵		TURBT合併局部化療		TURBT合併局部免疫治療 ⁶	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	164	1	0.61	4	2.44	1	0.61	1	0.61	5	3.05	0	0.00	36	21.95	79	48.17	3	1.83
0 期	84	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	26	30.95	51	60.71	1	1.19
I 期	42	1	2.38	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	6	14.29	24	57.14	2	4.76
II 期	13	0	0.00	2	15.38	1	7.69	0	0.00	2	15.38	0	0.00	0	0.00	2	15.38	0	0.00
III 期	9	0	0.00	2	22.22	0	0.00	1	11.11	0	0.00	0	0.00	1	11.11	0	0.00	0	0.00
IV 期	5	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
不詳	11	0	0.00	0	0.00	0	0.00	0	0.00	3	27.27	0	0.00	3	27.27	2	18.18	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「根除性手術」定義：針對原發部位進行手術治療且術式編碼為 50-90。術式編碼詳見 p.662。

3 「局部化學治療」定義：個案於首次療程中接受膀胱灌注局部化療且編碼為 08 或 09。

4 「部分切除手術」定義：針對原發部位進行手術治療且術式編碼為 30。術式編碼詳見 p.662。

5 「TURBT」定義：針對原發部位進行手術治療且術式編碼為 20-27。術式編碼詳見 p.662。

6 「局部免疫治療」定義：個案於首次療程中接受免疫治療且編碼為 01、03。

表十八之二 膀胱癌發生人數按整併期別¹之治療方式分類(續)

TURBT 合併 局部化療 與局部 免疫治療		TURBT 合併 全身化療		TURBT 合併全身 化療與局部 藥物治療 (化學或免疫 任一種以上)		TURBT 合併全身 免疫治療 ⁷ ，有/無化療 (全身或局部 任一種以上)		放療 (有/無 TURBT)		放療 合併化療 (有/無 TURBT)		化療		緩和治療 ⁸		未有 首次治療 申報紀錄 ⁹		其它治療 ¹⁰	
申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
162	4.69	92	2.66	57	1.65	46	1.33	69	2.00	151	4.37	17	0.49	25	0.72	10	0.29	81	2.34
52	4.24	3	0.24	3	0.24	2	0.16	3	0.24	2	0.16	0	0.00	0	0.00	5	0.41	15	1.22
105	8.74	13	1.08	16	1.33	7	0.58	7	0.58	11	0.92	0	0.00	0	0.00	1	0.08	5	0.42
5	1.12	18	4.04	24	5.38	7	1.57	21	4.71	67	15.02	0	0.00	1	0.22	0	0.00	26	5.83
0	0.00	29	8.76	5	1.51	15	4.53	18	5.44	51	15.41	8	2.42	4	1.21	1	0.30	16	4.83
0	0.00	23	13.77	9	5.39	14	8.38	19	11.38	20	11.98	9	5.39	15	8.98	2	1.20	14	8.38
0	0.00	6	7.14	0	0.00	1	1.19	1	1.19	0	0.00	0	0.00	5	5.95	1	1.19	5	5.95

表十八之三 膀胱癌 0-49 歲發生人數按整併期別¹之治療方式分類(續)

TURBT 合併 局部化療 與局部 免疫治療		TURBT 合併 全身化療		TURBT 合併全身 化療與局部 藥物治療 (化學或免疫 任一種以上)		TURBT 合併全身 免疫治療 ⁷ ，有/無化療 (全身或局部 任一種以上)		放療 (有/無 TURBT)		放療 合併化療 (有/無 TURBT)		化療		緩和治療 ⁸		未有 首次治療 申報紀錄 ⁹		其它治療 ¹⁰	
申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
9	5.49	5	3.05	4	2.44	4	2.44	0	0.00	4	2.44	0	0.00	0	0.00	1	0.61	7	4.27
4	4.76	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	1.19	1	1.19
5	11.90	2	4.76	2	4.76	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
0	0.00	2	15.38	1	7.69	0	0.00	0	0.00	2	15.38	0	0.00	0	0.00	0	0.00	1	7.69
0	0.00	1	11.11	1	11.11	2	22.22	0	0.00	1	11.11	0	0.00	0	0.00	0	0.00	0	0.00
0	0.00	0	0.00	0	0.00	2	40.00	0	0.00	1	20.00	0	0.00	0	0.00	0	0.00	2	40.00
0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	3	27.27

7 「全身免疫治療」定義：個案於首次療程中接受免疫治療且編碼為 02、03。

8 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

9 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

10 「其他治療」定義：個案於首次療程中接受賀爾蒙治療、內分泌治療等其他治療組合方式。

膀胱癌

表十八之四 膀胱癌 50-69 歲發生人數按整併期別¹及治療方式分類

期別	分析數	根除性手術 ²		根除性手術合併全身化療，有/無局部化療 ³		根除性手術合併局部化療		根除性手術合併免疫治療，有/無全身化療		部分切除性手術 ⁴		部分切除性手術合併全身或局部化療任一種以上		TURBT ⁵		TURBT合併局部化療		TURBT合併局部免疫治療 ⁶	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	1495	53	3.55	62	4.15	11	0.74	13	0.87	8	0.54	17	1.14	224	14.98	781	52.24	39	2.61
0 期	556	5	0.90	0	0.00	2	0.36	0	0.00	0	0.00	1	0.18	123	22.12	367	66.01	15	2.70
I 期	553	22	3.98	3	0.54	3	0.54	0	0.00	2	0.36	3	0.54	51	9.22	366	66.18	24	4.34
II 期	164	11	6.71	18	10.98	4	2.44	4	2.44	4	2.44	10	6.10	21	12.80	31	18.90	0	0.00
III 期	134	10	7.46	38	28.36	1	0.75	6	4.48	2	1.49	3	2.24	14	10.45	8	5.97	0	0.00
IV 期	61	3	4.92	3	4.92	1	1.64	2	3.28	0	0.00	0	0.00	9	14.75	0	0.00	0	0.00
不詳	27	2	7.41	0	0.00	0	0.00	1	3.70	0	0.00	0	0.00	6	22.22	9	33.33	0	0.00

表十八之五 膀胱癌 70 歲以上發生人數按整併期別¹及治療方式分類

期別	分析數	根除性手術 ²		根除性手術合併全身化療，有/無局部化療 ³		根除性手術合併局部化療		根除性手術合併免疫治療，有/無全身化療		部分切除性手術 ⁴		部分切除性手術合併全身或局部化療任一種以上		TURBT ⁵		TURBT合併局部化療		TURBT合併局部免疫治療 ⁶	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	1796	38	2.12	27	1.50	17	0.95	8	0.45	12	0.67	6	0.33	384	21.38	884	49.22	31	1.73
0 期	585	3	0.51	0	0.00	0	0.00	0	0.00	2	0.34	0	0.00	151	25.81	384	65.64	9	1.54
I 期	607	8	1.32	2	0.33	4	0.66	0	0.00	3	0.49	2	0.33	90	14.83	403	66.39	18	2.97
II 期	269	11	4.09	14	5.20	9	3.35	1	0.37	2	0.74	2	0.74	61	22.68	63	23.42	4	1.49
III 期	188	14	7.45	10	5.32	4	2.13	6	3.19	5	2.66	1	0.53	43	22.87	15	7.98	0	0.00
IV 期	101	0	0.00	1	0.99	0	0.00	1	0.99	0	0.00	0	0.00	21	20.79	1	0.99	0	0.00
不詳	46	2	4.35	0	0.00	0	0.00	0	0.00	0	0.00	1	2.17	18	39.13	18	39.13	0	0.00

1 「整併期別」定義：請參考(108 年度)臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

2 「根除性手術」定義：針對原發部位進行手術治療且術式編碼為 50-90。術式編碼詳見 p.662。

3 「局部化學治療」定義：個案於首次療程中接受膀胱灌注局部化療且編碼為 08 或 09。

4 「部分切除手術」定義：針對原發部位進行手術治療且術式編碼為 30。術式編碼詳見 p.662。

5 「TURBT」定義：針對原發部位進行手術治療且術式編碼為 20-27。術式編碼詳見 p.662。

6 「局部免疫治療」定義：個案於首次療程中接受免疫治療且編碼為 01、03。

表十八之四 膀胱癌 50-69 歲發生人數按整併期別¹之治療方式分類(續)

TURBT 合併 局部化療 與局部 免疫治療		TURBT 合併 全身化療		TURBT 合併全身 化療與局部 藥物治療 (化學或免疫 任一種以上)		TURBT 合併全身 免疫治療 ⁷ ，有/無化療 (全身或局部 任一種以上)		放療 (有/無 TURBT)		放療 合併化療 (有/無 TURBT)		化療		緩和治療 ⁸		未有 首次治療 申報紀錄 ⁹		其它治療 ¹⁰	
申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
80	5.35	45	3.01	24	1.61	19	1.27	9	0.60	58	3.88	11	0.74	4	0.27	2	0.13	35	2.34
29	5.22	2	0.36	2	0.36	1	0.18	0	0.00	1	0.18	0	0.00	0	0.00	2	0.36	6	1.08
49	8.86	6	1.08	6	1.08	6	1.08	2	0.36	5	0.90	0	0.00	0	0.00	0	0.00	5	0.90
2	1.22	9	5.49	11	6.71	2	1.22	2	1.22	26	15.85	0	0.00	0	0.00	0	0.00	9	5.49
0	0.00	13	9.70	2	1.49	5	3.73	0	0.00	17	12.69	6	4.48	2	1.49	0	0.00	7	5.22
0	0.00	9	14.75	3	4.92	5	8.20	4	6.56	9	14.75	5	8.20	2	3.28	0	0.00	6	9.84
0	0.00	6	22.22	0	0.00	0	0.00	1	3.70	0	0.00	0	0.00	0	0.00	0	0.00	2	7.41

表十八之五 膀胱癌 70 歲以上發生人數按整併期別¹之治療方式分類(續)

TURBT 合併 局部化療 與局部 免疫治療		TURBT 合併 全身化療		TURBT 合併全身 化療與局部 藥物治療 (化學或免疫 任一種以上)		TURBT 合併全身 免疫治療 ⁷ ，有/無化療 (全身或局部 任一種以上)		放療 (有/無 TURBT)		放療 合併化療 (有/無 TURBT)		化療		緩和治療 ⁸		未有 首次治療 申報紀錄 ⁹		其它治療 ¹⁰	
申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
73	4.06	42	2.34	29	1.61	23	1.28	60	3.34	89	4.96	6	0.33	21	1.17	7	0.39	39	2.17
19	3.25	1	0.17	1	0.17	1	0.17	3	0.51	1	0.17	0	0.00	0	0.00	2	0.34	8	1.37
51	8.40	5	0.82	8	1.32	1	0.16	5	0.82	6	0.99	0	0.00	0	0.00	1	0.16	0	0.00
3	1.12	7	2.60	12	4.46	5	1.86	19	7.06	39	14.50	0	0.00	1	0.37	0	0.00	16	5.95
0	0.00	15	7.98	2	1.06	8	4.26	18	9.57	33	17.55	2	1.06	2	1.06	1	0.53	9	4.79
0	0.00	14	13.86	6	5.94	7	6.93	15	14.85	10	9.90	4	3.96	13	12.87	2	1.98	6	5.94
0	0.00	0	0.00	0	0.00	1	2.17	0	0.00	0	0.00	0	0.00	5	10.87	1	2.17	0	0.00

7 「全身免疫治療」定義：個案於首次療程中接受免疫治療且編碼為 02、03。

8 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

9 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

10 「其他治療」定義：個案於首次療程中接受賀爾蒙治療、內分泌治療等其他治療組合方式。

Bladder

C670–C679

(Except for M9727, 9732, 9741-9742, 9762-9809, 9832, 9840-9931, 9945-9946, 9950-9968, and 9975-9993)

Codes

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser
 - 15 Intravesical therapy
 - 16 Bacillus Calmette-Guerin (BCG) or other immunotherapy
[SEER Note : Code BCG as both surgery and immunotherapy]

No specimen sent to pathology from surgical events 10–16

- 20 Local tumor excision, NOS
- 26 Polypectomy
- 27 Excisional biopsy
[SEER Note : Code TURB as 27]

Any combination of 20 or 26–27 WITH

- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation
- 25 Laser excision
- 30 Partial cystectomy
- 50 Simple/total/complete cystectomy
- 60 Complete cystectomy with reconstruction
[SEER Note : Use code 71 for cystoprostatectomy.]
 - 61 Radical cystectomy PLUS ileal conduit
 - 62 Radical cystectomy PLUS continent reservoir or pouch, NOS
 - 63 Radical cystectomy PLUS abdominal pouch (cutaneous)
 - 64 Radical cystectomy PLUS in situ pouch (orthotopic)

When the procedure is described as a pelvic exenteration for males, but the prostate is not removed, the surgery should be coded as a cystectomy (code 60-64).

- 70 Pelvic exenteration, NOS
 - 71 Radical cystectomy including anterior exenteration
[SEER Note : Use code 71 for cystoprostatectomy.]

For females, includes removal of bladder, uterus, ovaries, entire vaginal wall, and entire urethra. For males, includes removal of the prostate. When a procedure is described as a pelvic exenteration for males, but the prostate is not removed, the surgery should be coded as a cystectomy (code 60-64).

- 72 Posterior exenteration
For females, also includes removal of vagina, rectum and anus. For males, also includes prostate, rectum and anus.

- 73 Total exenteration

Includes all tissue and organs removed for an anterior and posterior exenteration.

[SEER Note : Includes removal of all pelvic contents and pelvic lymph nodes. The lymph node dissection should also be coded under Scope of Regional Lymph Node Surgery (癌登欄位序號 #4.16 or 4.17).]

- 74 Extended exenteration
Includes pelvic blood vessels and/or bony pelvis

- 80 Cystectomy, NOS

Specimen sent to pathology from surgical events 20-80.

- 90 Surgery, NOS
- 99 Unknown if surgery performed; death

惡性淋巴瘤

表十九之一 惡性淋巴瘤發生人數之主要特性按性別及醫療機構別分類

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	2971	100.00	1609	100.00	1362	100.00	1967	100.00	1004	100.00
年齡										
00-04 歲	11	0.37	7	0.44	4	0.29	11	0.56	0	0.00
05-09 歲	7	0.24	5	0.31	2	0.15	7	0.36	0	0.00
10-14 歲	17	0.57	12	0.75	5	0.37	17	0.86	0	0.00
15-19 歲	35	1.18	21	1.31	14	1.03	25	1.27	10	1.00
20-24 歲	65	2.19	34	2.11	31	2.28	49	2.49	16	1.59
25-29 歲	78	2.63	36	2.24	42	3.08	56	2.85	22	2.19
30-34 歲	77	2.59	49	3.05	28	2.06	53	2.69	24	2.39
35-39 歲	108	3.64	52	3.23	56	4.11	85	4.32	23	2.29
40-44 歲	118	3.97	59	3.67	59	4.33	78	3.97	40	3.98
45-49 歲	152	5.12	96	5.97	56	4.11	107	5.44	45	4.48
50-54 歲	207	6.97	112	6.96	95	6.98	142	7.22	65	6.47
55-59 歲	298	10.03	174	10.81	124	9.10	191	9.71	107	10.66
60-64 歲	406	13.67	212	13.18	194	14.24	260	13.22	146	14.54
65-69 歲	411	13.83	214	13.30	197	14.46	285	14.49	126	12.55
70-74 歲	294	9.90	161	10.01	133	9.77	189	9.61	105	10.46
75-79 歲	274	9.22	142	8.83	132	9.69	169	8.59	105	10.46
80-84 歲	223	7.51	112	6.96	111	8.15	128	6.51	95	9.46
85 歲以上	190	6.40	111	6.90	79	5.80	115	5.85	75	7.47
Ann Arbor 期別 ¹										
I 期	134	4.51	75	4.66	59	4.33	86	4.37	48	4.78
IE 期	337	11.34	162	10.07	175	12.85	220	11.18	117	11.65
II 期	305	10.27	143	8.89	162	11.89	188	9.56	117	11.65
II Bulky 期	37	1.25	22	1.37	15	1.10	23	1.17	14	1.39
II E 期	249	8.38	128	7.96	121	8.88	164	8.34	85	8.47
III 期	487	16.39	278	17.28	209	15.35	306	15.56	181	18.03
IV 期	1087	36.59	614	38.16	473	34.73	747	37.98	340	33.86
不詳	335	11.28	187	11.62	148	10.87	233	11.85	102	10.16
整併期別 ²										
I 期	471	15.85	237	14.73	234	17.18	306	15.56	165	16.43
II 期	591	19.89	293	18.21	298	21.88	375	19.06	216	21.51
III 期	487	16.39	278	17.28	209	15.35	306	15.56	181	18.03
IV 期	1087	36.59	614	38.16	473	34.73	747	37.98	340	33.86
不詳	335	11.28	187	11.62	148	10.87	233	11.85	102	10.16

表十九之一 惡性淋巴瘤發生人數之主要特性按性別及醫療機構別分類(續)

特性	合計		男性		女性		醫學中心		非醫學中心	
	N	%	N	%	N	%	N	%	N	%
總個案數	2971	100.00	1609	100.00	1362	100.00	1967	100.00	1004	100.00
臨床與病理期別一致性										
Kappa ³	-									
治療方式 ^{4,5,6}										
手術	78	2.63	36	2.24	42	3.08	48	2.44	30	2.99
手術合併化療，有/無標靶治療	105	3.53	58	3.60	47	3.45	47	2.39	58	5.78
手術合併放療	25	0.84	11	0.68	14	1.03	14	0.71	11	1.10
手術合併化療與放療，有/無標靶治療	27	0.91	16	0.99	11	0.81	14	0.71	13	1.29
放療	102	3.43	57	3.54	45	3.30	59	3.00	43	4.28
放療合併化療	113	3.80	69	4.29	44	3.23	73	3.71	40	3.98
放療合併化療與標靶治療	204	6.87	94	5.84	110	8.08	125	6.35	79	7.87
化療	431	14.51	254	15.79	177	13.00	311	15.81	120	11.95
化療合併標靶治療	1372	46.18	742	46.12	630	46.26	901	45.81	471	46.91
化療合併骨幹移植，有/無標靶治療	50	1.68	31	1.93	19	1.40	46	2.34	4	0.40
紫外光化或抗生素治療等其他療法	68	2.29	37	2.30	31	2.28	58	2.95	10	1.00
內分泌治療或/與標靶治療	63	2.12	34	2.11	29	2.13	42	2.14	21	2.09
標靶治療	27	0.91	11	0.68	16	1.17	19	0.97	8	0.80
緩和治療	77	2.59	43	2.67	34	2.50	39	1.98	38	3.78
未有首次治療申報紀錄	145	4.88	67	4.16	78	5.73	107	5.44	38	3.78
其他治療	84	2.83	49	3.05	35	2.57	64	3.25	20	1.99
組織型態										
何杰金氏淋巴瘤	181	6.09	90	5.59	91	6.68	131	6.66	50	4.98
非何杰金氏淋巴瘤	2632	88.59 (100.00)	1429	88.81 (100.00)	1203	88.33 (100.00)	1733	88.10 (100.00)	899	89.54 (100.00)
B 細胞淋巴樣瘤	2345	(89.10)	1237	(86.56)	1108	(92.10)	1526	(88.06)	819	(91.10)
T/NK 細胞淋巴樣瘤	287	(10.90)	192	(13.44)	95	(7.90)	207	(11.94)	80	(8.90)
組織細胞與樹突狀細胞瘤	28	0.94	12	0.75	16	1.17	21	1.07	7	0.70
其他惡性淋巴瘤	130	4.38	78	4.85	52	3.82	82	4.17	48	4.78

註 1：「Ann Arbor 期別」定義：請參考(108 年度)惡性淋巴瘤 Ann Arbor 期別之整併流程說明，如圖 4 所示。

註 2：整併期別*-請參考 108 年度臨床與病理期別(AJCC_8th)之整併流程說明，如圖 1 所示。

註 3：惡性淋巴瘤個案因 Ann Arbor 期別屬於臨床分期，無病理期別，故未進行臨床病理期別一致性分析。

註 4：參考後續治療方式相關表格之附註(p.666-669)。

註 5：治療方式為 "OOO 合併 XX 治療，有/無□□治療"，表示包含「OOO 合併 XX 治療」與「OOO 合併 XX 治療與□□治療」之兩種方式合併呈現。

註 6：治癒性治療組合所佔比例若小於 0.2%者，則不呈現於報告中。

惡性淋巴瘤

表十九之二 惡性淋巴瘤發生人數按 Ann Arbor 期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療，有/無標靶治療		手術合併放療		手術合併化療與放療，有/無標靶治療		放療		放療合併化療		放療合併化療與標靶治療		化療		化療合併標靶治療		化療合併骨幹移植，有/無標靶治療		紫外光化或抗生素治療等其他療法		內分泌治療或/與標靶治療		標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	2971	78	2.63	105	3.53	25	0.84	27	0.91	102	3.43	113	3.80	204	6.87	431	14.51	1372	46.18	50	1.68	68	2.29	63	2.12	27	0.91	77	2.59	145	4.88	84	2.83
I 期	471	39	8.28	16	3.40	15	3.18	9	1.91	41	8.70	33	7.01	43	9.13	29	6.16	117	24.84	2	0.42	49	10.40	6	1.27	6	1.27	6	1.27	37	7.86	23	4.88
II 期	591	6	1.02	29	4.91	3	0.51	4	0.68	24	4.06	41	6.94	62	10.49	92	15.57	274	46.36	2	0.34	5	0.85	7	1.18	2	0.34	5	0.85	23	3.89	12	2.03
III 期	487	0	0.00	10	2.05	1	0.21	2	0.41	2	0.41	11	2.26	24	4.93	75	15.40	292	59.96	10	2.05	1	0.21	10	2.05	3	0.62	11	2.26	25	5.13	10	2.05
IV 期	1087	9	0.83	34	3.13	0	0.00	2	0.18	14	1.29	18	1.66	52	4.78	160	14.72	622	57.22	32	2.94	4	0.37	28	2.58	13	1.20	31	2.85	47	4.32	21	1.93
不詳	335	24	7.16	16	4.78	6	1.79	10	2.99	21	6.27	10	2.99	23	6.87	75	22.39	67	20.00	4	1.19	9	2.69	12	3.58	3	0.90	24	7.16	13	3.88	18	5.37

1 「Ann Arbor 期別」定義：請參考(108 年度)惡性淋巴瘤 Ann Arbor 期別之整併流程說明，如圖 4 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

惡性淋巴瘤

表十九之三 惡性淋巴瘤 0-39 歲發生人數按 Ann Arbor 期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療，有/無標靶治療		手術合併放療		手術合併化療與放療，有/無標靶治療		放療		放療合併化療		放療合併化療與標靶治療		化療		化療合併標靶治療		化療合併骨幹移植，有/無標靶治療		紫外光化或抗生素治療等其他療法		內分泌治療或/與標靶治療		標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	398	10	2.51	7	1.76	2	0.50	5	1.26	5	1.26	47	11.81	40	10.05	113	28.39	119	29.90	12	3.02	12	3.02	3	0.75	1	0.25	1	0.25	8	2.01	13	3.27
I 期	59	8	13.56	1	1.69	2	3.39	0	0.00	0	0.00	7	11.86	10	16.95	4	6.78	14	23.73	0	0.00	9	15.25	0	0.00	0	0.00	0	0.00	1	1.69	3	5.08
II 期	125	0	0.00	4	3.20	0	0.00	2	1.60	2	1.60	22	17.60	18	14.40	33	26.40	37	29.60	1	0.80	1	0.80	0	0.00	1	0.80	0	0.00	1	0.80	3	2.40
III 期	47	0	0.00	0	0.00	0	0.00	1	2.13	0	0.00	6	12.77	6	12.77	20	42.55	12	25.53	1	2.13	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	2.13
IV 期	107	0	0.00	2	1.87	0	0.00	0	0.00	1	0.93	8	7.48	3	2.80	27	25.23	52	48.60	9	8.41	0	0.00	1	0.93	0	0.00	0	0.00	3	2.80	1	0.93
不詳	60	2	3.33	0	0.00	0	0.00	2	3.33	2	3.33	4	6.67	3	5.00	29	48.33	4	6.67	1	1.67	2	3.33	2	3.33	0	0.00	1	1.67	3	5.00	5	8.33

1 「Ann Arbor 期別」定義：請參考(108 年度)惡性淋巴瘤 Ann Arbor 期別之整併流程說明，如圖 4 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

惡性淋巴瘤

表十九之四 惡性淋巴瘤 40-59 歲發生人數按 Ann Arbor 期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療，有/無標靶治療		手術合併放療		手術合併化療與放療，有/無標靶治療		放療		放療合併化療		放療合併化療與標靶治療		化療		化療合併標靶治療		化療合併骨幹移植，有/無標靶治療		紫外光化或抗生素治療等其他療法		內分泌治療或/與標靶治療		標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	775	24	3.10	34	4.39	9	1.16	6	0.77	34	4.39	32	4.13	50	6.45	88	11.35	366	47.23	25	3.23	25	3.23	8	1.03	4	0.52	4	0.52	43	5.55	23	2.97
I 期	139	14	10.07	4	2.88	5	3.60	4	2.88	19	13.67	14	10.07	9	6.47	7	5.04	25	17.99	1	0.72	18	12.95	0	0.00	2	1.44	1	0.72	9	6.47	7	5.04
II 期	150	0	0.00	11	7.33	1	0.67	1	0.67	6	4.00	8	5.33	17	11.33	23	15.33	72	48.00	0	0.00	2	1.33	1	0.67	0	0.00	0	0.00	7	4.67	1	0.67
III 期	127	0	0.00	2	1.57	0	0.00	0	0.00	0	0.00	2	1.57	4	3.15	13	10.24	84	66.14	6	4.72	0	0.00	0	0.00	0	0.00	0	0.00	12	9.45	4	3.15
IV 期	279	3	1.08	10	3.58	0	0.00	1	0.36	4	1.43	5	1.79	17	6.09	33	11.83	169	60.57	15	5.38	0	0.00	3	1.08	2	0.72	3	1.08	9	3.23	5	1.79
不詳	80	7	8.75	7	8.75	3	3.75	0	0.00	5	6.25	3	3.75	3	3.75	12	15.00	16	20.00	3	3.75	5	6.25	4	5.00	0	0.00	0	0.00	6	7.50	6	7.50

1 「Ann Arbor 期別」定義：請參考(108 年度)惡性淋巴瘤 Ann Arbor 期別之整併流程說明，如圖 4 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。

惡性淋巴瘤

表十九之五 惡性淋巴瘤 60 歲以上發生人數按 Ann Arbor 期別¹及治療方式分類

期別	分析數	手術 ²		手術合併化療，有/無標靶治療		手術合併放療		手術合併化療與放療，有/無標靶治療		放療		放療合併化療		放療合併化療與標靶治療		化療		化療合併標靶治療		化療合併骨幹移植，有/無標靶治療		紫外光化或抗生素治療等其他療法		內分泌治療或/與標靶治療		標靶治療		緩和治療 ³		未有首次治療申報紀錄 ⁴		其他治療 ⁵	
		申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%	申報數	%
合計	1798	44	2.45	64	3.56	14	0.78	16	0.89	63	3.50	34	1.89	114	6.34	230	12.79	887	49.33	13	0.72	31	1.72	52	2.89	22	1.22	72	4.00	94	5.23	48	2.67
I 期	273	17	6.23	11	4.03	8	2.93	5	1.83	22	8.06	12	4.40	24	8.79	18	6.59	78	28.57	1	0.37	22	8.06	6	2.20	4	1.47	5	1.83	27	9.89	13	4.76
II 期	316	6	1.90	14	4.43	2	0.63	1	0.32	16	5.06	11	3.48	27	8.54	36	11.39	165	52.22	1	0.32	2	0.63	6	1.90	1	0.32	5	1.58	15	4.75	8	2.53
III 期	313	0	0.00	8	2.56	1	0.32	1	0.32	2	0.64	3	0.96	14	4.47	42	13.42	196	62.62	3	0.96	1	0.32	10	3.19	3	0.96	11	3.51	13	4.15	5	1.60
IV 期	701	6	0.86	22	3.14	0	0.00	1	0.14	9	1.28	5	0.71	32	4.56	100	14.27	401	57.20	8	1.14	4	0.57	24	3.42	11	1.57	28	3.99	35	4.99	15	2.14
不詳	195	15	7.69	9	4.62	3	1.54	8	4.10	14	7.18	3	1.54	17	8.72	34	17.44	47	24.10	0	0.00	2	1.03	6	3.08	3	1.54	23	11.79	4	2.05	7	3.59

1 「Ann Arbor 期別」定義：請參考(108 年度)惡性淋巴瘤 Ann Arbor 期別之整併流程說明，如圖 4 所示。

2 「手術」定義：外院或申報醫院有進行原發部位手術，且術式編碼為 20-90。

3 「緩和照護」定義：僅接受緩解或減輕個案症狀所提供之照護(無毒殺或抑制腫瘤功能)，例如繞道手術或疼痛控制等治療。若為緩和性原發部位手術、放療或化療則納入前述治療欄位內分析。

4 「未有首次治療申報紀錄」定義：個案於首次療程中未接受任何的治療方式，包括拒絕治療。

5 「其他治療」定義：個案於首次療程中接受其他治療組合方式。