台灣癌症登記中心通知

急件

發件人: 台灣癌症登記中心

電 話: 02-2341-6012 傳 真: 02-2351-1733

地 址: 100台北郵政 84-310 信箱

日 期: 109年12月17日 編 號: 癌登第109012號

收文者: 所有申報醫院

副本收文者:衛生福利部國民健康署、台灣癌症登記學會、資拓宏宇國際股份

有限公司

主 題: 因應癌症登記實務作業之需求,請貴院依說明段辦理

☑ 急件

☑ 請檢閱

□請加註

□請回覆

□請回收

- 一、 本案係依衛生福利部國民健康署委託「台灣癌症登記工作計畫」辦理。
- 二、[再次提醒] 108 年診斷之癌症個案,請務必於 109 年 12 月 31 日前完成申報作業,以免影響申報完成率成績之計算。另自 110 年 1 月 1 日起由系統自動產生待查名單,請於 110 年 1 月 15 日前完成待查個案之補申報與回覆,以免影響補正率成績之計算,國健署將於年底前發待查公文通知各醫院。
- 三、 首次申報自 45_2021 年第 1 季與 115_2021 年第 1 季申報批次起,所有診斷年之癌症個案,均全面採用 107 年台灣癌症登記摘錄手冊第三版(2018 v.3)申報。正式版修訂處重點摘錄如下:
 - (1) 個案經診斷為癌症滿 10 年後(第 11 年起), 不再接受異動。
 - (2) 首次就診日期和最初診斷日期不允許不詳,刪除 9999999 編碼。
 - (3)「化學/荷爾蒙/類固醇/免疫/標靶治療」欄位增修編碼指引: 若個案於病歷上有描述參與臨床試驗,請確認個案是否進入試驗組; 若為試驗組則視為有接受臨床試驗化學/荷爾蒙/類固醇/免疫/標靶 治療;若僅為對照組則不視為有接受臨床試驗治療。若無法得知為 試驗組或對照組,請編碼 30 或 31。
 - (4)「荷爾蒙/類固醇治療」欄位新增<u>局部性</u>荷爾蒙/類固醇治療編碼。 請注意:僅有「申報醫院化學治療開始日期」優先填寫局部化學治

- <u>療</u>開始治療的日期;其餘「申報醫院**荷爾蒙/類固醇/免疫/標靶**治療開始日期」欄位,均填寫最早接受全身性或局部性治療日期。
- (5)「首次復發日期」欄位增修為「首次復發或癌症狀態追蹤日期」, 且修訂編碼指引:若個案經首次療程後已 disease-free 且無復發, 則追蹤到最後能確認此狀態之日期;個案若從未 disease-free,則 追蹤到最後能確認此狀態之日期。另本欄位應配合「首次復發型式」 欄位一起收集資料,不可採用電話或信件訪問的日期。
- (6)「首次復發型式」欄位新增修編碼指引:
 - I. 一旦登錄首次復發(編碼 04-62 或 88)後,即使此復發經治療後已 disease-free 且後續仍出現其他部位的復發或轉移,皆不須再登錄。
 - II. 編碼 00-70 是有層級順序(hierarchical),應以數字最大的情況編碼。若個案首次療程後疾病持續存在(編碼 70),但五年追蹤申報已 disease-free (編碼 00),此時首次復發型式應更新為 00
 - III. 若個案首次療程後已 disease-free (編碼 00),後續於五年追蹤申報前發現有復發,應更新編碼為適當的復發型式。
 - IV. 於<u>五年追蹤申報</u>時,個案若已失去追蹤或未回診,則依據病歷上 最後記載該癌症狀態編碼為 00 或 70。此時,個案該狀態之最後 追蹤日期應編碼於「首次復發或癌症狀態追蹤日期」。
- 四、 五年追蹤申報自 114_五年追蹤_2022 年核銷與 115_五年追蹤_2022 年核銷批次起,診斷年為 105 年(含)以後之個案,請使用 2018 v.3 版手册增修追蹤相關欄位內容申報。
- 五、有關肝癌 SSF3 Child Pugh 分數的腹水收錄,因 NCCN 2020 v.2 版與癌症部位特定因子編碼手冊依據 AJCC 第八版所述有些許差異,經詢問台灣肝癌醫學會建議: NCCN 2020 v.2 版內容較符合原意,且腹水量的判斷極其主觀並無共識。故依據內科學教科書 Harrison's Principles of Internal Medicine, 20th Edition 修改腹水判定為 "ascites: 1 point = non; 2 points = easily controlled; 3 points = poorly controlled",較符合操作型定義,並將前述內容修改至 SSF 手冊內 Child Pugh 分數定義。

六、 有關腸胃道 Gastrointestinal Stromal Tumor (GIST) 依據 2019 年出版 WHO Classification of Tumours 第 5 版 Digestive System Tumours 之 申報規則,經諮詢台灣病理學會專家後,確認 GIST 個案自 109 診斷年起 (即 110 年第一季申報開始) 均視為惡性腫瘤申報。但 108 年(含)以前診斷的 GIST 個案,仍需依原判定規則申報,如下表所示。

AJCC Stage	Tumor size	Mitotic rate (per 50 HPFs)	Revised NIH Risk Joensuu, 2008	Prognostic group	是否申報?
Gastric GIST	Γ				
Stage IA	≤2cm	Low (≤5)	Very low	1	否
Stage IA	>2 - ≤5cm	Low (≤5)	Low	2	否
Stage IB	>5 - ≤10cm	Low (≤5)	Intermediate	3a	否
Stage II	>10cm	Low (≤5)	High	3b	是
Stage II	≤2cm	High (>5)	Intermediate or High	4	否
Stage II	>2 - ≤5cm	High (>5)	Intermediate or High	5	是
Stage IIIA	>5 - ≤10cm	High (>5)	High	6a	是
Stage IIIB	>10cm	High (>5)	High	6b	是
Non-gastric	GIST				
Stage I	≤2cm	Low (≤5)	Very low	1	否
Stage I	>2 - ≤5cm	Low (≤5)	Low	2	是
Stage II	>5 - ≤10cm	Low (≤5)	High	3a	是
Stage IIIA	>10cm	Low (≤5)	High	3b	是
Stage IIIA	≤2cm	High (>5)	Intermediate or High	4	是
Stage IIIB	>2 - ≤5cm	High (>5)	High	5	是
Stage IIIB	>5 - ≤10cm	High (>5)	High	6a	是
Stage IIIB	>10cm	High (>5)	High	6b	是

注意:手冊正式版最新檔案「107年版台灣癌症登記摘錄手冊-109年修 訂版(2020年12月17日)」僅更新此處內容。

七、 依據 2020 年出版 WHO Classification of Tumours 第 5 版 Female Genital Tumours, 彙整最新病理組織型態編碼表(詳見附件), 適用於 2020 診斷年以後個案。

Status	ICD-O-3	Term
New term	8010/3	Urachal carcinoma (C65.9, C66.9, C67, C68)
New term	8013/3	Combined large cell neuroendocrine carcinoma (C57.9)
New term	8020/3	Carcinoma, poorly differentiated, NOS (C51) Poorly differentiated urothelial carcinoma (C65.9, C66.9, C67, C68) Anaplastic thyroid carcinoma (C73.9)
New code and term	8023/3	NUT carcinoma (C30.0, C31, C34, C37.9)
New term	8033/3	Carcinoma with sarcomatoid component (C18, C19.9, C20.9)
New term	8035/3	Squamous cell carcinoma with osteoclast-like giant cells (C44)
New term	8041/3	High-grade neuroendocrine carcinoma (C54, C55.9)
New term	8041/3	Neuroendocrine carcinoma, poorly differentiated (C50)
New term	8041/3	Small cell carcinoma, pulmonary type (C56.9)
New term	8044/3	Small cell carcinoma, hypercalcaemic type (C56.9) Small cell carcinoma, large cell variant (C56.9)
New term	8045/3	Combined small cell neuroendocrine carcinoma (C57.9)
New code and term	8054/3	Warty carcinoma (C60) [originally 8051/3]
New code and term	8054/3	Condylomatous carcinoma (C60) [originally 8051/3]
New behavior code and term	8071 /2	Differentiated-type vulvar intraepithelial neoplasia (C51) Differentiated exophytic vulvar intraepithelial lesion (C51) Vulvar acanthosis with altered differentiation (C51) Differentiated penile intraepithelial neoplasia (C60)
New term	8071/3	Keratoacanthoma (C44, C69.0)
New term	8074/3	Pseudovascular squamous cell carcinoma (C44)
New term	8077/2	Penile intraepithelial neoplasia (C60)
New term	8077/2	Oral epithelial dysplasia, high grade (C00, C02, C03, C04, C05, C06)
New code and term	8085/3	Squamous cell carcinoma, HPV-positive (C01.9, C02.4, C05.1, C05.2, C09, C10, C31) Squamous cell carcinoma, HPV-associated (C51, C52.9, C53)
New code and term	8086/3	Squamous cell carcinoma, HPV-negative (C01.9, C02.4, C05.1, C05.2, C09, C10, C31) Squamous cell carcinoma, HPV-independent (C51, C52.9, C53)

Status	ICD-O-3	Term
New term	8090/3	Basal cell carcinoma with adnexal differentiation (C44)
New term	8091/3	Superficial basal cell carcinoma (C44)
New term	8092/3	Basal cell carcinoma with sarcomatoid differentiation (C44)
New term	8098/3	Adenoid basal carcinoma (C52.9)
New behavior code and term	8100 /3	Trichoblastic carcinoma/carcinosarcoma (C44)
New term	8120/3	Squamotransitional cell carcinoma (C53)
New term	8140/3	Endolymphatic sac tumor (C30.1) Parathyroid carcinoma (C75.0) Carcinoma of Skene, Cowper and Littre glands (C52.9)
New behavior code and term	8144/2	Intestinal-type adenoma, high grade (C16, C17, C24.1) Sporadic intestinal-type gastric adenoma (C16) Syndromic intestinal-type gastric adenoma (C16)
New term	8144/3	Enteric adenocarcinoma (C34, C65.9, C66.9, C67, C68) Adenocarcinoma, intestinal type (C51) Mucinous carcinoma, intestinal type (C53)
Behavior code change (0→3)	8150 /3	Islet cell adenoma (C25) Islet cell adenomatosis (C25) Nesidioblastoma (C25)
Behavior code change (1→3)	8150 /3	Islet cell tumor, NOS (C25) Pancreatic endocrine tumor, NOS (C25)
New term	8150/3	Oncocytic neuroendocrine tumor, non-functioning pancreatic (C25) Pleomorphic neuroendocrine tumor, non-functioning pancreatic (C25) Clear cell neuroendocrine tumor, non-functioning pancreatic (C25) Cystic neuroendocrine tumor, non-functioning pancreatic (C25)
Behavior code change (0→3)	8151 /3	Insulinoma (C25) Beta cell adenoma (C25)
Behavior code change (1→3)	8152 /3	Glucagonoma (C25) Pancreatic peptide and pancreatic peptide-like peptide within terminal tyrosine amide producing tumor (C25) L-cell tumor (C18, C19.9, C20.9, C25) Glucagon-like peptide-producing tumor (C18, C19.9, C20.9, C25) PP/PYY producing tumor (C18, C19.9, C20.9, C25)

Status	ICD-O-3	Term
Behavior code change (1→3)	8153 /3	Gastrinoma (C16, C17, C24.1, C25) G cell tumor Gastrin cell tumor
New term	8154/3	Mixed ductal-neuroendocrine carcinomas (C25)
New term	8154/3	Mixed acinar-neuroendocrine carcinomas (C25)
New term	8154/3	Mixed neuroendocrine non-neuroendocrine neoplasm (MiNEN) (C15-C26)
Behavior code change (1→3)	8155 /3	VIPoma (C25)
Behavior code change (1→3)	8156 /3	Somatostatinoma (C16, C17, C24.1, C25) Somatostatin cell tumor
New behavior code and term	8158 /3	ACTH-producing tumour with Cushing syndrome (C25)
Behavior code change (1→3)	8158 /3	ACTH-producing tumour (C25) Endocrine tumor, functioning, NOS
New term	8160/3	Large duct intrahepatic cholangiocarcinoma (C22.1) Small duct intrahepatic cholangiocarcinoma (C22.1)
New term	8163/2	Intra-ampullary papillary-tubular neoplasm (C17, C24.1)
New term	8174/3	Hepatocellular carcinoma, steatohepatitis (C22.0) Hepatocellular carcinoma, macrotrabecular massive (C22.0) Hepatocellular carcinoma, chromophobe (C22.0) Hepatocellular carcinoma, neutrophil-rich (C22.0) Hepatocellular carcinoma, lymphocyte-rich (C22.0)
New term	8200/3	Thymic carcinoma with adenoid cystic carcinoma-like features (C37.9)
New term	8200/3	Classic adenoid cystic carcinoma (C50) Solid-basaloid adenoid cystic carcinoma (C50) Adenoid cystic carcinoma with high-grade transformation (C50)
New term	8210/2	Adenomatous polyp, high-grade dysplasia (C16, C17, C18, C19.9, C20.9, C24.1)
New behavior code and term	8211 /2	Tubular adenoma, high grade (C18, C19.9, C20.9)
New behavior code and term	8213 /2	Serrated dysplasia, high grade (C16, C17, C18, C19.9, C20.9, C24.1) Intestinal-type dysplasia (C16) Foveolar-type (gastric-type) dysplasia (C16) Gastric pit/crypt dysplasia (C16) Hyperplastic polyp, microvesicular type (C18, C19.9, C20.9) Hyperplastic polyp, goblet cell (C18, C19.9, C20.9)

Status	ICD-O-3	Term
New term	8240/3	Neuroendocrine tumor, NOS (C51, C57.9)
Behavior code change (1→3)	8241 /3	Carcinoid tumor, argentaffin
New term	8241/3	Serotonin-producing tumour with and without carcinoid syndrome (C25)
Behavior code change (1→3)	8242 /3	Enterochromaffin-like cell carcinoid, NOS ECL cell carcinoid, NOS
New term	8243/3	Goblet cell adenocarcinoma (C18.1)
New term	8249/3	Neuroendocrine tumor, grade 3 (C15-C26)
New behavior code and term	8250 /2	Adenocarcinoma in situ, non-mucinous (C34)
New term	8250/3	Lepidic adenocarcinoma (C34)
New behavior code and term	8253 /2	Adenocarcinoma in situ, mucinous (C34)
New term	8253/3	Invasive mucinous adenocarcinoma (C34)
New term	8254/3	Mixed invasive mucinous and non-mucinous adenocarcinoma (C34)
New code and term	8256/3	Minimally invasive adenocarcinoma, non-mucinous (C34)
New code and term	8257/3	Minimally invasive adenocarcinoma, mucinous (C34)
New term	8261/2	Villous adenoma, high grade (C18, C19.9, C20.9)
New term	8262/3	Adenoma-like adenocarcinoma (C18, C19.9, C20.9)
New term	8263/2	Tubulovillous adenoma, high grade (C18, C19.9, C20.9)
New term	8263/3	Endometrioid adenocarcinoma, villoglandular (C54, C55.9)
New term	8263/3	Villoglandular carcinoma (C53)
New term	8265/3	Micropapillary adenocarcinoma (C18, C19.9, C20.9, C34)
New code and term	8273/3	Pituitary blastoma (C75.1)
New term	8310/3	Adenocarcinoma, HPV-independent, clear cell type (C53)
New code and term	8311/3	Hereditary leiomyomatosis and renal cell carcinoma-associated renal cell carcinoma (C64.9) MiT family translocation renal cell carcinomas (C64.9)
New term	8312/3	Succinate dehydrogenase-deficient renal carcinoma (C64.9)
New term	8316/3	Acquired cystic disease-associated renal cell carcinoma (C64.9) Tubulocystic renal cell carcinoma (C64.9)
Behavior code change (3→1)	8323/1	Clear cell papillary renal cell carcinoma (C64.9) [MP/H 8255/3→8323/1]
New term	8330/3	Follicular thyroid carcinoma (FTC), widely invasive (C73.9)

Status	ICD-O-3	Term
Behavior code change (3→1)	8335/1	Follicular carcinoma, encapsulated (C73.9)
New term	8337/3	Poorly differentiated thyroid carcinoma (C73.9)
New code and term	8339/3	Follicular thyroid carcinoma (FTC), encapsulated angioinvasive (C73.9)
New term	8342/3	Oncocytic variant of papillary thyroid carcinoma (PTC) (C73.9)
New term	8345/3	Medullary thyroid carcinoma (C73.9)
New code and term	8349/1	Non-invasive follicular thyroid neoplasm with papillary-like nuclear features (C73.9) [nonreportable]
New behavior code and term	8380 /2	Atypical hyperplasia / Endometrioid intraepithelial neoplasia (C54) Atypical hyperplasia of the endometrium (C54)
New term	8380/3	POLE-ultramutated endometrioid carcinoma (C54) Mismatch repair-deficient endometrioid carcinoma (C54) p53-mutant endometrioid carcinoma (C54) No specific molecular profile (NSMP) endometrioid carcinoma (C54)
New term	8390/3	Adnexal adeno carcinoma, NOS (C44)
New term	8401/3	Apocrine carcinoma (C44)
New term	8403/3	Malignant neoplasms arising from spiradenoma, cylindroma, or spiradenocylindroma (C44)
New behavior code and term	8406/ 3	Syringocystadenocarcinoma papilliferum (C44)
Behavior code change (1→3)	8408/3	Aggressive digital papillary adenoma (C44)
New behavior code and term	8409 /2	Porocarcinoma in situ (C44)
New term	8430/3	Sclerosing mucoepidermoid carcinoma with eosinophilia (C73.9)
New behavior code and term	8441 /2	Serous tubal intraepithelial carcinoma (C57.0)
New behavior code and term	8441 /2	Serous endometrial intraepithelial carcinoma (C54)
New term	8441/3	Serous cystadenocarcinoma, NOS (C25. _, C56.9)
New term	8452/1	Solid pseudopapillary tumour of ovary (C56.9)
New term	8452/3	Solid pseudopapillary neoplasm of the pancreas (C25) Solid pseudopapillary neoplasm with high-grade carcinoma (C25)
New code and term	8455/2	Intraductal oncocytic papillary neoplasm, NOS (C25)
New code and term	8455/3	Intraductal oncocytic papillary neoplasm with associated invasive carcinoma (C25)
New behavior code and term	8460 /2	Serous borderline tumour - micropapillary variant (C56.9)
New behavior code and term	8460 /2	Non-invasive low-grade serous carcinoma (C56.9)

Status	ICD-O-3	Term
New term	8460/3	Low-grade serous carcinoma (C48, C56.9, C57)
New term	8461/3	High-grade serous carcinoma (C48, C56.9, C57)
New term	8470/3	Mucinous cystadenocarcinoma NOS (C50)
New code and term	8474/3	Seromucinous carcinoma (C56.9)
New behavior code and term	8480 /2	High-grade appendiceal mucinous neoplasm (C18.1)
New term	8480/3	Mucinous tubular and spindle cell carcinoma (C64.9)
New term	8482/3	Mucinous carcinoma, gastric type (C52.9, C53) Adenocarcinoma, HPV-independent, gastric type (C53)
New code and term	8483/2	Adenocarcinoma in situ, HPV-associated (C53)
New code and term	8483/3	Adenocarcinoma, HPV-associated (C52.9, C53)
New code and term	8484/2	Adenocarcinoma in situ, HPV-independent (C53)
New code and term	8484/3	Adenocarcinoma, HPV-independent, NOS (C53)
New term	8490/3	Signet ring cell/histiocytoid carcinoma (C44)
New term	8500/2	DCIS of low nuclear grade (C50) DCIS of intermediate nuclear grade (C50) DCIS of high nuclear grade (C50)
New term	8500/3	Adenocarcinoma of mammary gland type (C51) Adenocarcinoma of anogenital mammary-like glands (C51)
New term	8502/3	Secretory carcinoma (C07, C08, C50, C69.5)
New term	8503/2	Intraductal tubulopapillary neoplasm (C25)
New term	8504/2	Encapsulated papillary carcinoma (C50)
Behavior code change (3→2)	8504/2	Intracystic carcinoma, NOS Intracystic papillary adenocarcinoma
New term	8504/3	Encapsulated papillary carcinoma with invasion (C50)
New behavior code and term	8507 /3	Invasive micropapillary carcinoma (C50)
New code and term	8509/2	Solid papillary carcinoma in situ (C50)
New code and term	8509/3	Solid papillary carcinoma invasive (C50) Tall cell carcinoma with reversed polarity (C50)
New code and term	8509/3	Endocrine mucin-producing sweat gland carcinoma (C44)

ICD-O-3	Term
8510/3	Renal medullary carcinoma (C64.9)
8519/2	Pleomorphic lobular carcinoma in situ (C50)
8520/2	Florid lobular carcinoma in situ (C50)
8551/3	Acinar adenocarcinoma (C34)
8560/3	Squamoid eccrine ductal carcinoma (C44)
8570/3	Endometrioid carcinoma with squamous differentiation (C54)
8570/3	Low grade adenosquamous carcinoma (C50)
8571/3	Metaplastic carcinoma with chondroid differentiation (C50)
8571/3	Metaplastic carcinoma with osseous differentiation (C50)
8572/3	Fibromatosis-like metaplastic carcinoma (C50)
8572/3	Acinar adenocarcinoma, sarcomatoid (C61.9)
8580/3	Metaplastic thymoma / Sclerosing thymoma (C37.9)
8580/3	Ectopic thymoma (C73.9)
8581/3	Type A thymoma, including atypical variant (C37.9)
8582/3	Type AB thymoma (C37.9)
8583/3	Type B1 thymoma (C37.9)
8584/3	Type B2 thymoma (C37.9)
8585/3	Type B3 thymoma (C37.9)
8589/3	Intrathyroid thymic carcinoma (C73.9)
8594/1	Mixed germ cell-sex cord-stromal tumor, NOS (C56.9)
8620/ 3	Adult granulosa cell tumor of ovary (C56.9)
8680 /3	Paraganglioma, NOS (C75.5)
8681 /3	Sympathetic paraganglioma
8682 /3	Parasympathetic paraganglioma
8690 /3	Middle ear paraganglioma (C75.5) Glomus jugulare tumor, NOS (C75.5) Jugular paraganglioma (C75.5) Jugulotympanic paraganglioma (C75.5)
	8510/3 8519/2 8520/2 8551/3 8560/3 8570/3 8570/3 8571/3 8571/3 8572/3 8572/3 8580/3 8580/3 8581/3 8584/3 8584/3 8585/3 8589/3 8594/1 8620/3 8680/3 8681/3 8682/3

Status	ICD-O-3	Term
		Aortic body tumor (C75.5)
Behavior code change (1→3)	8691 /3	Aortic body paraganglioma (C75.5)
		Aorticopulmonary paraganglioma (C75.5)
Behavior code change (1→3)	8692 /3	Carotid body paraganglioma (C75.4)
Zenavier code enavige (1.7.6)	0002.0	Carotid body tumor (C75.4)
		Extra-adrenal paraganglioma, NOS (C17, C24.1)
Behavior code change (1→3)	8693 /3	Nonchromaffin paraganglioma, NOS
		Chemodectoma
		Vagal paraganglioma (C75.5)
Newstarra	0000/0	Laryngeal paraganglioma (C75.5)
New term	8693/3	Sympathetic paragangliomas (C75.5)
		Composite paraganglioma (C75.5)
		Paraganglioma (C73.9, C75.1)
	8700 /3	Pheochromocytoma (C74.1)
Behavior code change (0→3)		Adrenal medullary paraganglioma (C74.1) Chromaffin paraganglioma
Benavior code change (c 76)		Chromaffin tumor
		Chromaffinoma
New term	8700/3	Composite pheochromocytoma (C74.1)
	8714/3	Neoplasms with perivascular epithelioid cell differentiation (PEComa) NOS, malignant (C15-C26, C34,
New code and term		C47, C49 , C54)
New code and term		Perivascular epithelioid cell tumour, malignant (C65.9, C66.9, C67, C68)
		Perivascular epithelioid tumour, malignant (C47, C49, C54)
New term	8720/3	Mucosal melanoma (genital, oral, sinonasal)
New term	8721/3	Mucosal nodular melanoma (genital, oral, sinonasal)
New term	8743/3	Low-CSD (cumulative sun damage) melanoma (C44)
New term	8744/3	Acral melanoma (C44)
New term	8770/3	Malignant Spitz tumor (Spitz melanoma) (C44)
New term	8780/3	Melanoma arising in blue nevus (C44)
New term	8801/3	Undifferentiated spindle cell sarcoma (C47, C49)
New term	8802/3	Undifferentiated pleomorphic sarcoma (C47, C49)
INOW COITE		Pleomorphic dermal sarcoma (C44)

Status	ICD-O-3	Term
New term	8803/3	Undifferentiated round cell sarcoma (C47, C49)
New term	8804/3	Undifferentiated epithelioid sarcoma (C47, C49) Proximal or large cell epithelioid sarcoma (C47, C49) Classic epithelioid sarcoma (C47, C49)
New term	8811/3	Myxofibrosarcoma (C47, C49) Epithelioid myxofibrosarcoma (C47, C49)
New term	8815/3	Solitary fibrous tumor, grade 3 (C70, C71, C72)
New behavior code and term	8825 /3	Low-grade myofibriblastic sarcoma (C47, C49) Myofibroblastic sarcoma (C47, C49) Epithelioid inflammatory myofibroblastic sarcoma (C15-C26)
New term	8830/3	Undifferentiated high-grade pleomorphic sarcoma of bone (C40, C41)
Behavior code change (3→1)	8832/1	Dermatofibrosarcoma protuberans (C47, C49)
New term	8832/3	Fibrosarcomatous dermatofibrosarcoma protuberans (C47, C49) Myxoid dermatofibrosarcoma protuberans (C47, C49) Dermatofibrosarcoma protuberans with myoid differentiation (C47, C49) Plaque-like dermatofibrosarcoma protuberans (C47, C49)
Behavior code change (3→1)	8833/1	Pigmented dermatofibrosarcoma protuberans (C44, C47, C49) Bednar tumor (C44)
New term	8840/3	Low-grade fibromyxoid sarcoma (C47, C49) Sclerosing epithelioid fibrosarcoma (C47, C49)
New behavior code and term	8842 /3	Pulmonary myxoid sarcoma with EWSR1-CREB1 translocation (C34) Ossifying fibromyxoid tumour, malignant (C47, C49)
New term	8854/3	Epithelioid liposarcoma (C47, C49)
New code and term	8859/3	Myxoid pleomorphic liposarcoma (C47, C49)
New term	8890/3	Spindle leiomyosarcoma (C54)
New term	8912/3	Sclerosing rhabdomyosarcoma Congenital spindle cell rhabdomyosarcoma with VGLL2/NCOA2/CITED2 rearrangements (C47, C49) MYOD1-mutant spindle cell / sclerosing rhabdomyosarcoma (C47, C49) Intraosseous spindle cell rhabdomyosarcoma (with TFCP2/NCOA2 rearrangements) (C47, C49)
New term	8930/3	Endometrioid stromal sarcoma, high grade (C48, C56.9)
New term	8931/3	Endometrioid stromal sarcoma, low grade (C48, C56.9)

ICD-O-3	Term
8936/3	Extra-gastrointestinal stromal tumour (C48)
8960/3	Wilms tumour (C56.9)
8963/3	Extra-renal rhabdoid tumour (C47, C49)
8983 /3	Adenomyoepithelioma with carcinoma (C50)
8990/3	Phosphaturic mesenchymal tumor, malignant
9020/3	Periductal stromal tumor, low grade (C50)
9044/3	Dermal clear cell sarcoma (C44)
9045/3	Biphenotypic sinonasal sarcoma (C30.0, C31)
9071/3	Yolk sac tumor, pre-pubertal type (C52.9)
9080 /1	Immature teratoma (C34) Immature teratoma (C37.9) Immature teratoma (grade 2) (C73.9)
9081/3	Teratocarcinosarcoma (C30.0, C31)
9084/3	Germ cell tumours with sometic-type solid malignancy (C37.9)
9086/3	Germ cell tumours with associated haematological malignancy (C37.9)
9110/3	Adenocarcinoma of rete ovarii (C56.9) Adenocarcinoma, HPV-independent , mesonephric type (C53)
9111/3	Mesonephric-like adenocarcinoma (C54, C56.9)
9120/3	Postradiation angiosarcoma (C50) Epithelioid angiosarcoma (C50)
9133 /3	Epithelioid hemangioendothelioma (C30.0, C31, C44, C40, C41, C47, C49)
9133 / 3	Epithelioid hemangioendothelioma with WWTR1-CAMTA1 fusion (C47, C49) Epithelioid hemangioendothelioma with YAP1-TFE3 fusion (C47, C49)
9137/3	Pulmonary artery intimal sarcoma (C34) Intimal sarcoma (C47, C49)
9180/3	Extraskeletal osteosarcoma (C47, C49)
9184/3	Secondary osteosarcoma (C40, C41)
9187/3	Low-grade central / intramedullary osteosarcoma (C40, C41)
9220/3	Chondrosarcoma, grade 2/3 (C12.9, C13, C14, C32, C33.9, C41.0, C41.1)
	8936/3 8960/3 8963/3 8983/3 8990/3 9020/3 9044/3 9045/3 9071/3 9080/1 9081/3 9084/3 9086/3 9110/3 9111/3 9120/3 9133/3 9133/3 9137/3 9180/3 9184/3 9187/3

Status	ICD-O-3	Term
New code and term	9222/1	Chondrosarcoma, grade 1 (C12.9, C13, C14, C32, C33.9 , C41.0, C41.1)
New code and term	9222/3	Chondrosarcoma, grade 1 (C40, C41)
New term	9231/3	Extraskeletal myxoid chondrosarcoma (C47, C49)
New term	9270/3	Sclerosing odontogenic carcinoma (C41.0, C41.1)
New behavior code and term	9302/ 3	Ghost cell odontogenic carcinoma (C41.0, C41.1)
New term	9330/3	Odontogenic sarcomas (C41.0, C41.1)
Behavior code change (1→3)	9341 /3	Clear cell odontogenic tumor (C41.0, C41.1)
New behavior code and term	9341/ 3	Clear cell odontogenic carcinoma (C41.0, C41.1)
New code and term	9366/3	Round cell sarcoma with EWSR1-non-ETS fusions (C40, C41, C47, C49)
New code and term	9367/3	CIC-rearranged sarcoma (C40, C41, C47, C49)
New code and term	9368/3	Sarcoma with BCOR genetic alterations (C40, C41, C47, C49)
New term	9370/3	Poorly differentiated chordoma (C40, C41)
New code and term	9385/3	Diffuse midline glioma, H3 K27M-mutant (C71)
New behavior code and term	9391 /1	Sellar ependymoma (C75.1) [nonreportable]
New term	9391/3	Ependymoma, NOS (C57)
New code and term	9396/3	Ependymoma, RELA fusion-positive (C71)
New term	9400/3	Diffuse astrocytoma, IDH-mutant / IDH-wildtype (C71)
New term	9401/3	Anaplastic astrocytoma, IDH-mutant / IDH-wildtype (C71)
New term	9424/3	Anaplastic pleomorphic xanthoastrocytoma (C71)
New term	9440/3	Epithelioid glioblastoma (C71)
New term	9440/3	Glioblastoma, IDH-wildtype (C71)
New code and term	9445/3	Glioblastoma, IDH-mutant (C71)
New term	9450/3	Oligodendroglioma, IDH-mutant and 1p/19q-codeleted (C71)
New term	9451/3	Anaplastic oligodendroglioma, IDH-mutant and 1p/19q-codeleted (C71)
New term	9470/3	Medulloblastoma, classic
New term	9471/3	Medulloblastoma, SHH-activated and TP53-wildtype (C71)
New term	9473/3	CNS embryonal tumour, NOS (C71)
New code and term	9475/3	Medulloblastoma, WNT-activated(C71)

Status	ICD-O-3	Term
New code and term	9476/3	Medulloblastoma, SHH-activated and TP53-mutant (C71)
New code and term	9477/3	Medulloblastoma, non-WNT/non-SHH (C71)
		Medulloblastoma, group 3 / group 4 (C71)
New code and term	9478/3	Embryonal tumour with multilayered rosettes, C19MC-altered (C71)
		Embryonal tumour with multilayered rosettes, NOS (C71)
New term	9490/3	Ganglioneuroblastoma, nodular (C74.1)
New term	9490/3	Ganglioneuroblastoma, intermixed (C74.1)
New term	9508/3	CNS embryonal tumour with rhabdoid features (C71)
New term	9540/3	MPNST with perineurial differentiation (C72)
New code and term	9542/3	Epithelioid malignant peripheral nerve sheath tumour (C44, C47, C49)
New behavior code and term	9591/ 1	Monoclonal B-cell lymphocytosis, non-CLL-type
New behavior code and term	9673/ 1	In situ mantle cell neoplasia
New term	9673/3	Conventional mantle cell lymphoma
Trow torm		Leukaemic non-nodal mantle cell lymphoma
New behavior code and term	9680/ 1	EBV-positive mucocutaneous ulcer
New term	9680/3	Diffuse large B-cell lymphoma (DLBCL), Germinal centre B-cell subtype
New term	9680/3	Diffuse large B-cell lymphoma (DLBCL), Activated B-cell subtype
New term	9680/3	Fibrin-associated diffuse large B-cell lymphoma
New term	9680/3	High-grade B-cell lymphoma with MYC and BCL2 and/or BCL6 rearrangements
New term	9680/3	High-grade B-cell lymphoma, NOS
New term	9680/3	Vitreoretinal lymphoma (C69.2)
New term	9687/3	Burkitt-like lymphoma with 11q aberration Acute leukaemia, Burkitt type Endemic Burkitt lymphoma Sporadic Burkitt lymphoma Immunodeficiency-associated Burkitt lymphoma
New term	9690/3	Testicular follicular lymphoma Paediatric-type follicular lymphoma
New behavior code and term	9695/ 1	In situ follicular neoplasia
New term	9695/3	Duodenal-type follicular lymphoma
New term	9698/3	Large B-cell lymphoma with IRF4 rearrangement

Status	ICD-O-3	Term
New term	9699/3	Primary choroidal lymphoma (C69.3)
New behavior code and term	9702/ 1	Indolent T-cell lymphoproliferative disorder of the gastrointestinal tract
New term	9702/3	Follicular T-cell lymphoma Nodal peripheral T-cell lymphoma with T follicular helper phenotype
Behavior code change (3→1)	9709/1	Primary cutaneous CD4-positive small/medium T-cell lymphoproliferative disorder
New term	9709/3	Primary cutaneous acral CD8-positive T-cell lymphoma
New code and term	9715/3	Anaplstic large cell lymphoma, ALK-negative [originally 9702/3] Breast implant-associated anaplastic large cell lymphoma
New term	9717/3	Monomorphic epitheliotropic intestinal T-cell lymphoma
Behavior code change (3→1)	9718/ 1	Lymphomatoid papulosis (C44)
Behavior code change (3→1)	9725/ 1	Hydroa vacciniforme-like lymphoproliferative disorder
New behavior code and term	9738/ 1	HHV8-positive germinotropic lymphoproliferative disorder
New code and term	9749/3	Erdheim-Chester disease
Behavior code change (3→1)	9751/ 1	Langerhans cell histiocytosis, NOS Langerhans cell histiocytosis, monostotic Langerhans cell histiocytosis, polystotic
New behavior code and term	9761/ 1	IgM monoclonal gammopathy of undetermined significance
New term	9765/1	Non-IgM monoclonal gammopathy of undetermined significance
New term	9766/1	Lymphomatoid granulomatosis, grade 1, 2
New behavior code and term	9766 /3	Lymphomatoid granulomatosis, grade 3
New term	9769/1	Light chain and heavy chain deposition diseases Monoclonal immunoglobulin deposition diseases
New term	9807/3	Mixed-phenotype acute leukaemia with t(v; 11q23.3); KMT2A-rearranged
New term	9811/3	B-lymphoblastic leukaemia/lymphoma with iAMP21
New term	9813/3	B-lymphoblastic leukaemia/lymphoma with t(v; 11q23.3); KMT2A-rearranged
New code and term	9819/3	B-lymphoblastic leukaemia/lymphoma, BCR-ABL1-like
New behavior code and term	9823/ 1	Monoclonal B-cell lymphocytosis, CLL-type
New term	9840/3	Pure erythroid leukaemia
New term	9869/3	AML with inv(3)(q21.3q26.2) or t(3;3)(q21.3;q26.2); GATA2 , MECOM

Status	ICD-O-3	Term
New code and term	9877/3	AML with mutated NPM1 [originally 9861/3]
New code and term	9878/3	AML with biallelic mutation of CEBPA [originally 9861/3]
New code and term	9879/3	AML with mutated RUNX1
New term	9897/3	AML with t(9;11)(p21.3;q23.3); KMT2A -MLLT3
New code and term	9912/3	AML with BCR-ABL1
New term	9966/3	Myeloid/ lymphoid neoplasms with PDGFRB
New code and term	9968/3	Myeloid/lymphoid neoplasms with PCM1-JAK2
Behavior code change (3→1)	9971/ 1	Polymorphic PTLD
New term	9980/3	Myelodysplastic syndrome with single lineage dysplasia
New term	9982/3	Myelodysplastic/myeloproliferative neoplasm with ring siderolasts and thrombocytosis Myelodysplastic syndrome with ring sideroblasts and single lineage dysplasia
New term	9983/3	Myelodysplastic syndrome with excess blasts
New term	9985/3	Myelodysplastic syndrome with multilineage dysplasia
New code and term	9993/3	Myelodysplastic syndrome with ring sideroblasts and multilineage dysplasia

說明:綠色網底表示為本次新增編碼與修訂敘述。