Incidence and mortality rates for the top 10 cancer in Taiwan, 2020

(ranked by age-adjusted rate³)

Top 10 cancer incidence rates per 100,000 in 2020 (only invasive cancers)

Rank	ICD-O-3	Cancer site	Number of Cases	Crude Incidence rate	Age-adjusted incidence rate ²	Age-adjusted incidence rate ³
1	C50	Female breast	15,259	128.36 ^{7a}	75.83 ^{7a}	82.10 ^{7a}
2	C18-C21	Colon, rectum, rectosigmoid junction and anus	16,829	71.43	35.85	40.52
3	C33-C34	Trachea, bronchus and lung	16,370	69.48	34.76	39.09
4	C61	Prostate gland	7,178	61.49 ^{7b}	29.34 ^{7b}	34.89 ^{7b}
5	C22	Liver and intrahepatic bile ducts	10,982	46.61	23.08	26.14
6	C00-C14 ⁴	Oral cavity, oropharynx and hypopharynx	8,277	35.13	20.27	21.79
		Oral cavity	5,418	23.00	13.31	14.38
		Oropharynx	1,689	7.17	4.11	4.39
		Hypopharynx	1,170	4.97	2.84	3.03
7	C54	Corpus uteri	3,032	25.51 ^{7a}	15.11 ^{7a}	16.30 ^{7a}
8	C73	Thyroid gland	4,932	20.93	14.45	15.70
9	C56, C57.0-C57.4	Ovary, fallopian tube and broad ligament	1,824	15.34 ^{7a}	9.95 ^{7a}	10.66 ^{7a}
10	C16	Stomach	4,257	18.07	8.65	9.90
	C00-C80	All cancer sites	121,979	517.71	280.00	311.34

Top 10 cancer incidence rates per 100,000 in 2020 (carcinoma in situ and invasive cancers)⁶

Rank	ICD-O-3	Cancer site	Number of Cases	Crude Incidence rate	Age-adjusted incidence rate ²	Age-adjusted incidence rate ³
1	C50	Female breast	18,041	151.76 ^{7a}	90.25 ^{7a}	97.39 ^{7a}
	C50	Carcinoma in situ of the female breast	2,782	23.40 ^{7a}	14.42 ^{7a}	15.29 ^{7a}
	C50	Invasive carcinoma of the female breast	15,259	128.36 ^{7a}	75.83 ^{7a}	82.10 ^{7a}
2	C18-C21	Colon, rectum, rectosigmoid junction and anus	21,129	89.68	45.61	51.14
3	C33-C34	Trachea, bronchus and lung	17,190	72.96	36.90	41.38
4	C61	Prostate gland	7,212	61.78 ^{7b}	29.48 ^{7b}	35.06 ^{7b}
5	C53	Cervix uteri	4,401	37.02 ^{7a}	25.63 ^{7a}	28.65 ^{7a}
	C53	Cervical carcinoma in situ	2,965	24.94 ^{7a}	18.63 ^{7a}	20.87 ^{7a}
	C53	Invasive cervical carcinoma	1,436	12.08 ^{7a}	7.00 ^{7a}	7.78 ^{7a}
6	C22	Liver and intrahepatic bile ducts	10,988	46.64	23.10	26.15
7	C00-C14 ⁴	Oral cavity, oropharynx and hypopharynx	8,425	35.76	20.63	22.18
		Oral cavity	5,510	23.39	13.53	14.61
		Oropharynx	1,713	7.27	4.17	4.45
		Hypopharynx	1,202	5.10	2.92	3.11
8	C54	Corpus uteri	3,237	27.23 ^{7a}	16.40 ^{7a}	17.70 ^{7a}
9	C73	Thyroid gland	4,932	20.93	14.45	15.70
10	C56, C57.0-C57.4	Ovary, fallopian tube and broad ligament	1,856	15.61 ^{7a}	10.15 ^{7a}	10.88 ^{7a}
	C00-C80	All Cancer sites	135,808	576.40	314.97	349.75

Top 10 cancer mortality rates per 100,000 in 2020

Rank	ICD-10	Cancer site	Number of Cases	Crude Mortality rate	Age-adjusted mortality rate ²	Age-adjusted mortality rate ³
1	C33-C34	Trachea, bronchus and lung	9,629	40.87	18.40	21.53
2	C22	Liver and intrahepatic bile ducts	7,773	32.99	15.21	17.74
3	C18-C21	Colon, rectum, rectosigmoid junction and anus	6,489	27.54	12.29	14.44
4	C50	Female breast	2,655	22.33 ^{7a}	11.49 ^{7a}	12.68 ^{7a}
5	C00-C14 ⁴	Oral cavity, oropharynx and hypopharynx	3,380	14.35	7.84	8.54
6	C61	Prostate gland	1,730	14.82 ^{7b}	5.95 ^{7b}	7.72 ^{7b}
7	C25	Pancreas	2,450	10.40	4.83	5.60
8	C16	Stomach	2,339	9.93	4.40	5.16
9	C15	Esophagus	1,954	8.29	4.50	4.86
10	C56, C57.0-C57.4	Ovary, fallopian tube and broad ligament	724	6.09 ^{7a}	3.26 ^{7a}	3.61 ^{7a}
	C00-C97	All Cancer sites	50,161	212.90	100.45	115.94

FOOTNOTE

- ${\it 1. Since 2007, the incidence \ rate \ for \ lymphoma \ was \ calculated \ independently \ from \ each \ site.}$
- 2. Rates are age-adjusted to the 1976 world standard population.
- 3. Rates are age-adjusted to the 2000 world standard population.
- $4. Codes \ corresponding \ with \ oral \ cavity, \ oropharynx \ and \ hypopharynx \ include \ ICD-O-3: C00-C06 \\ \times C09-C10 \\ \times C12-14; \ ICD \ 9: 140-141 \\ \times 143-146 \\ \times 148-149.$
- 5. Basal cell is included in skin cancer.
- 6. Carcinoma in situ represents the fifth digit of morphology code is "2".
- 7. (a) Incidence rate and mortality rates per 100,000 for female; (b) Incidence and mortality rates per 100,000 for male.

Incidence and mortality rates for the top 10 cancer among males in Taiwan, 2020 (ranked by age-adjusted rate³)

Top 10 cancer incidence rates per 100,000 among males in 2020 (only invasive cancers)

Rank	ICD-O-3	Cancer site	Number of Cases	Crude Incidence rate	Age-adjusted incidence rate ²	Age-adjusted incidence rate ³
1	C18-C21	Colon, rectum, rectosigmoid	9,477	81.18	43.12	48.60
		junction and anus				
2	C33-C34	Trachea, bronchus and lung	8,877	76.04	39.16	44.66
3	C00-C14 ⁴	Oral cavity, oropharynx and hypopharynx	7,474	64.02	38.14	40.94
		Oral cavity	4,829	41.37	24.82	26.73
		Oropharynx	1,521	13.03	7.67	8.18
		Hypopharynx	1,124	9.63	5.66	6.03
4	C22	Liver and intrahepatic bile ducts	7,617	65.25	34.96	39.11
5	C61	Prostate gland	7,178	61.49	29.34	34.89
6	C15	Esophagus	2,668	22.85	13.29	14.20
7	C16	Stomach	2,464	21.11	10.70	12.26
8	C44 ⁵	Skin	2,324	19.91	9.60	11.45
9	LEU	Leukemia	1,549	13.27	9.40	9.87
10	NHL	Non-Hodgkin lymphoma	1,719	14.73	8.53	9.52
	C00-C80	All cancer sites	63,893	547.32	300.04	336.19

Top 10 cancer incidence rates per 100,000 among males in 2020 (carcinoma in situ and invasive cancers)6

Rank	ICD-0-3	Cancer site	Number	Crude	Age-adjusted	Age-adjusted
Naiik	100-0-3	Cancer site	of Cases	Incidence rate	incidence rate ²	incidence rate ³
1	C18-C21	Colon, rectum, rectosigmoid	12,193	104.45	56.09	62.65
		junction and anus				
2	C33-C34	Trachea, bronchus and lung	9,114	78.07	40.42	46.02
3	C00-C14 ⁴	Oral cavity, oropharynx and hypopharynx	7,603	65.13	38.80	41.64
		Oral cavity	4,904	42.01	25.19	27.13
		Oropharynx	1,544	13.23	7.79	8.30
		Hypopharynx	1,155	9.89	5.82	6.21
4	C22	Liver and intrahepatic bile ducts	7,617	65.25	34.96	39.11
5	C61	Prostate gland	7,212	61.78	29.48	35.06
6	C15	Esophagus	2,840	24.33	14.15	15.11
7	C67	Bladder	2,569	22.01	11.03	12.72
8	C44 ⁵	Skin	2,561	21.94	10.55	12.61
9	C16	Stomach	2,538	21.74	11.00	12.61
10	LEU	Leukemia	1,549	13.27	9.40	9.87
	C00-C80	All cancer sites	68,618	587.80	322.17	360.56

Top 10 cancer mortality rates per 100,000 among males in 2020

Rank	ICD-10	Cancer site	Number of Cases	Crude Mortality rate	Age-adjusted mortality rate ²	Age-adjusted mortality rate ³
1	C33-C34	Trachea, bronchus and lung	6,037	51.71	24.94	29.35
2	C22	Liver and intrahepatic bile ducts	5,296	45.37	23.09	26.53
3	C18-C21	Colon, rectum, rectosigmoid junction and anus	3,636	31.15	15.08	17.73
4	C00-C14 ⁴	Oral cavity, oropharynx and hypopharynx	3,137	26.87	15.33	16.67
5	C15	Esophagus	1,801	15.43	8.71	9.41
6	C61	Prostate gland	1,730	14.82	5.95	7.72
7	C16	Stomach	1,433	12.28	5.83	6.85
8	C25	Pancreas	1,349	11.56	5.82	6.72
9	C91-C95	Leukemia	717	6.14	3.43	3.88
10	C82-C85	Non-Hodgkin lymphoma	748	6.41	3.17	3.77
	C00-C97	All cancer sites	30,250	259.13	130.75	150.99

FOOTNOTE

^{1.} Since 2007, the incidence rate for lymphoma was calculated independently from each site.

^{2.} Rates are age-adjusted to the 1976 world standard population.

^{3.} Rates are age-adjusted to the 2000 world standard population.

^{4.} Codes corresponding with oral cavity, oropharynx and hypopharynx include ICD-O-3: C00-C06 \ C09-C10 \ C12-14: ICD 9: 140-141 \ 143-146 \ 148-149.

^{5.} Basal cell is included in skin cancer.

^{6.} Carcinoma in situ represents the fifth digit of morphology code is "2".

Incidence and mortality rates for the top 10 cancer among females in Taiwan, 2020 (ranked by age-adjusted rate³)

Top 10 cancer incidence rates per 100,000 among females in 2020 (only invasive cancers)

Rank	ICD-O-3	Cancer site	Number of Cases	Crude Incidence rate	Age-adjusted incidence rate ²	Age-adjusted incidence rate ³
1	C50	Female breast	15,259	128.36	75.83	82.10
2	C33-C34	Trachea, bronchus and lung	7,493	63.03	31.19	34.64
3	C18-C21	Colon, rectum, rectosigmoid junction and anus	7,352	61.85	29.31	33.33
4	C73	Thyroid gland	3,715	31.25	21.61	23.46
5	C54	Corpus uteri	3,032	25.51	15.11	16.30
6	C22	Liver and intrahepatic bile ducts	3,365	28.31	12.16	14.30
7	C56, C57.0-C57.4	Ovary, fallopian tube and broad ligament	1,824	15.34	9.95	10.66
8	C16	Stomach	1,793	15.08	6.87	7.88
9	C44 ⁴	Skin	1,908	16.05	6.58	7.83
10	C53	Cervix uteri	1,436	12.08	7.00	7.78
	C00-C80	All cancer sites	58,086	488.63	264.76	292.75

Top 10 cancer incidence rates per 100,000 among females in 2020 (carcinoma in situ and invasive cancers)⁵

Rank	ICD-O-3	Cancer site	Number of Cases	Crude Incidence rate	Age-adjusted incidence rate ²	Age-adjusted incidence rate ³
1	C50	Female breast	18,041	151.76	90.25	97.39
	C50	Carcinoma in situ of the female breast	2,782	23.40	14.42	15.29
	C50	Invasive carcinoma of the female breast	15,259	128.36	75.83	82.10
2	C18-C21	Colon, rectum, rectosigmoid junction and anus	8,936	75.17	36.12	40.82
3	C33-C34	Trachea, bronchus and lung	8,076	67.94	34.17	37.82
4	C53	Cervix uteri	4,401	37.02	25.63	28.65
	C53	Cervical carcinoma in situ	2,965	24.94	18.63	20.87
	C53	Invasive cervical carcinoma	1,436	12.08	7.00	7.78
5	C73	Thyroid gland	3,715	31.25	21.61	23.46
6	C54	Corpus uteri	3,237	27.23	16.40	17.70
7	C22	Liver and intrahepatic bile ducts	3,371	28.36	12.18	14.33
8	C56, C57.0-C57.4	Ovary, fallopian tube and broad ligament	1,856	15.61	10.15	10.88
9	C44 ⁴	Skin	2,177	18.31	7.50	8.94
10	C16	Stomach	1,827	15.37	6.99	8.02
	C00-C80	All cancer sites	67,190	565.22	312.60	345.30

Top 10 cancer mortality rates per 100,000 among females in 2020

Rank	ICD-9	Cancer site	Number of Cases	Crude Mortality rate	Age-adjusted mortality rate ²	Age-adjusted mortality rate ³
1	C33-C34	Trachea, bronchus and lung	3,592	30.22	12.78	14.94
2	C50	Female breast	2,655	22.33	11.49	12.68
3	C18-C21	Colon, rectum, rectosigmoid junction and anus	2,853	24.00	9.89	11.64
4	C22	Liver and intrahepatic bile ducts	2,477	20.84	8.07	9.86
5	C25	Pancreas	1,101	9.26	3.93	4.60
6	C16	Stomach	906	7.62	3.19	3.76
7	C56, C57.0-C57.4	Ovary, fallopian tube and broad ligament	724	6.09	3.26	3.61
8	C53	Cervix uteri	668	5.62	2.71	3.06
9	C82-C85	Non-Hodgkin lymphoma	546	4.59	1.87	2.24
10	C91-C95	Leukemia	459	3.86	1.87	2.14
	C00-C97	All cancer sites	19,911	167.50	73.86	85.65

FOOTNOTE

- 1. Since 2007, the incidence rate for lymphoma was calculated independently from each site.
- 2. Rates are age-adjusted to the 1976 world standard population.
- 3. Rates are age-adjusted to the 2000 world standard population.
- 4. Basal cell is included in skin cancer.
- 5. Carcinoma in situ represents the fifth digit of morphology code is "2".